DANAZOL ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANEMIA | | 1 | 100 | |
| ASCITES | | 1 | 100 | |
| LIVER ENZYMES HI, BLD | | 1 | 100 | |
| PLATELETS LO, BLD | | 1 | 100 | |
| ULCER(S), SKIN | | 1 | 100 | |
| WEIGHT LOSS | | 1 | 100 | |
| | | | | |

DANOFLOXACIN MESYLATE ORAL, HUMAN

| Reviews | Treated | Reacted | Died |
|---------------------------|---------|-------------|----------------|
| 1 | 1 | 1 | 0 |
| Sign TASTE ABNORMALITY | | Sum Reacted | Percent 100 |

DANOFLOXACIN MESYLATE PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 37 | 1569 | 367 | 60 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, ANTIBIOTIC | ! | 228 | 62 |
| COLLAPSE | | 49 | 13 |
| ANAPHYLAXIS/TOID | | 48 | 13 |
| RECUMBENCY | | 39 | 11 |
| DYSPNEA | | 35 | 10 |
| ATAXIA | | 29 | 8 |
| FROTH, MOUTH/LIP(S) | | 27 | 7 |
| HYPERSALIVATION | | 19 | 5 |
| CONVULSION(S) | | 16 | 4 |
| PR-HEART, LESION(S) | | 14 | 4 |
| PR-LUNG(S), LESION(S | ;) | 13 | 4 |
| STAGGERING | | 12 | 3 |
| CULTURE/TITER DATA A | ABN | 11 | 3 |
| LAMENESS | | 11 | 3 |
| WEAKNESS | | 9 | 2 |
| DEPRESSION/LETHARGY | | 8 | 2 |
| JOINT DISORDER | | 8 | 2 |
| | | | |

DANOFLOXACIN MESYLATE PARENTERAL, CATTLE

| Reviews 37 | Treated 1569 | Reacted 367 | Died 60 |
|------------------------|-----------------|----------------|--------------|
| - | | Sum Reacted | |
| Sign | | 8 | Percent 2 |
| PR-INTEST, LESION(S) | | 8 | 2 |
| PR-STOMACH, LESION(S) | | 8 5 | |
| BLD | | 5 | 1 |
| CNS DISORDER | | _ | 1 |
| NEUROLOGICAL DISORDER | | 5 | 1 |
| PR-LYMPH NODE(S), LESI | | 5 | 1 |
| BLD, LUNG(S)/TRACHEA | | 3 | 1 |
| EDEMA, LUNG(S)/TRACHEA | | 3 | 1 |
| EPIPHORA | | 3 | 1 |
| PAIN, ABDOMEN | | 3 | 1 |
| PR-LUNG(S), EDEMA | | 3 | 1 |
| SWELLING, LIMB(S) | | 3 | 1 |
| BLD, EYE(S) | | 2 | 1 |
| BLD, VAGINA | | 2 | 1 |
| CYANOSIS, MUCOUS MEMBR | | 2 | 1 |
| HYPERACTIVITY | | 2 | 1 |
| HYPERPNEA | | 2 | 1 |
| CIRCLING | | 1 | |
| DISTRESS, RESP | | 1 | |
| EDEMA, HEAD/FACE | | 1 | |
| HEAD TILT | | 1 | |
| INJ SITE EDEMA | | 1 | |
| LOSS OF CONDITION | | 1 | |
| PARESIS, HIND LIMB(S) | | 1 | |
| POLYPNEA | | 1 | |
| PROPRIOCEPTIVE DISORDE | | 1 | |
| SWELLING, EAR(S) | | 1 | |
| SWELLING, EYE(S)/LID(S | | 1 | |
| SWELLING, HEAD/FACE | | 1 | |

DANOFLOXACIN MESYLATE PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died |
|-------------------|---------|-------------|---------|
| 3 | 3 | 3 | 0 |
| Sign | | Sum Reacted | Percent |
| INJ SITE SWELLING | | 3 | 100 |
| INJ SITE PAIN | | 2 | 67 |
| BLD(ECCHYMOSES) | | 1 | 33 |

DANOFLOXACIN MESYLATE PARENTERAL, HUMAN

| Reviews 3 Sign | Treated 3 | Reacted 3 Sum Reacted | Died 0 Percent | |
|----------------------|--------------|-----------------------------|----------------------|--|
| INJ SITE INFLAM | | 1 | 33 | |
| | DANOFLOXA | ACIN MESYLATE | | |
| | UNKNOV | NN, CATTLE | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 5 | 5 | 5 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, ANTIBIOTIC | | 5 | 100 | |
| | | OQUINATE | | |
| | ORAL | , CATTLE | | |
| Reviews | Treated | Reacted | Died | |
| 3 | 1265 | 525 | 20 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, COCCIDIA | | 525 | 100 | |

DENTAL AND ORAL CARE PRODUCTS ORAL, DOG

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 3 | 3 | 3 | 0 |
| Sign | | Sum Reacted | Percent |
| APPLICATION SITE P | RURITIS | 1 | 33 |
| APPREHENSION | | 1 | 33 |
| BLD, URINE | | 1 | 33 |
| CONGESTION, SKIN | | 1 | 33 |
| DIGESTION DISORDER | | 1 | 33 |
| INCONTINENCE, URIN | ARY | 1 | 33 |
| PAIN, ABDOMEN | | 1 | 33 |
| POLYDIPSIA | | 1 | 33 |
| POLYURIA | | 1 | 33 |
| PROTEIN, URINE | | 1 | 33 |
| PRURITIS | | 1 | 33 |
| SWELLING, MOUTH/LI | P(S) | 1 | 33 |
| TACHYCARDIA | | 1 | 33 |
| | | | |

DENTAL AND ORAL CARE PRODUCTS ORAL, DOG

| Reviews 3 | Treated 3 | Reacted 3 | Died O | |
|--------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| VOCALIZATION | | 1 | 33 | |
| VOMITING | | 1 | 33 | |
| WBC, URINE | | 1 | 33 | |

DENTAL AND ORAL CARE PRODUCTS TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 7 | 9 | 8 | 1 | |
| Sign | | Sum Reacted | Percent | |
| GINGIVITIS | | 3 | 38 | |
| LESION(S), MOUTH/LIP(S | | 3 | 38 | |
| VOMITING | | 3 | 38 | |
| ANOREXIA | | 2 | 25 | |
| DIARRHEA | | 2 | 25 | |
| IRRITATION, MOUTH/LIP(| | 2 | 25 | |
| PAIN, MOUTH/LIP(S) | | 2 | 25 | |
| STOMATITIS | | 2 | 25 | |
| BLD | | 1 | 13 | |
| DERMATITIS, MOIST | | 1 | 13 | |
| GINGIVA, ABN | | 1 | 13 | |
| LICKING | | 1 | 13 | |
| ULCER(S), MOUTH/LIP(S) | | 1 | 13 | |

DENTAL AND ORAL CARE PRODUCTS TOPICAL, DOG

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 32 | 34 | 32 | 0 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 8 | 25 |
| ANOREXIA | | 6 | 19 |
| GINGIVA, ABN | | 6 | 19 |
| ANAPHYLAXIS/TOID | | 5 | 16 |
| DIARRHEA | | 4 | 13 |
| SWELLING, MOUTH/LIP(| S) | 3 | 9 |
| DEPRESSION/LETHARGY | | 2 | 6 |
| GINGIVITIS | | 2 | 6 |

DENTAL AND ORAL CARE PRODUCTS TOPICAL, DOG

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 32 | 34 | 32 | 0 | |
| Sign | | Sum Reacted | Percent | |
| SWELLING, HEAD/FACE | | 2 | 6 | |
| ALK PHOS HI, BLD | | 1 | 3 | |
| ALOPECIA | | 1 | 3 | |
| CONGESTION, EYE(S)/L | ID | 1 | 3 | |
| CONVULSION(S) | | 1 | 3 | |
| DIARRHEA, BLOODY | | 1 | 3 | |
| DIARRHEA, PROJECTILE | | 1 | 3 | |
| EDEMA, EYE(S)/LID(S) | | 1 | 3 | |
| ENLARGEMENT, LYMPH NO |)D | 1 | 3 | |
| ENLARGEMENT, SALIVARY | GLAND | 1 | 3 | |
| ERUPTION(S) | | 1 | 3 | |
| HYPERSALIVATION | | 1 | 3 | |
| HYPOTHERMIA | | 1 | 3 | |
| INCONTINENCE | | 1 | 3 | |
| INEFFECT | | 1 | 3 | |
| IRRITATION, MOUTH/LI | ?(| 1 | 3 | |
| LESION(S), SKIN | | 1 | 3 | |
| LIVER ENZYMES HI, BLI |) | 1 | 3 | |
| NECROSIS | | 1 | 3 | |
| PAIN, MOUTH/LIP(S) | | 1 | 3 | |
| PRURITIS | | 1 | 3 | |
| SGPT/ALT HI, BLD | | 1 | 3 | |
| TEETH, ABN | | 1 | 3 | |
| ULCER(S), MOUTH/LIP(S | 3) | 1 | 3 | |
| ULCER(S), TONGUE | | 1 | 3 | |

DERACOXIB DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 93 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-CONTAMINATION | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-TABLET(S), ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| | | | |

DERACOXIB MISSING, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 2 | |
| Sign | | Sum Reacted | Percent | |
| <pre>INTERACTION, DRUG(S)</pre> | | 2 | 67 | |
| AZOTEMIA | | 1 | 33 | |
| BUN HI, BLD | | 1 | 33 | |
| CREATININE HI, BLD | | 1 | 33 | |
| DISCHARGE, INCISION SIT | E | 1 | 33 | |
| INCISION SITE ABN | | 1 | 33 | |
| KIDNEY FAILURE | | 1 | 33 | |
| P LO, BLD | | 1 | 33 | |
| PR-KIDNEY(S), LESION(S | | 1 | 33 | |
| SPEC GRAVITY LO, URINE | | 1 | 33 | |
| ULCER(S), GI | | 1 | 33 | |
| ULCER(S), STOMACH | | 1 | 33 | |
| URINATION ABN | | 1 | 33 | |
| WBC HI, BLD | | 1 | 33 | |

DERACOXIB ORAL, CAT

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 35 | 35 | 35 | 2 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 19 | 54 |
| BUN HI, BLD | | 9 | 26 |
| DEPRESSION/LETHARGY | | 7 | 20 |
| CREATININE HI, BLD | | 6 | 17 |
| SGPT/ALT HI, BLD | | 4 | 11 |
| FEVER, BODY | | 3 | 9 |
| DIARRHEA, MILD | | 2 | 6 |
| MELENA | | 2 | 6 |
| WBC HI, BLD | | 2 | 6 |
| A/G RATIO LO, BLD | | 1 | 3 |
| ALBUMIN LO, BLD | | 1 | 3 |
| ALK PHOS HI, BLD | | 1 | 3 |
| ANEMIA | | 1 | 3 |
| ANOREXIA | | 1 | 3 |
| BASOS HI, BLD | | 1 | 3 |
| BILIRUBIN, URINE | | 1 | 3 |
| BLD, URINE | | 1 | 3 |
| CA HI, BLD | | 1 | 3 |

DERACOXIB ORAL, CAT

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 35 | 35 | 35 | 2 |
| Sign | | Sum Reacted | Percent |
| CA LO, BLD | | 1 | 3 |
| CARDIOMEGALY | | 1 | 3 |
| CONVULSION(S) | | 1 | 3 |
| DEHYDRATION | | 1 | 3 |
| DIARRHEA | | 1 | 3 |
| EOSINOS HI, BLD | | 1 | 3 |
| HEAD BOBBING | | 1 | 3 |
| HEMATOCHEZIA | | 1 | 3 |
| HIDING | | 1 | 3 |
| HYPERSALIVATION | | 1 | 3 |
| ICTERUS, BODY | | 1 | 3 |
| K HI, BLD | | 1 | 3 |
| K LO, BLD | | 1 | 3 |
| MURMUR, HEART | | 1 | 3 |
| MYDRIASIS | | 1 | 3 |
| NA LO, BLD | | 1 | 3 |
| NAUSEA | | 1 | 3 |
| NERVOUSNESS | | 1 | 3 |
| P HI, BLD | | 1 | 3 |
| P LO, BLD | | 1 | 3 |
| PLATELETS LO, BLD | | 1 | 3 |
| POLYDIPSIA | | 1 | 3 |
| POLYURIA | | 1 | 3 |
| PR-ADRENAL(S), LESION(S | 5) | 1 | 3 |
| PR-GI, LESION(S) | | 1 | 3 |
| PR-HEART, LESION(S) | | 1 | 3 |
| PR-KIDNEY(S), LESION(S | | 1 | 3 |
| PR-LIVER, LESION(S) | | 1 | 3 |
| PR-PANCREAS, LESION(S) | | 1 | 3 |
| PR-PERITONEUM, LESION(| | 1 | 3 |
| PR-STOMACH, LESION(S) | | 1 | 3 |
| PROTEIN(TOT) LO, BLD | | 1 | 3 |
| PROTEIN, URINE | | 1 | 3 |
| RADIOGRAPH(S) ABN | | 1 | 3 |
| RETICULOCYTES HI, BLD | | 1 | 3 |
| SEGS HI, BLD | | 1 | 3 |
| SGOT/AST HI, BLD | | 1 | 3 |
| SPEC GRAVITY LO, URINE | | 1 | 3 |
| STOOL, MUCOID | | 1 | 3 |
| TACHYCARDIA | | 1 | 3 |

DERACOXIB ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 35 | 35 | 35 | 2 | |
| Sign | | Sum Reacted | Percent | |
| VOCALIZATION | | 1 | 3 | |
| VOMITING, BLOODY | | 1 | 3 | |
| WBC LO, BLD | | 1 | 3 | |

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 1203 | 34 |
| ANOREXIA | | 789 | 22 |
| ALK PHOS HI, BLD | | 691 | 20 |
| DEPRESSION/LETHARGY | | 653 | 19 |
| BUN HI, BLD | | 602 | 17 |
| SGPT/ALT HI, BLD | | 544 | 15 |
| CREATININE HI, BLD | | 528 | 15 |
| DIARRHEA | | 481 | 14 |
| INTERACTION, DRUG(S) |) | 352 | 10 |
| ANEMIA | | 332 | 9 |
| WBC HI, BLD | | 301 | 9 |
| ALBUMIN LO, BLD | | 255 | 7 |
| P HI, BLD | | 235 | 7 |
| MELENA | | 209 | 6 |
| POLYDIPSIA | | 197 | 6 |
| DIARRHEA, BLOODY | | 192 | 5 |
| AMYLASE HI, BLD | | 157 | 4 |
| BILIRUBIN(TOT) HI, E | BLD | 155 | 4 |
| POLYURIA | | 154 | 4 |
| CONVULSION(S) | | 146 | 4 |
| PLATELETS LO, BLD | | 146 | 4 |
| VOMITING, BLOODY | | 145 | 4 |
| BLD, URINE | | 137 | 4 |
| ATAXIA | | 132 | 4 |
| PAIN, ABDOMEN | | 127 | 4 |
| WEIGHT LOSS | | 121 | 3 |
| SPEC GRAVITY LO, URI | INE | 116 | 3 |
| PERITONITIS | | 114 | 3 |
| SGOT/AST HI, BLD | | 113 | 3 |

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| PROTEIN(TOT) LO, BLD | | 102 | 3 |
| WEAKNESS | | 100 | 3 |
| FEVER, BODY | | 96 | 3 |
| DEHYDRATION | | 95 | 3 |
| HEMATOCHEZIA | | 94 | 3 |
| PERFORATION, GI | | 91 | 3 |
| LIPASE HI, BLD | | 89 | 3 |
| PERFORATION, STOMACH | | 85 | 2 |
| POLYCYTHEMIA | | 76 | 2 |
| PROTEIN, URINE | | 74 | 2 |
| DYSPNEA | | 72 | 2 |
| POLYPNEA | | 72 | 2 |
| RADIOGRAPH(S) ABN | | 72 | 2 |
| RECUMBENCY | | 66 | 2 |
| US ABN | | 65 | 2 |
| COLLAPSE | | 59 | 2 |
| CHOLESTEROL HI, BLD | | 58 | 2 |
| PR-LIVER, LESION(S) | | 57 | 2 |
| TACHYCARDIA | | 55 | 2 |
| INCONTINENCE, URINARY | | 54 | 2 |
| K HI, BLD | | 53 | 2 |
| NERVOUSNESS | | 52 | 1 |
| US-LIVER ABN | | 52 | 1 |
| TREMBLING | | 50 | 1 |
| DIARRHEA, MILD | | 49 | 1 |
| LIVER ENZYMES HI, BLD | | 49 | 1 |
| CPK HI, BLD | | 46 | 1 |
| CA HI, BLD | | 45 | 1 |
| PR-STOMACH, LESION(S) | | 45 | 1 |
| GLOBULIN LO, BLD | | 44 | 1 |
| ULCER(S), GI | | 44 | 1 |
| EPISTAXIS | | 43 | 1 |
| WBC, URINE | | 43 | 1 |
| PRURITIS | | 40 | 1 |
| GGT HI, BLD | | 39 | 1 |
| HYPERACTIVITY | | 39 | 1 |
| KIDNEY FAILURE | | 39 | 1 |
| PALLOR | | 39 | 1 |
| WBC LO, BLD | | 39 | 1 |
| AGGRESSION | | 37 | 1 |
| | | | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------------|--------------|
| 3492 | 3593 | 3513 | 839 |
| Cian | | Cum Doogtod | Dowgont |
| Sign K LO, BLD | | Sum Reacted 37 | Percent 1 |
| MICROORANISMS, URINE | | 37 | 1 |
| ULCER(S), STOMACH | | 37 | 1 |
| PALLOR, MUCOUS MEMBRAN | | 36 | 1 |
| CONFUSION | | 35 | 1 |
| GLUCOSE HI, BLD | | 34 | 1 |
| ICTERUS, BODY | | 33 | 1 |
| INFLAM, SKIN | | 33 | 1 |
| APPREHENSION | | 32 | 1 |
| HYPERSALIVATION | | 32 | 1 |
| BLD(PETECHIAE) | | 31 | 1 |
| GLOBULIN HI, BLD | | 31 | 1 |
| SEGS HI, BLD | | 31 | 1 |
| VOCALIZATION | | 31 | 1 |
| HYPERPNEA | | 30 | 1 |
| PROTEIN(TOT) HI, BLD | | 30 | 1 |
| ASCITES | | 29 | 1 |
| ICTERUS | | 29 | 1 |
| EDEMA, LIMB(S) | | 27 | 1 |
| PR-KIDNEY(S), LESION(S | | 27 | 1 |
| NA LO, BLD | | 26 | 1 |
| BILIRUBIN, URINE | | 25 | 1 |
| GLUCOSE LO, BLD | | 25 | 1 |
| THYROID HORMONE(S) LO | | 25 | 1 |
| ANEMIA, AUTOIMMUNE HEM | | 24 | 1 |
| PANCREATITIS | | 24 | 1 |
| ARREST, HEART | | 23 | 1 |
| NYSTAGMUS | | 23 | 1 |
| PARESIS, HIND LIMB(S) | | 23 | 1 |
| BLD(ECCHYMOSES) | | 22 | 1 |
| PROPRIOCEPTIVE DISORDE | | 22 | 1 |
| VESTIBULAR DISORDER | | 22 | 1 |
| COUGHING | | 21 | 1 |
| DISTENTION, ABDOMEN | | 21 | 1 |
| HEAD TILT | | 21 | 1 |
| URTICARIA | | 21 | 1 |
| INFECTION, URINARY TRA | | 20 | 1 |
| CONGESTION, SKIN | | 19 | 1 |
| DERMATITIS, MOIST | | 19 | 1 |
| INFECTION, SKIN | | 19 | 1 |
| | | | |

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| NAUSEA | | 19 | 1 |
| ADIPSIA | | 18 | 1 |
| CIRCLING | | 18 | 1 |
| DIFFICULTY RISING | | 18 | 1 |
| NA HI, BLD | | 18 | 1 |
| SWELLING, HEAD/FACE | | 18 | 1 |
| BILE ACIDS HI, BLD | | 17 | |
| DIARRHEA, MUCOID | | 17 | |
| PAIN | | 17 | |
| RBC, NUCLEATED | | 17 | |
| RETICULOCYTES HI, BLD | | 17 | |
| ALOPECIA | | 16 | |
| KERATOCONJUNCTIVITIS S | | 16 | |
| STUPOR | | 16 | |
| BLINDNESS | | 15 | |
| CHLORIDE LO, BLD | | 15 | |
| PR-SM INTEST, LESION(S | | 15 | |
| SHOCK | | 15 | |
| APNEA | | 14 | |
| EDEMA, HEAD/FACE | | 14 | |
| PR-SKIN, LESION(S) | | 14 | |
| PR-SPLEEN, LESION(S) | | 14 | |
| AZOTEMIA | | 13 | |
| CRYSTALS, URINE | | 13 | |
| EFFUSION, PERITONEAL | | 13 | |
| KIDNEY VALUES HI, BLD | | 13 | |
| PACING | | 13 | |
| PR-SM INTEST, LESION(S) |) | 13 | |
| TRIGLYCERIDES HI, BLD | | 13 | |
| ANURIA | | 12 | |
| BANDS HI, BLD | | 12 | |
| BLD, MOUTH/LIP(S) | | 12 | |
| ENLARGEMENT, LYMPH NOD | | 12 | |
| INCONTINENCE, FECAL | | 12 | |
| LESION(S), SKIN | | 12 | |
| MONOS HI, BLD | | 12 | |
| MURMUR, HEART | | 12 | |
| MYDRIASIS | | 12 | |
| SPLENOMEGALY | | 12 | |
| CHLORIDE HI, BLD | | 11 | |

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| DEAFNESS | | 11 | rercent |
| EDEMA, LUNG(S)/TRACHEA | | 11 | |
| INCISION SITE DISCHARGE | | 11 | |
| KIDNEY DISORDER | | 11 | |
| PT PROLONGED, BLD | | 11 | |
| ULCER(S), SKIN | | 11 | |
| ABN COLOR, URINE | | 10 | |
| BUN LO, BLD | | 10 | |
| DISCHARGE, INCISION SIT | F. | 10 | |
| FLATULENCE | _ | 10 | |
| PR-PANCREAS, LESION(S) | | 10 | |
| PR-PERITONEUM, LESION(| | 10 | |
| STOOL ABN | | 10 | |
| STOOL, MUCOID | | 10 | |
| STRANGURIA | | 10 | |
| ULCER(S), MOUTH/LIP(S) | | 10 | |
| ULCER(S), PYLORUS | | 10 | |
| ALBUMIN HI, BLD | | 9 | |
| ANAPHYLAXIS/TOID | | 9 | |
| BLD | | 9 | |
| BLD, INCISION SITE | | 9 | |
| BRADYCARDIA | | 9 | |
| CA LO, BLD | | 9 | |
| CASTS, URINE | | 9 | |
| CONSTIPATION | | 9 | |
| HEART FAILURE | | 9 | |
| HEPATOMEGALY | | 9 | |
| INCISION SITE ABN | | 9 | |
| LYMPHS LO, BLD | | 9 | |
| MASS, ABDOMEN | | 9 | |
| PAPULE(S) | | 9 | |
| PTT PROLONGED, BLD | | 9 | |
| SEGS LO, BLD | | 9 | |
| STIFFNESS | | 9 | |
| TENESMUS, RECTAL | | 9 | |
| URINATION | | 9 | |
| ANEMIA, REGEN | | 8 | |
| BLD, SKIN | | 8 | |
| COAGULATION DISORDER | | 8 | |
| CONJUNCTIVITIS | | 8 | |
| | | | |

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA, WATERY | | 8 | rercent |
| DIC WATER | | 8 | |
| HYPOTHERMIA, BODY | | 8 | |
| NYSTAGMUS, HORIZONTAL | | 8 | |
| OLIGURIA | | 8 | |
| OTITIS | | 8 | |
| PLATELETS HI, BLD | | 8 | |
| PRESSURE LO, BLD | | 8 | |
| PUSTULE(S) | | 8 | |
| TWITCH | | 8 | |
| ULCER(S), TONGUE | | 8 | |
| VOMITING, UNPRODUCTIVE | | 8 | |
| ABSCESS, SKIN | | 7 | |
| ARRHYTHMIA | | 7 | |
| BLD, ABDOMEN | | 7 | |
| BLD, LUNG(S)/TRACHEA | | 7 | |
| BLOAT | | 7 | |
| CYANOSIS | | 7 | |
| DIARRHEA, SEVERE | | 7 | |
| GAGGING | | 7 | |
| MASS | | 7 | |
| MICROORGANISMS, URINE | | 7 | |
| NEOPLASM | | 7 | |
| SKIN, CRUST(S) | | 7 | |
| ULCER(S), CORNEA(S) | | 7 | |
| BEHAVIOR DISORDER | | 6 | |
| BLD(HEMATOMA) | | 6 | |
| BLD, EYE(S) | | 6 | |
| CARDIOMEGALY | | 6 | |
| EOSINOS HI, BLD | | 6 | |
| HAIR, SHEDDING | | 6 | |
| INCISION SITE INFECTION | | 6 | |
| LIVER FAILURE | | 6 | |
| ODOR, MOUTH | | 6 | |
| PARALYSIS, HIND LIMB(S | | 6 | |
| PARESIS | | 6 | |
| PICA | | 6 | |
| POLLAKIURIA | | б | |
| PR-HEART, LESION(S) | | б | |
| PR-LUNG(S), EDEMA | | 6 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|------------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Q.1 | | Comp. December 1 | D |
| Sign | | Sum Reacted | Percent |
| SHOCK, ENDOTOXEMIA | | 6 | |
| SLOUGH, SKIN | | 6 | |
| STUMBLING | | 6 | |
| BLD, GI | | 5 | |
| BLD, VAGINA | | 5 | |
| CHEMISTRY ABN | | 5 | |
| COOMBS TEST POS | | 5 | |
| DYSPHAGIA | | 5 | |
| EDEMA | | 5 | |
| EDEMA, VENTRAL | | 5 | |
| HYPOTHERMIA | | 5 | |
| ICTERUS, SERUM | | 5 | |
| LICKING, FEET/DIGIT(S) | | 5 | |
| LIVER DISORDER | | 5 | |
| MONOS LO, BLD | | 5 | |
| MUCOUS MEMBR, RED | | 5 | |
| PANCREAS ENZYMES HI, B | | 5 | |
| PARALYSIS, FACIAL NERV | | 5 | |
| REFLEX(ES) ABN | | 5 | |
| RETICULOCYTES LO, BLD | | 5 | |
| SCALE(S), SKIN | | 5 | |
| SEPTICEMIA | | 5 | |
| SHAKING | | 5 | |
| SKIN, NECROSIS | | 5 | |
| SNEEZING | | 5 | |
| STAGGERING | | 5 | |
| STARING | | 5 | |
| URINATION ABN | | 5 | |
| ANEMIA, SPHERO | | 4 | |
| BLINDNESS, TEMP | | 4 | |
| BORBORYGMI | | 4 | |
| DISTRESS | | 4 | |
| DISTRESS, RESP | | 4 | |
| EDEMA, FEET/DIGIT(S) | | 4 | |
| ERUPTION(S) | | 4 | |
| EYE DISORDER | | 4 | |
| FLY BITING | | 4 | |
| GASTRITIS | | 4 | |
| GASTROENTERITIS | | 4 | |
| HEPATITIS | | 4 | |
| | | | |

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|------------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| HORNER'S SYNDROME | | 4 | I CI CCIIC |
| HYPOADRENOCORTICISM | | 4 | |
| INEFFECT, ANTIINFLAM | | 4 | |
| LAMENESS | | 4 | |
| LYMPHS HI, BLD | | 4 | |
| MG LO, BLD | | 4 | |
| NEOPLASM, LIVER | | 4 | |
| NEUROLOGICAL DISORDER | | 4 | |
| NYSTAGMUS, ROTARY | | 4 | |
| P LO, BLD | | 4 | |
| POLYPHAGIA | | 4 | |
| PR-BONE MARROW, LESION | | 4 | |
| PR-PERITONEAL EFFUSION | | 4 | |
| PULSE THREADY | | 4 | |
| RASH | | 4 | |
| REGURGITATION | | 4 | |
| SWELLING, JOINT(S) | | 4 | |
| SYNCOPE | | 4 | |
| VESICLE(S)/BULLAE, SKI | | 4 | |
| VOLVULUS, STOMACH | | 4 | |
| ACCIDENTAL EXPOSURE | | 3 | |
| ALBUMIN HI, URINE | | 3 | |
| ATROPHY, MUSCLE(S) | | 3 | |
| BILIRUBIN(DIR) HI, BLD | | 3 | |
| BLD, RECTUM | | 3 | |
| CELLULITIS | | 3 | |
| CONGESTION, LUNG(S) | | 3 | |
| DIABETES MELLITUS | | 3 | |
| DISCHARGE, EYE(S)/LID(S |) | 3 | |
| DISCHARGE, NOSE | | 3 | |
| DISCOMFORT | | 3 | |
| DYSURIA | | 3 | |
| ECG ABN | | 3 | |
| EFFUSION, PLEURAL | | 3 | |
| EOSINOS LO, BLD | | 3 | |
| ERUCTATION | | 3 | |
| GLAUCOMA | | 3 | |
| HEMOGLOBIN, URINE | | 3 | |
| HIDING | | 3 | |
| HYPERADRENOCORTICISM | | 3 | |

| Reviews 3492 | Treated 3593 | Reacted 3513 | Died 839 |
|-------------------------|-----------------|--------------------|-------------|
| Q.i | | Garage Danas de al | D |
| Sign | | Sum Reacted | Percent |
| INEFFECT, LOSS OF EFFE | | 3 | |
| LDH HI, BLD | | 3 | |
| LOCOMOTION DISORDER | | 3 | |
| MIOSIS | | 3 3 | |
| PAIN, BACK | | 3 | |
| POLYCYTHEMIA (RELATIVE) | | | |
| PR-INTEST, LESION(S) | | 3 | |
| PR-LUNG(S), LESION(S) | | 3 | |
| PRESSURE HI, BLD | | 3 | |
| PROLAPSE, THIRD EYELID | | 3 | |
| PUPIL(S), AREFLEXIA | | 3 | |
| RELUCTANT TO MOVE | | 3 | |
| SEBORRHEA | | 3 | |
| SEPSIS | | 3 | |
| SKIN, SCAB(S) | | 3 | |
| STOMATITIS | | 3 | |
| SWELLING | | 3 | |
| SWELLING, EYE(S)/LID(S | | 3 | |
| SWELLING, FEET/DIGIT(S | | 3 | |
| SWELLING, LIMB(S) | | 3 | |
| TENESMUS | | 3 | |
| UNCONSCIOUS | | 3 | |
| UVEITIS | | 3 | |
| ACID URINE | | 2 | |
| ALKALINE URINE | | 2 | |
| ANA POS | | 2 | |
| ANEMIA, HEMOLYTIC | | 2 | |
| ANION GAP HI, BLD | | 2 | |
| APLASIA, BONE MARROW | | 2 | |
| ARTHRITIS, SEPTIC | | 2 | |
| ATONY, BLADDER | | 2 | |
| BASOS HI, BLD | | 2 | |
| BITING/CHEWING | | 2 | |
| BLD, ANUS | | 2 | |
| BLINDNESS, PARTIAL | | 2 | |
| CACHEXIA | | 2 | |
| CAPILLARY REFILL PROLO | | 2 | |
| CAT SCAN ABN | | 2 | |
| CONGESTION | | 2 | |
| CONGESTION, EYE(S)/LID | | 2 | |

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| CONGESTION, MUCOUS MEM | | 2 | |
| CYSTITIS | | 2 | |
| DEFECATION | | 2 | |
| DEHISCENCE | | 2 | |
| DESTRUCTIVENESS | | 2 | |
| DISTENTION, BLADDER | | 2 | |
| EFFUSION, JOINT(S) | | 2 | |
| FROTH, MOUTH/LIP(S) | | 2 | |
| GALL BLADDER, ABN | | 2 | |
| GI, ABNORMAL | | 2 | |
| GINGIVA, ABN | | 2 | |
| GINGIVITIS | | 2 | |
| HEART DISORDER | | 2 | |
| HYPERMOTILITY | | 2 | |
| HYPERPIGMENTATION, SKI | | 2 | |
| НҮРНЕМА | | 2 | |
| HYPOPNEA | | 2 | |
| IMMUNE DISORDER | | 2 | |
| INCONTINENCE | | 2 | |
| INFECTION, INCISION SIT | E | 2 | |
| IRRITATION, EYE(S)/LID | | 2 | |
| MASS, SKIN | | 2 | |
| MG HI, BLD | | 2 | |
| MRI SCAN ABN | | 2 | |
| MUCOUS MEMBR, MUDDY | | 2 | |
| NA:K LO, BLD | | 2 | |
| NAIL DISORDER | | 2 | |
| NECROSIS | | 2 | |
| NEOPLASM, LYMPH NODE(S | | 2 | |
| PARALYSIS | | 2 | |
| PARALYSIS, LARYNX | | 2 | |
| PERFORATION | | 2 | |
| PR-ADRENAL(S), LESION(S |) | 2 | |
| PR-BLADDER, LESION(S) | | 2 | |
| PR-ESOPHAGUS, LESION(S | | 2 | |
| PR-GALL BLADDER, LESION | (S) | 2 | |
| PR-GI, LESION(S) | | 2 | |
| PR-LYMPH NODE(S), LESI | | 2 | |
| PRURITIS, FEET/DIGIT(S | | 2 | |
| RBC ABN | | 2 | |

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| ROLLING | | 2 | |
| SOUND ABN, RESPIRATORY | | 2 | |
| SPASM | | 2 | |
| STIFFNESS, FRONT LIMB(| | 2 | |
| STIFFNESS, LIMB(S) | | 2 | |
| STIFFNESS, NECK | | 2 | |
| TACHYCARDIA, VENTRICUL | | 2 | |
| TREMBLING, FACE | | 2 | |
| VISION DISORDER | | 2 | |
| VOMITING, SEVERE | | 2 | |
| WEIGHT INCREASE | | 2 | |
| WHEEZING | | 2 | |
| A/G RATIO LO, BLD | | 1 | |
| ABRASION, CORNEA(S) | | 1 | |
| ACIDOSIS | | 1 | |
| ANEMIA, HEINZ BODY | | 1 | |
| ANESTH RECOV PROLONGED | | 1 | |
| BLD, FEET/DIGIT(S) | | 1 | |
| BLD, SCLERA | | 1 | |
| BRAIN, NEOPLASM | | 1 | |
| BREATHING ABN | | 1 | |
| BREATHING, DIFFICULT | | 1 | |
| CALCULI, BLADDER | | 1 | |
| CHOLECYSTITIS | | 1 | |
| CHOLESTEROL LO, BLD | | 1 | |
| CO2 LO, BLD | | 1 | |
| CONGESTION, EAR(S) | | 1 | |
| CONGESTION, SINUS | | 1 | |
| CORT/CREAT HI, URINE | | 1 | |
| CSF ABN | | 1 | |
| CULTURE/TITER DATA ABN | | 1 | |
| DEAFNESS, TEMP | | 1 | |
| DEFECATION ABN | | 1 | |
| DEMENTIA | | 1 | |
| DIARRHEA, PROJECTILE | | 1 | |
| DRY, SKIN | | 1 | |
| ECCHYMOSIS, INCISION SI | TE | 1 | |
| ECG, ABN | | 1 | |
| EDEMA, BRISKET/CHEST | | 1 | |
| EDEMA, CORNEA(S) | | 1 | |
| | | | |

| 3492 3593 | 3513 839 |
|------------------------|-------------------|
| Sign Sum | n Reacted Percent |
| EDEMA, EYE(S)/LID(S) | |
| EDEMA, LARYNX | 1 |
| EDEMA, MAMMARY | 1 |
| EFFUSION, PERICARDIAL | 1 |
| ELIMINATION ABN | 1 |
| ENLARGEMENT(S), SKIN | 1 |
| EPIPHORA | 1 |
| ERYTHEMA MULTIFORME | 1 |
| EXERCISE INTOLERANCE | 1 |
| GLUCOSE, URINE | 1 |
| HAIR, ABN | 1 |
| HAIR, ABN COLOR | 1 |
| HCO3 LO, BLD | 1 |
| HEAD PRESSING | 1 |
| HEALING IMPAIRED | 1 |
| HYPERESTHESIA | 1 |
| HYPERSENSITIVE, SOUND | 1 |
| INCISION SITE, BLD | 1 |
| INEFFECT, ANALGESIA | 1 |
| INFECTION | 1 |
| INFECTION, EYE(S) | 1 |
| INFECTION, FEET/DIGIT(| 1 |
| INSOMNIA | 1 |
| KETONES, URINE | 1 |
| KETOSIS | 1 |
| LICKING | 1 |
| MORIBUND | 1 |
| MYOGLOBIN, URINE | 1 |
| NECK, VENTROFLEXION | 1 |
| NEOPLASM, MULT SITES | 1 |
| NEOPLASM, SPLEEN | 1 |
| NEURITIS | 1 |
| NOSE ABN | 1 |
| NYSTAGMUS, VERTICAL | 1 |
| ODOR | 1 |
| ODOR, URINE | 1 |
| OPACITY, CORNEA(S) | 1 |
| PAIN, FEET/DIGIT(S) | 1 |
| PAIN, HIND LIMB(S) | 1 |
| PAIN, LIMB(S) | 1 |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 3492 | 3593 | 3513 | 839 |
| Sign | | Sum Reacted | Percent |
| PAIN, NECK | | 1 | |
| PANCREAS DISORDER | | 1 | |
| PARALYSIS, ALL LIMBS | | 1 | |
| PARESIS, FORELIMB(S) | | 1 | |
| PAWING | | 1 | |
| PD-TABLET(S), ABN | | 1 | |
| PNEUMONIA | | 1 | |
| PNEUMONIA, ASPIRATION | | 1 | |
| PR-BLD VESSEL(S), LESI | | 1 | |
| PR-BRAIN, LESION(S) | | 1 | |
| PR-COLON, LESION(S) | | 1 | |
| PR-HEARTWORM DISEASE | | 1 | |
| PR-MOUTH/LIP(S), LESIO | | 1 | |
| PR-MULT SITES, CONGEST | | 1 | |
| PR-NOSE, LESION(S) | | 1 | |
| PR-PERICARDIAL EFFUSIO | | 1 | |
| PROSTATOMEGALY | | 1 | |
| PROTRUSION, EYE(S) | | 1 | |
| PRURITIS, EAR(S) | | 1 | |
| PRURITIS, EYE(S) | | 1 | |
| RBC, ANISO | | 1 | |
| REGURGITATION, FOOD | | 1 | |
| RESPIRATORY DISORDER | | 1 | |
| RETINA ABN | | 1 | |
| SEDATION | | 1 | |
| SKIN ABNORMAL | | 1 | |
| SLEEP ABN | | 1 | |
| SLOUGH, TONGUE | | 1 | |
| SPEC GRAVITY HI, URINE | | 1 | |
| STIFFNESS, HIND LIMB(S | | 1 | |
| STRABISMUS | | 1 | |
| STRICUTRE, ESOPHAGUS | | 1 | |
| SWELLING, MOUTH/LIP(S) | | 1 | |
| TEARS, ABN | | 1 | |
| TEETH, ABN | | 1 | |
| THRASHING/PADDLING | | 1 | |
| THYROID HORMONE(S) HI | | 1 | |
| TONGUE, ABN | | 1 | |
| TORTICOLLIS | | 1 | |
| ULCER(S), EAR(S) | | 1 | |

| Reviews 3492 | Treated 3593 | Reacted 3513 | Died 839 | |
|------------------------|-----------------|-----------------|-------------|--|
| Sign | | Sum Reacted | Percent | |
| ULCER(S), FEET/DIGIT(S | | 1 | | |
| ULCER(S), MUCOCUTANEOU | | 1 | | |
| UNPALATABLE, WON'T EAT | | 1 | | |
| VESICLE(S)/BULLAE, MOU | | 1 | | |
| VOICE DISORDER | | 1 | | |
| VOLVULUS | | 1 | | |

DERACOXIB ORAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 7 | 7 | 7 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 2 | 29 | |
| NAUSEA | | 2 | 29 | |
| HUMAN EXPOSURE, INGEST | | 1 | 14 | |
| PAIN, LIMB(S) | | 1 | 14 | |
| VOMITING | | 1 | 14 | |

DERACOXIB PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 2 | 100 | |
| AGGRESSION | | 1 | 50 | |
| ANOREXIA | | 1 | 50 | |
| EFFUSION, PERITONEAL | | 1 | 50 | |
| <pre>INTERACTION, DRUG(S)</pre> | | 1 | 50 | |
| PERFORATION, GI | | 1 | 50 | |
| PERITONITIS | | 1 | 50 | |
| POLYDIPSIA | | 1 | 50 | |
| POLYPNEA | | 1 | 50 | |
| ULCER(S), GI | | 1 | 50 | |
| VOMITING | | 1 | 50 | |

DERACOXIB UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BUN HI, BLD | | 1 | 50 | |
| CREATININE HI, BLD | | 1 | 50 | |
| INEFFECT, ANTIINFLA | M | 1 | 50 | |

DESLORELIN DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 50 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-APPLICATOR, ABN | | 0 | |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-IMPLANT, ABN | | 0 | |
| PD-SYRINGE, ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |

DESLORELIN PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 64 | 1231 | 351 | 0 |
| Sign | | Sum Reacted | Percent |
| DIESTRUS, PROLONGED | | 246 | 70 |
| INEFFECT, OVULATION | | 50 | 14 |
| ESTRUS CYCLE ABNORMAL | | 44 | 13 |
| FERTILITY, REDUCED | | 43 | 12 |
| ANESTRUS | | 40 | 11 |
| OVARIES, CYSTIC | | 20 | 6 |
| INEFFECT, PREGNANCY | | 6 | 2 |
| PD-SYRINGE, ABN | | 6 | 2 |
| INJ SITE INFLAM | | 5 | 1 |
| ABORTION | | 1 | |
| BIRTH, MULTIPLE | | 1 | |
| MUCOUS MEMBR, RED | | 1 | |
| PD-IMPLANT, ABN | | 1 | |
| POLYPNEA | | 1 | |
| | | | |

Sign

ESTRUS CYCLE ABNORMAL

DESLORELIN PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-----------|---------|-------------|---------|--|
| 64 | 1231 | 351 | 0 | |
| Sign | | Sum Reacted | Percent | |
| SWEATING | | 1 | | |
| URTICARIA | | 1 | | |
| US ABN | | 1 | | |
| | | | | |
| | DES | LORELIN | | |
| | UNKNO | WN, HORSE | | |
| | | | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 200 | 10 | 0 | |

Sum Reacted

10

Percent

100

DESOXYCORTICOSTERONE DEFECT, NOT APPLICABLE

| Reviews 6 | Treated 0 | Reacted 0 | Died O |
|-----------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-MISSING, CAP | | 0 | |
| PD-UNDERFILL, VIAL(S) | | 0 | |
| PD-VIAL(S), DAMAGED | | 0 | |

DESOXYCORTICOSTERONE PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| CHOLESTEROL LO, BLD | | 1 | 100 |
| INJ SITE MASS | | 1 | 100 |
| MONOS HI, BLD | | 1 | 100 |
| NEOPLASM | | 1 | 100 |
| PR-INJ SITE, LESION(S) | | 1 | 100 |
| SGOT/AST HI, BLD | | 1 | 100 |
| SGPT/ALT HI, BLD | | 1 | 100 |
| WEIGHT LOSS | | 1 | 100 |

DESOXYCORTICOSTERONE PARENTERAL, DOG

| 28 28 28 3 Sign Sum Reacted Percent VOMITING 9 32 DEPRESSION/LETHARGY 7 25 ANAPHYLAXIS/TOID 6 21 COLLAPSE 5 18 CONGESTION, SKIN 5 18 WEAKNESS 5 18 WEAKNESS 5 18 SWELLING, HEAD/FACE 4 14 DIARRHEA 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 INJ SITE MASS 3 11 INJ SITE INFLAM 2 7 K LO, BLD 2 7 HYPERPINEA 2 7 INJ SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS 2 7 ALDOWLIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 <t< th=""><th>Reviews</th><th>Treated</th><th>Reacted</th><th>Died</th></t<> | Reviews | Treated | Reacted | Died |
|--|------------------------|---------|-------------|---------|
| VOMITING 9 32 DEPRESSION/LETHARGY 7 25 ANAPHYLAXIS/TOID 6 21 COCLLAPSE 5 18 CONGESTION, SKIN 5 18 URTICARIA 5 18 WEAKNESS 5 18 SWELLING, HEAD/FACE 4 14 DIARRHEA 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 HAIR, SHEDDING 2 7 HYPERPNEA 2 7 INJ SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS 2 7 ALBUMIN LO, BLD 1 4 ALDOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPINEA | 28 | 28 | 28 | 3 |
| DEPRESSION/LETHARGY 7 25 ANAPHYLAXIS/TOID 6 21 COLLAPSE 5 18 COCLAPSE 5 18 URTICARIA 5 18 WEAKNESS 5 18 WEAKNESS 5 18 SWELLING, HEAD/FACE 4 14 DIARRHEA 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 2 7 INJ SITE INFLAM 4 1 4 ALOPECIA 1 4 ALOPECIA 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 APPREHENSION 1 4 CONGESTION, EAR(S) 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 CYANOSIS 1 4 CYBANGE ARE AND 1 4 DEBMA, EYE(S)/LID(S) 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LUNG(S) 1 4 INJ SITE ABN 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 INJ SITE STERILE ABSC | Sign | | Sum Reacted | Percent |
| ANAPHYLAXIS/TOID COLLAPSE COMESTION, SKIN S COMESTION, SKIN S REALLING, HEAD/FACE S SWELLING, HEAD/FACE DIARREA SWELLING, HEAD/FACE DIARREA SWELLING, HEAD/FACE DIARREA 3 11 FEVER, BODY INJ SITE MASS 3 11 TACHYCARDIA HAIR, SHEDDING HAYPERPINEA COMESTION K LO, BLD PRURITIS ALBUMIN LO, BLD ALOPECIA ANOREXIA ANOREXIA APPREHENSION ATAXIA CAPILLARY REFILL PROLO CONGESTION, EAR(S) CYANOSIS DIARREA, BLOODY DYSPNEA EDEMA, EYE(S)/LID(S) EDEMA, EYE(S)/LID(S) EDEMA, LUMS(S) EDEMA, LUMS(S) EDEMA, LUMS(S) EDEMA, LUMS(S) TACHYCARDIA PARESIS, HIND LIMB(S) EACH HAY APRESIS, HIND LIMB(S) EACH ARRESIS, HIND LIMB(S) EACH 1 4 EACH 1 EACH EAC | VOMITING | | 9 | 32 |
| COLLAPSE 5 18 CONGESTION, SKIN 5 18 URTICARIA 5 18 WEAKNESS 5 18 SWELLING, HEAD/FACE 4 14 DIARRHEA 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 2 7 HYPERPNEA 2 2 7 INJ SITE INFLAM 2 7 FURITIS 2 7 ALBUMIN LO, BLD 2 7 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 APPREHENSION 1 4 CONGESTION, EAR(S) 1 4 CONGESTION, EAR(S) 1 4 CUANOSIS 1 4 CUANOSIS 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LINB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERSIS, HIND LIMB(S) 1 4 MUCCUS MEMBR, ABN COLO 1 4 PARESIS, HIND LIMB(S) 1 1 4 PARESIS, | DEPRESSION/LETHARGY | | 7 | 25 |
| CONGESTION, SKIN 5 18 URTICARIA 5 18 WEAKNESS 5 18 SWELLING, HEAD/FACE 4 14 DIARRHEA 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 HAIR, SHEDDING 2 7 HYPPERNEA 2 7 INJ SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS 2 7 ALDEDING 1 4 ALOPECIA 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 | ANAPHYLAXIS/TOID | | 6 | 21 |
| URTICARIA WEAKNESS WEAKNESS SWELLING, HEAD/FACE 4 14 DIARRHEA DIARRHEA SYELLING, HEAD/FACE 4 14 DIARRHEA BILLING, HEAD/FACE 4 11 DIARRHEA 3 11 INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 2 7 HYPERPNEA 10 SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS ALBUMIN LO, BLD 2 7 ALBUMIN LO, BLD 1 4 ALOPECIA ANOREXIA APPREHENSION 1 4 APPREHENSION 1 4 APPREHENSION 1 4 CAPILLARY REFILL PROLO CONGESTION, EAR(S) 1 4 CYANOSIS DIARRHEA, BLOODY DYSPNEA EDEMA, HEAD/FACE DEMA, LINE(S) EDEMA, LINE(S) LI 4 HYPERACTIVITY INJ SITE ABN INJ SITE STERILE ABSCE MELENA MUCOUS MEMBR, ABN COLO PALLOR, MUCOUS MEMBRAN I 4 HYPERSIS, HIND LIMB(S) LI 4 LA LA LA LA LA LA LA LA LA | COLLAPSE | | 5 | 18 |
| WEAKNESS 5 18 SWELLING, HEAD/FACE 4 14 DIARRHEA 3 11 FEVER, BODY 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 2 7 HYPERPNEA 2 7 INJ SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS 2 7 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 APPREHENSION 1 4 CAPILLARY REFILL PROLO 1 4 CONNESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSSINEA 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPPERACTIVITY 1 4 | CONGESTION, SKIN | | 5 | 18 |
| SWELLING, HEAD/FACE 4 14 DIARRHEA 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 2 7 HYPERPNEA 2 7 INJ SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS 2 7 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 CAPILLARY REFILL PROLO 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 I | URTICARIA | | 5 | 18 |
| DIARRHEA FEVER, BODY 3 11 FEVER, BODY 3 11 INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 4 2 7 INJ SITE INFLAM 2 7 INJ SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS 4 ALDENIN LO, BLD 4 ALOPECIA ANOREXIA ANOREXIA APPREHENSION ATAXIA CAPILLARY REFILL PROLO CONGESTION, EAR(S) CYANOSIS DIARRHEA, BLOODY DYSPNEA EDEMA, EYE(S)/LID(S) EDEMA, EYE(S)/LID(S) EDEMA, LUNG(S)/TRACHEA HYPERACTIVITY INJ SITE ABN INJ SITE STERILE ABSCE MULCOUS MEMBRAN MUCOUS MEMBR, ABN COLO PALLOR, MUCOUS MEMBRAN IN ASSEMBLY ASSEMBLY AND LIMB(S) I 4 PARESIS, HIND LIMB(S) I 4 PARESIS, HIND LIMB(S) | WEAKNESS | | 5 | 18 |
| FEVER, BODY 3 11 INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 2 7 HYPERPNEA 2 7 HYPERPNEA 2 7 HYPERPNEA 2 7 K LO, BLD 2 7 PRURITIS 2 7 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 CAPILLARY REFILL PROLO 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MUCOUS MEMBRAN 1 4 | SWELLING, HEAD/FACE | | 4 | 14 |
| INJ SITE MASS 3 11 TACHYCARDIA 3 11 HAIR, SHEDDING 2 77 HYPERPNEA 2 77 INJ SITE INFLAM 2 77 K LO, BLD 2 77 R K LO, BLD 2 77 PRURITIS 2 77 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 APPREHENSION 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LIMB(S) 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | DIARRHEA | | 3 | 11 |
| TACHYCARDIA 3 11 HAIR, SHEDDING 2 77 HYPERPNEA 2 77 INJ SITE INFLAM 2 77 K LO, BLD 2 77 PRURITIS 2 77 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 CAPILLARY REFILL PROLO 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LIMB(S) 1 4 INJ SITE ABN 1 4 INJ SITE ABN 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) | FEVER, BODY | | 3 | 11 |
| HAIR, SHEDDING HYPERPNEA 1 1 7 HYPERPNEA 2 7 INJ SITE INFLAM 2 7 K LO, BLD PRURITIS ALBUMIN LO, BLD 1 4 ALOPECIA ANOREXIA ANOREXIA APPREHENSION ATAXIA CAPILLARY REFILL PROLO CONGESTION, EAR(S) 1 4 CYANOSIS DIARRHEA, BLOODY DYSPNEA EDEMA, EYE(S)/LID(S) EDEMA, EYE(S)/LID(S) EDEMA, LIMB(S) EDEMA, LIMB(S) EDEMA, LIMB(S) TI A 4 HYPERACTIVITY INJ SITE ABN INJ SITE ABN INJ SITE STERILE ABSCE MELENA MUCOUS MEMBR, ABN COLO PALLOR, MUCOUS MEMBRAN I 4 FARESIS, HIND LIMB(S) 1 4 FARESIS, HIND LIMB(S) | INJ SITE MASS | | 3 | 11 |
| HYPERPNEA 2 7 INJ SITE INFLAM 2 7 K LO, BLD 2 7 PRURITIS 2 7 ALBUMIN LO, BLD 1 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 CAPILLARY REFILL PROLO 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 DEDEMA, EYE(S)/LID(S) 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | TACHYCARDIA | | 3 | 11 |
| INJ SITE INFLAM K LO, BLD R LO, BLD 2 7 PRURITIS 2 ALBUMIN LO, BLD 1 4 ALOPECIA ANOREXIA APPREHENSION 1 4 ATAXIA CAPILLARY REFILL PROLO CONGESTION, EAR(S) 1 4 CYANOSIS DIARRHEA, BLOODY DISPNEA EDEMA, EYE(S)/LID(S) EDEMA, HEAD/FACE EDEMA, LIMB(S) EDEMA, LIMB(S) EDEMA, LUNG(S)/TRACHEA HYPERACTIVITY INJ SITE ABN INJ SITE STERILE ABSCE MELENA MUCOUS MEMBR, ABN COLO PALLOR, MUCOUS MEMBRAN PARESIS, HIND LIMB(S) 1 7 7 7 7 7 7 7 7 7 7 7 7 | HAIR, SHEDDING | | 2 | 7 |
| K LO, BLD 2 7 PRURITIS 2 7 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | HYPERPNEA | | 2 | 7 |
| PRURITIS 2 7 ALBUMIN LO, BLD 1 4 ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | INJ SITE INFLAM | | 2 | 7 |
| ALBUMIN LO, BLD ALBUMIN LO, BL | K LO, BLD | | 2 | 7 |
| ALOPECIA 1 4 ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 1 4 CAPILLARY REFILL PROLO 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 1 4 DIARRHEA, BLOODY 1 4 DIARRHEA, BLOODY 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 PARESIS, HIND LIMB(S) 1 4 PARESIS, HIND LIMB(S) 1 4 | PRURITIS | | 2 | 7 |
| ANOREXIA 1 4 APPREHENSION 1 4 ATAXIA 1 1 4 CAPILLARY REFILL PROLO 1 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 1 4 DIARRHEA, BLOODY 1 1 4 DYSPNEA 1 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 PARESIS, HIND LIMB(S) 1 4 | ALBUMIN LO, BLD | | 1 | 4 |
| APPREHENSION 1 4 ATAXIA 1 4 CAPILLARY REFILL PROLO 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 PARESIS, HIND LIMB(S) 1 4 PARESIS, HIND LIMB(S) 1 4 | ALOPECIA | | 1 | 4 |
| ATAXIA 1 4 CAPILLARY REFILL PROLO 1 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 1 4 DIARRHEA, BLOODY 1 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | ANOREXIA | | 1 | 4 |
| CAPILLARY REFILL PROLO 1 4 CONGESTION, EAR(S) 1 4 CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | APPREHENSION | | 1 | 4 |
| CONGESTION, EAR(S) 1 4 CYANOSIS 1 1 4 DIARRHEA, BLOODY 1 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | ATAXIA | | 1 | 4 |
| CYANOSIS 1 4 DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | CAPILLARY REFILL PROLO | | 1 | 4 |
| DIARRHEA, BLOODY 1 4 DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | CONGESTION, EAR(S) | | 1 | 4 |
| DYSPNEA 1 4 EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | CYANOSIS | | 1 | 4 |
| EDEMA, EYE(S)/LID(S) 1 4 EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | DIARRHEA, BLOODY | | 1 | 4 |
| EDEMA, HEAD/FACE 1 4 EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | DYSPNEA | | 1 | 4 |
| EDEMA, LIMB(S) 1 4 EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | EDEMA, EYE(S)/LID(S) | | 1 | 4 |
| EDEMA, LUNG(S)/TRACHEA 1 4 HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | EDEMA, HEAD/FACE | | 1 | 4 |
| HYPERACTIVITY 1 4 INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | EDEMA, LIMB(S) | | 1 | 4 |
| INJ SITE ABN 1 4 INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | EDEMA, LUNG(S)/TRACHEA | | 1 | 4 |
| INJ SITE STERILE ABSCE 1 4 MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | HYPERACTIVITY | | 1 | 4 |
| MELENA 1 4 MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | INJ SITE ABN | | 1 | 4 |
| MUCOUS MEMBR, ABN COLO 1 4 PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | INJ SITE STERILE ABSCE | | 1 | 4 |
| PALLOR, MUCOUS MEMBRAN 1 4 PARESIS, HIND LIMB(S) 1 4 | MELENA | | 1 | 4 |
| PARESIS, HIND LIMB(S) 1 4 | MUCOUS MEMBR, ABN COLO | | 1 | 4 |
| | PALLOR, MUCOUS MEMBRAN | | 1 | 4 |
| | PARESIS, HIND LIMB(S) | | 1 | 4 |
| POLYDIPSIA 1 4 | POLYDIPSIA | | 1 | 4 |
| POLYURIA 1 4 | POLYURIA | | 1 | 4 |

DESOXYCORTICOSTERONE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 28 | 28 | 28 | 3 | |
| Sign | | Sum Reacted | Percent | |
| PRESSURE LO, BLD | | 1 | 4 | |
| PRIAPISM | | 1 | 4 | |
| RASH | | 1 | 4 | |
| SWELLING, PHARYNX/THRO | | 1 | 4 | |
| TECH ERROR ADMINISTRAT | | 1 | 4 | |
| VOMITING, BLOODY | | 1 | 4 | |

DESOXYCORTICOSTERONE UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 50 | |
| DYSPNEA | | 1 | 50 | |
| EDEMA, LUNG(S)/TRACHEA | | 1 | 50 | |
| SWELLING, HEAD/FACE | | 1 | 50 | |

DESOXYCORTICOSTERONE VARIOUS, DOG

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE SWELLING | | 1 | 100 | |

DETOMIDINE DEFECT, NOT APPLICABLE

| Reviews 16 | Treated 0 | Reacted 0 | Died O |
|-----------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-SEAL, ABN | | 0 | |
| PD-SOLUTION, ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| PD-UNDERFILL, VIAL(S) | | 0 | |
| PD-VIAL(S), DAMAGED | | 0 | |

DETOMIDINE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|-------------------------|--------------|-----------------------|----------------|--|
| 16 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-VIAL(S), LEA | KING | 0 | 1 01 0 0110 | |
| | | | | |
| | DET | OMIDINE | | |
| | MISS | ING, DOG | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| FEVER, BODY | | 1 | 100 | |
| | | | | |
| | | OMIDINE NG, HORSE | | |
| | HIDDI | vo, nondi | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 4 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HYPERPNEA | | 2 | 100 | |
| | | _ | | |
| | | OMIDINE MIC, HUMAN | | |
| - | m | D 1 | 5 ' 1 | |
| Reviews 1 | Treated 1 | Reacted 1 | Died 0 | |
| | _ | | | |
| Sign IRRITATION, EYE | /C)/IID | Sum Reacted 1 | Percent 100 | |
| TRRITATION, ETE | (8)/110 | | 100 | |
| | DET | OMIDINE | | |
| | ORA | L, DOG | | |
| Reviews | Treated | Reacted | Died | |
| 4 | 7 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BRADYCARDIA | | 2 | 50 | |
| SEDATION | | 2 | 50 | |
| ATAXIA | | 1 | 25 | |
| UNCONSCIOUS | | 1 | 25 | |

DETOMIDINE ORAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 2 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 0 | | |
| HUMAN EXPOSURE, INJ | | 0 | | |
| HUMAN EXPOSURE, INJ | | 0 | | |

DETOMIDINE PARENTERAL, CAT

| Reviews 2 | Treated 2 | Reacted 2 | Died O | |
|---------------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| BRADYCARDIA | | 1 | 50 | |
| CONVULSION(S) | | 1 | 50 | |
| DEPRESSION/LETHARGY | | 1 | 50 | |
| SEDATION | | 1 | 50 | |

DETOMIDINE PARENTERAL, CATTLE

| Reviews 1 | Treated 3 | Reacted 3 | Died O |
|-------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| RECUMBENCY | | 3 | 100 |
| SEDATION TOO DEEP | | 3 | 100 |

DETOMIDINE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 8 | 10 | 10 | 2 |
| Sign | | Sum Reacted | Percent |
| DEPRESSION/LETHARGY | | 3 | 30 |
| BRADYCARDIA | | 2 | 20 |
| COLLAPSE | | 2 | 20 |
| DYSPNEA | | 2 | 20 |
| INEFFECT, ANESTHESIA | | 2 | 20 |
| WEAKNESS | | 2 | 20 |
| BLD, LUNG(S)/TRACHEA | | 1 | 10 |
| CONGESTION, LUNG(S) | | 1 | 10 |

DETOMIDINE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------------------|---------|-------------|---------|--|
| 8 | 10 | 10 | 2 | |
| Sign | | Sum Reacted | Percent | |
| COUGHING | | 1 | 10 | |
| CYANOSIS, MUCOUS MEMBR | | 1 | 10 | |
| DIARRHEA | | 1 | 10 | |
| DISTRESS, RESP | | 1 | 10 | |
| FEVER, BODY | | 1 | 10 | |
| HYPERPNEA | | 1 | 10 | |
| <pre>INTERACTION, DRUG(S)</pre> | | 1 | 10 | |
| RADIOGRAPH(S) ABN | | 1 | 10 | |
| SEDATION | | 1 | 10 | |
| VOMITING | | 1 | 10 | |

DETOMIDINE PARENTERAL, HORSE

| Treated | Reacted | Died |
|---------|-------------|--|
| 246 | 170 | 12 |
| | Sum Reacted | Percent |
| | 69 | 41 |
| | 38 | 22 |
| | 18 | 11 |
| | 12 | 7 |
| | 11 | 6 |
| A | 10 | 6 |
| | 9 | 5 |
| | 7 | 4 |
| | 6 | 4 |
| | 6 | 4 |
| | 6 | 4 |
| | 5 | 3 |
| | 5 | 3 |
| | 5 | 3 |
| | 4 | 2 |
| | 4 | 2 |
| | 3 | 2 |
| | 3 | 2 |
| | 3 | 2 |
| IGED | 2 | 1 |
| | 2 | 1 |
| | 2 | 1 |
| | 246 | 246 Sum Reacted 69 38 18 12 11 10 9 7 6 6 6 5 5 5 4 4 4 3 3 3 3 IGED 2 |

DETOMIDINE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 88 | 246 | 170 | 12 |
| Sign | | Sum Reacted | Percent |
| DEPRESSION/LETHARGY | | 2 | 1 |
| INJ SITE ABSCESS | | 2 | 1 |
| INJ SITE MASS | | 2 | 1 |
| SEDATION | | 2 | 1 |
| SWEATING, DECREASED | | 2 | 1 |
| SWELLING, HEAD/FACE | | 2 | 1 |
| ABORTION | | 1 | 1 |
| ABSCESS, SKIN | | 1 | 1 |
| APNEA | | 1 | 1 |
| ARREST, HEART | | 1 | 1 |
| CONVULSION(S) | | 1 | 1 |
| CULTURE/TITER DATA ABN | | 1 | 1 |
| DEHYDRATION | | 1 | 1 |
| DIARRHEA | | 1 | 1 |
| DIGESTION DISORDER | | 1 | 1 |
| EDEMA, HEAD/FACE | | 1 | 1 |
| EDEMA, NECK | | 1 | 1 |
| GLOBULIN LO, BLD | | 1 | 1 |
| HYPOPNEA | | 1 | 1 |
| INEFFECT, ANESTHESIA | | 1 | 1 |
| INJ SITE EDEMA | | 1 | 1 |
| INJ SITE PHLEBITIS | | 1 | 1 |
| INJ SITE SLOUGH | | 1 | 1 |
| INJ SITE SWELLING | | 1 | 1 |
| LIVER ENZYMES HI, BLD | | 1 | 1 |
| NERVOUSNESS | | 1 | 1 |
| NEUROLOGICAL DISORDER | | 1 | 1 |
| NYSTAGMUS | | 1 | 1 |
| PAIN, MUSCLE(S) | | 1 | 1 |
| PALLOR, MUCOUS MEMBRAN | | 1 | 1 |
| PARAESTHESIA, NOSE | | 1 | 1 |
| PARESTHESIA, MOUTH/LIP | | 1 | 1 |
| PR-GI, LESION(S) | | 1 | 1 |
| PR-LUNG(S), LESION(S) | | 1 | 1 |
| PRESSURE LO, BLD | | 1 | 1 |
| REARING | | 1 | 1 |
| ROLLING | | 1 | 1 |
| SHOCK | | 1 | 1 |
| SWELLING, NECK | | 1 | 1 |
| TREMBLING | | 1 | 1 |

DETOMIDINE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|--------------|---------|-------------|---------|--|
| 88 | 246 | 170 | 12 | |
| Sign | | Sum Reacted | Percent | |
| TWITCH | | 1 | 1 | |
| VOCALIZATION | | 1 | 1 | |
| WEAKNESS | | 1 | 1 | |

DETOMIDINE PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 4 | 4 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BRADYCARDIA | | 2 | 50 | |
| ACCIDENTAL EXPOSURE | | 1 | 25 | |
| DEPRESSION/LETHARGY | | 1 | 25 | |
| HUMAN EXPOSURE, INJ | | 1 | 25 | |
| INJ SITE PAIN | | 1 | 25 | |
| IRRITATION, SKIN | | 1 | 25 | |
| SHOCK | | 1 | 25 | |
| SOMNOLENCE | | 1 | 25 | |

DETOMIDINE UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 2 | 67 | |
| HYPERPNEA | | 2 | 67 | |
| CAPILLARY REFILL PROLO | | 1 | 33 | |
| EDEMA, LUNG(S)/TRACHEA | | 1 | 33 | |
| RECUMBENCY | | 1 | 33 | |
| TACHYCARDIA | | 1 | 33 | |
| UNCONSCIOUS | | 1 | 33 | |

DETOMIDINE UNKNOWN, HORSE

Reviews Treated Reacted Died

DETOMIDINE UNKNOWN, HORSE

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 24 | 82 | 76 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, SEDATION | | 43 | 57 | |
| PD-POTENCY, LO | | 28 | 37 | |
| INEFFECT, ANALGESIA | | 9 | 12 | |
| URTICARIA | | 5 | 7 | |
| HYPERPNEA | | 4 | 5 | |
| HYPERACTIVITY | | 2 | 3 | |
| PAIN, ABDOMEN | | 2 | 3 | |
| POLYPNEA | | 2 | 3 | |
| SHAKING | | 2 | 3 | |
| SWEATING | | 2 | 3 | |
| TREMBLING | | 2 | 3 | |
| APNEA | | 1 | 1 | |
| BRADYCARDIA | | 1 | 1 | |
| COLLAPSE | | 1 | 1 | |
| HYPERESTHESIA | | 1 | 1 | |
| HYPOPNEA | | 1 | 1 | |
| SEDATION PROLONGED | | 1 | 1 | |

DETOMIDINE UNKNOWN, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BREATHING ABN | | 1 | 100 | |
| UNCONSCIOUS | | 1 | 100 | |

DETOMIDINE VARIOUS, HORSE

| Reviews 8 | Treated 18 | Reacted 18 | Died 0 |
|--------------------|---------------|---------------|-----------|
| Sign | | Sum Reacted | Percent |
| INEFFECT, SEDATION | | 10 | 56 |
| HYPERACTIVITY | | 5 | 28 |
| PD-POTENCY, LO | | 2 | 11 |
| URTICARIA | | 2 | 11 |
| DISTRESS, RESP | | 1 | 6 |

DETOMIDINE VARIOUS, HORSE

| Reviews | Treated | Reacted | Died | |
|---------------------|--------------|-----------------------------------|-----------|--|
| 8 | 18 | 18 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DYSPNEA | | 1 | 6 | |
| SWELLING | | 1 | 6 | |
| | | HESIVE, TISSUE CAL, CAT | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| APPLICATION SITE LE | SION(S) | 1 | 100 | |
| | | BRACE, NECK ICABLE, CAT | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-PRODUCT DEFECT | | 1 | 100 | |
| | | ETER, GASTROSTOMY LICABLE, CAT | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| PD-PRODUCT DEFECT | | 1 | 100 | |
| | | LLECTION, BLOOD OT APPLICABLE | | |
| | | | | |
| Reviews | Treated | Reacted | Died | |
| Reviews 1 | Treated 0 | Reacted 0 | Died 0 | |
| | | | | |

DEVICE: GLOVES DEFECT, NOT APPLICABLE

| Reviews 1 | Treated 0 | Reacted 0 | Died 0 | |
|---------------------------|--------------|---------------------------------|----------------|--|
| Sign PD-PRODUCT DEFECT | | Sum Reacted 0 | Percent | |
| | | ICANT, OPHTHALMIC | | |
| Reviews 2 | Treated 2 | Reacted 2 | Died 0 | |
| | Z | | | |
| Sign ULCER(S), CORNEA(S) | | Sum Reacted 2 | Percent 100 | |
| INEFFECT | | 1 | 50 | |
| | | ENSOR, GLUCOSE OT APPLICABLE | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 0 | 0 | 0 | |
| Sign PD-PRODUCT DEFECT | | Sum Reacted 0 | Percent | |
| | DEVIC | E: SUTURE | | |
| | NOT APPI | LICABLE, DOG | | |
| Reviews | Treated | Reacted | Died | |
| 2 | 153 | 23 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INFLAM, SKIN | | 23 | 100 | |
| ABSCESS, SKIN | | 20 | 87 | |
| SWELLING, ADM SITE | | 20 | 87 | |
| | | E: SUTURE FERAL, DOG | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEHISCENCE | | 2 | 100 | |
| | | | | |

Sign

DEVICE: SUTURE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|------------|--------------------------|------------|--|
| 1 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-PRODUCT DEFECT | | 2 | 100 | |
| | | | | |
| | DEVICI | E: SYRINGE | | |
| | | OT APPLICABLE | | |
| | · | | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-APPLICATOR, ABN | | 0 | 1 01 00110 | |
| | | | | |
| | DEVIC | E: SYRINGE | | |
| | | ICABLE, BIRD | | |
| | 1101 11112 | TOTALLY BIND | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| PD-SYRINGE, ABN | | 1 | 100 | |
| | | | | |
| | DEVIC | E. CADINGE | | |
| | | E: SYRINGE FERAL, CAT | | |
| | 111(11) | | | |
| Reviews | Treated | Reacted | Died | |
| 2 | 36 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE BLD | | 2 | 100 | |
| DEPRESSION/LETHARGY | | 1 | 50 | |
| FEVER, BODY | | 1 | 50 | |
| INJ SITE NECROSIS | | 1 | 50 | |
| INJ SITE PAIN | | 1 | 50 | |
| | | | | |
| | DEVICE | ::INCUBATOR | | |
| | NOT APPI | CICABLE, CAT | | |
| | | | | |
| Reviews | Treated | Reacted | Died 1 | |
| 1 | 1 | 1 | 1 | |

Sum Reacted

Percent

DEVICES, ELECTRO-MAGNETIC (ELECTRIC, MAGNETIC) DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|-------------------|---------|-------------|---------|
| 1 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-PRODUCT DEFECT | | 0 | |

DEVICES, ELECTRO-MAGNETIC (ELECTRIC, MAGNETIC) NOT APPLICABLE, DOG

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 1 | 1 | 1 |
| Sign | | Sum Reacted | Percent |

DEVICES, MICROCHIP FOR IDENTIFICATION AND TRACKING PURPOSES PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 2 | 2 | 2 | 0 |
| Sign | | Sum Reacted | Percent |
| INJ SITE MASS | | 1 | 50 |
| INJ SITE NEOPLASM | | 1 | 50 |
| NEOPLASM | | 1 | 50 |
| PR-INJ SITE, LESION(S) | | 1 | 50 |

DEXAMETHASONE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|-------------------------------|---------|------------------|---------|
| 1 | 0 | 0 | O |
| Sign PD-UNDERFILL, PACKAGE | | Sum Reacted 0 | Percent |

DEXAMETHASONE ORAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-----------|---------|-------------|---------|--|
| 3 | 3 | 3 | 1 | |
| Sign | | Sum Reacted | Percent | |
| LAMINITIS | | 2 | 67 | |

DEXAMETHASONE ORAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|----------------|---------|--|
| 3 | 3 | 3 | 1 | |
| Sign | | Sum Reacted | Percent | |
| PRURITIS | | 1 | 33 | |
| URTICARIA | | 1 | 33 | |
| | | | | |
| | DEXAI | METHASONE | | |
| | ORAI | L, HUMAN | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BEHAVIOR DISORDER | | 1 | 100 | |
| | | | | |
| | DEXAI | METHASONE | | |
| | PARENT | TERAL, CAT | | |
| | | | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 1 | 100 | |
| HYPERACTIVITY | | 1 | 100 | |
| TREMBLING | | 1 | 100 | |
| | | | | |
| | | METHASONE | | |
| | PARENTE | RAL, CATTLE | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | Sum Reacted 1 | 100 | |
| | | | 100 | |
| | UEAVI | METHASONE | | |
| | | TERAL, DOG | | |
| Reviews | Treated | Reacted | Died | |
| 6 | 6 | 6 | 2 | |
| Sign | | Sum Reacted | Percent | |
| BRADYCARDIA | | 2 | 33 | |
| DIGIDICANDIA | | 2 | 55 | |

DEXAMETHASONE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 6 | 6 | 6 | 2 | |
| Sign | | Sum Reacted | Percent | |
| COLLAPSE | | 2 | 33 | |
| ANAPHYLAXIS/TOID | | 1 | 17 | |
| ARREST, HEART | | 1 | 17 | |
| DYSPNEA | | 1 | 17 | |
| HYPOPNEA | | 1 | 17 | |
| MELENA | | 1 | 17 | |
| MUCOUS MEMBR, ABN COLO | | 1 | 17 | |
| PUPIL(S), AREFLEXIA | | 1 | 17 | |
| RECUMBENCY | | 1 | 17 | |
| SHOCK | | 1 | 17 | |
| URTICARIA | | 1 | 17 | |
| VOCALIZATION | | 1 | 17 | |
| VOMITING | | 1 | 17 | |

DEXAMETHASONE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-----------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| LAMINITIS | | 1 | 50 | |
| URTICARIA | | 1 | 50 | |

DEXAMETHASONE UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|---------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| DYSPNEA | | 1 | 100 | |
| | | | | |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE OPHTHALMIC, CAT

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE OPHTHALMIC, CAT

| Reviews 1 | Treated 1 | Reacted 1 | Died O |
|----------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| CONJUNCTIVITIS | | 1 | 100 |
| EPIPHORA | | 1 | 100 |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE OPHTHALMIC, DOG

| Reviews | Treated | Reacted | Died | |
|----------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| CONJUNCTIVITIS | | 1 | 100 | |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE OPHTHALMIC, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 6 | 6 | 6 | 0 | |
| Sign | | Sum Reacted | Percent | |
| IRRITATION, EYE(S)/LID | | 5 | 83 | |
| CONGESTION, EYE(S)/LID | | 1 | 17 | |
| PAIN, EYE(S)/LID(S) | | 1 | 17 | |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE ${\tt TOPICAL}, \; {\tt CAT}$

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 15 | 22 | 20 | 0 |
| 15 | 22 | 20 | U |
| Sign | | Sum Reacted | Percent |
| ATAXIA | | 6 | 30 |
| BALANCE DISORDER | | 6 | 30 |
| ANOREXIA | | 4 | 20 |
| CONGESTION, EAR(S) | | 4 | 20 |
| INFLAM, SKIN | | 4 | 20 |
| PRURITIS | | 4 | 20 |
| ANISOCORIA | | 2 | 10 |
| DEAFNESS | | 2 | 10 |
| DEPRESSION/LETHARGY | | 2 | 10 |
| FEVER, BODY | | 2 | 10 |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE ${\tt TOPICAL}, \; {\tt CAT}$

| Reviews 15 | Treated 22 | Reacted 20 | Died O | |
|-------------------------|---------------|---------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| HEAD TILT | | 2 | 10 | |
| NYSTAGMUS, HORIZONTAL | | 2 | 10 | |
| VESTIBULAR DISORDER | | 2 | 10 | |
| VOMITING | | 2 | 10 | |
| APPLICATION SITE ERYTHE | MA | 1 | 5 | |
| APPLICATION SITE PRURIT | 'IS | 1 | 5 | |
| BILIRUBIN(TOT) HI, BLD | | 1 | 5 | |
| CONGESTION, SKIN | | 1 | 5 | |
| DISCHARGE, MOUTH/LIP(S | | 1 | 5 | |
| DISTRESS | | 1 | 5 | |
| ENLARGEMENT(S), SKIN | | 1 | 5 | |
| NERVOUSNESS | | 1 | 5 | |
| NYSTAGMUS | | 1 | 5 | |
| POLYDIPSIA | | 1 | 5 | |
| POLYURIA | | 1 | 5 | |
| PRURITIS, EAR(S) | | 1 | 5 | |
| TORTICOLLIS | | 1 | 5 | |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE ${\tt TOPICAL}, \; {\tt DOG}$

| Treated | Reacted | Died |
|---------|-------------|---|
| 64 | 37 | 0 |
| | Sum Reacted | Percent |
| | 11 | 30 |
| | 5 | 14 |
| | 5 | 14 |
| | 4 | 11 |
| | 4 | 11 |
| | 4 | 11 |
| | 3 | 8 |
| | 2 | 5 |
| | 2 | 5 |
| | 2 | 5 |
| | 2 | 5 |
| | 2 | 5 |
| | 1 | 3 |
| | 1 | 3 |
| | 1 | 3 |
| | | Sum Reacted 11 5 5 4 4 4 2 2 2 2 2 1 1 |

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE TOPICAL, DOG

| Reviews | Treated | Reacted | Died | |
|-------------------------------|---------|-------------|---------|--|
| 30 | 64 | 37 | 0 | |
| Sign | | Sum Reacted | Percent | |
| CONFUSION | | 1 | 3 | |
| CONGESTION, EYE(S)/LID | | 1 | 3 | |
| DEAFNESS, PARTIAL | | 1 | 3 | |
| DIARRHEA | | 1 | 3 | |
| ERUPTION(S) | | 1 | 3 | |
| FEVER, BODY | | 1 | 3 | |
| HEAD TILT | | 1 | 3 | |
| <pre>IRRITATION, EAR(S)</pre> | | 1 | 3 | |
| NYSTAGMUS, HORIZONTAL | | 1 | 3 | |
| PAPULE(S) | | 1 | 3 | |
| POLYDIPSIA | | 1 | 3 | |
| POLYPNEA | | 1 | 3 | |
| POLYURIA | | 1 | 3 | |
| PRURITIS | | 1 | 3 | |
| SHAKING, HEAD/FACE | | 1 | 3 | |
| SLOUGH, SKIN | | 1 | 3 | |
| SWELLING, EAR(S) | | 1 | 3 | |
| SWELLING, HEAD/FACE | | 1 | 3 | |
| URTICARIA | | 1 | 3 | |
| VOCALIZATION | | 1 | 3 | |

DEXAMETHASONE, TRICHLORMETHIAZIDE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|------------------------------|----------------|------------------|---------|--|
| 1 | 0 | 0 | 0 | |
| Sign PD-UNDERFILL, PACKAG | S E | Sum Reacted 0 | Percent | |

DEXAMETHASONE, TRICHLORMETHIAZIDE ORAL, HORSE

| Reviews 1 | Treated 1 | Reacted 1 | Died O |
|---------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| ANAPHYLAXIS/TOID | | 1 | 100 |
| DYSPNEA | | 1 | 100 |
| SWELLING, HEAD/FACE | | 1 | 100 |

DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES DEFECT, NOT APPLICABLE

| Reviews 5 | Treated 0 | Reacted 0 | Died O |
|-----------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-DEFECT UNKNOWN | | 0 | |
| PD-GRANULES/POWDER, A | BN | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |

DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES $\mbox{ORAL}\,,\;\mbox{CATTLE}$

| Reviews | Treated | Reacted | Died |
|----------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA | | 1 | 100 |

DEXTROSE, LACTATED RINGER'S SOLUTION PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|-------------------|---------|-------------|---------|
| 1 | 4 | 4 | 2 |
| Sign | | Sum Reacted | Percent |
| FEVER, BODY | | 2 | 50 |
| PAIN, ABDOMEN | | 2 | 50 |
| ANOREXIA | | 1 | 25 |
| ATAXIA | | 1 | 25 |
| EMPHYSEMA, SQ | | 1 | 25 |
| HYPERESTHESIA | | 1 | 25 |
| HYPOTHERMIA, BODY | | 1 | 25 |
| INJ SITE SLOUGH | | 1 | 25 |
| LESION(S), SKIN | | 1 | 25 |
| SLOUGH, SKIN | | 1 | 25 |
| | | | |

DEXTROSE, LACTATED RINGER'S SOLUTION PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 1 | 1 | 1 |
| Sign | | Sum Reacted | Percent |
| DYSPNEA | | 1 | 100 |

DEXTROSE, LACTATED RINGER'S SOLUTION PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 1 | 1 | 1 | 1 |
| Sign | | Sum Reacted | Percent |
| FEVER, BODY | | 1 | 100 |
| LAMENESS | | 1 | 100 |
| PAIN, JOINT(S) | | 1 | 100 |
| SWELLING, JOINT(S) | | 1 | 100 |

DEXTROSE, LACTATED RINGER'S SOLUTION PARENTERAL, VARIOUS

| Reviews 1 | Treated 5 | Reacted 5 | Died 3 |
|---------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| ANOREXIA | | 5 | 100 |
| DEPRESSION/LETHARGY | | 5 | 100 |
| FEVER, BODY | | 5 | 100 |
| INJ SITE PAIN | | 5 | 100 |
| INJ SITE SLOUGH | | 5 | 100 |

DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM NOT APPLICABLE, CAT

| Reviews 1 | Treated 1 | Reacted 1 | Died O | |
|------------------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| DYSPNEA | | 1 | 100 | |
| EDEMA, LUNG(S)/TRACHEA | | 1 | 100 | |

DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM ORAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| CONVULSION(S) | | 1 | 100 |

DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM PARENTERAL, CAT

DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM PARENTERAL, CAT

| Reviews 1 | Treated 1 | Reacted 1 | Died O | |
|------------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 100 | |
| CYANOSIS | | 1 | 100 | |
| DYSPNEA | | 1 | 100 | |
| MYDRIASIS | | 1 | 100 | |
| VOMITING, BLOODY | | 1 | 100 | |

DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 5 | 5 | 5 | 2 |
| Sign | | Sum Reacted | Percent |
| ANESTH RECOV PROLON | IGED | 1 | 20 |
| CAPILLARY REFILL PR | ROLO | 1 | 20 |
| CONVULSION(S) | | 1 | 20 |
| DEPRESSION/LETHARGY | ? | 1 | 20 |
| DIARRHEA, BLOODY | | 1 | 20 |
| DIARRHEA, SEVERE | | 1 | 20 |
| FEVER, BODY | | 1 | 20 |
| INEFFECT | | 1 | 20 |
| INJ SITE SWELLING | | 1 | 20 |
| IRRITATION, SKIN | | 1 | 20 |
| MYDRIASIS | | 1 | 20 |
| PUPIL(S), AREFLEXIA | Α | 1 | 20 |
| RECUMBENCY | | 1 | 20 |
| VOMITING | | 1 | 20 |
| | | | |

DIAZEPAM ORAL, BUFFALO

| Treated | Reacted | Died |
|---------|--------------|---------|
| 1 | 1 | 0 |
| | Sum Reacted | Percent |
| | 1 | 100 |
| | 1 | 100 |
| | 1 | 100 |
| | Treated 1 | 1 1 |

DIAZEPAM ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------------------|---------|-------------|---------|--|
| 4 | 4 | 4 | 4 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 3 | 75 | |
| ICTERUS, BODY | | 2 | 50 | |
| LIVER DISORDER | | 2 | 50 | |
| ATAXIA | | 1 | 25 | |
| BLD(PETECHIAE) | | 1 | 25 | |
| HEPATITIS | | 1 | 25 | |
| <pre>INTERACTION, DRUG(S)</pre> | | 1 | 25 | |
| LIVER FAILURE | | 1 | 25 | |
| VOMITING | | 1 | 25 | |

DIAZEPAM PARENTERAL, CAT

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 1 | 50 | |
| ARREST, HEART | | 1 | 50 | |
| DIARRHEA, BLOODY | | 1 | 50 | |
| INCONTINENCE, URI | INARY | 1 | 50 | |
| RECUMBENCY | | 1 | 50 | |

DIAZEPAM PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|---------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| COLLAPSE | | 1 | 50 | |
| MURMUR, HEART | | 1 | 50 | |
| TACHYCARDIA | | 1 | 50 | |

DIAZEPAM UNKNOWN, CAT

| Reviews | Treated | Reacted | Died |
|---------|---------|---------|------|
| 1 | 1 | 1 | 0 |

DIAZEPAM UNKNOWN, CAT

| Reviews | Treated | Reacted | Died | |
|--------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BLEPHAROSPASM | | 1 | 100 | |
| CONGESTION, EYE(S) | /LID | 1 | 100 | |
| HORNER'S SYNDROME | | 1 | 100 | |
| NYSTAGMUS | | 1 | 100 | |

DICHLOROPHENE, TOLUENE ORAL, CAT

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 175 | 310 | 266 | 23 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 169 | 64 |
| ATAXIA | | 96 | 36 |
| HYPERSALIVATION | | 58 | 22 |
| DEPRESSION/LETHARGY | | 44 | 17 |
| ANOREXIA | | 15 | 6 |
| DIARRHEA | | 12 | 5 |
| CONVULSION(S) | | 9 | 3 |
| DYSPNEA | | 9 | 3 |
| MYDRIASIS | | 9 | 3 |
| CONFUSION | | 8 | 3 |
| DEHYDRATION | | 7 | 3 |
| VOMITING, BLOODY | | 7 | 3 |
| STAGGERING | | 6 | 2 |
| TREMBLING | | 6 | 2 |
| ILL | | 5 | 2 |
| WEAKNESS | | 5 | 2 |
| HYPERACTIVITY | | 4 | 2 |
| ADIPSIA | | 3 | 1 |
| APPREHENSION | | 3 | 1 |
| BEHAVIOR DISORDER | | 3 | 1 |
| COLLAPSE | | 3 | 1 |
| PAIN, HEAD/FACE | | 3 | 1 |
| PARALYSIS, HIND LIME | 3(S | 3 | 1 |
| PARESIS, HIND LIMB(S | 5) | 3 | 1 |
| PAWING | | 3 | 1 |
| RECUMBENCY | | 3 | 1 |
| ANEMIA | | 2 | 1 |
| ANISOCORIA | | 2 | 1 |

DICHLOROPHENE, TOLUENE ORAL, CAT

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 175 | 310 | 266 | 23 |
| Sign | | Sum Reacted | Percent |
| BLD, URINE | | 2 | 1 |
| FEVER, BODY | | 2 | 1 |
| FROTH, MOUTH/LIP(S) | | 2 | 1 |
| IRRITATION, ESOPHAGUS | | 2 | 1 |
| IRRITATION, PHARYNX/TH | | 2 | 1 |
| ODOR | | 2 | 1 |
| REACTION, UNSPECIFIED | | 2 | 1 |
| SHAKING | | 2 | 1 |
| TWITCH | | 2 | 1 |
| ACIDOSIS | | 1 | |
| AGGRESSION | | 1 | |
| ARREST, HEART | | 1 | |
| BILIRUBIN, URINE | | 1 | |
| BUN HI, BLD | | 1 | |
| CREATININE HI, BLD | | 1 | |
| DEFECATION | | 1 | |
| DISCOMFORT | | 1 | |
| DIZZINESS | | 1 | |
| HALLUCINATION | | 1 | |
| HEAD BOBBING | | 1 | |
| HYPOTHERMIA, BODY | | 1 | |
| ICTERUS, BODY | | 1 | |
| NERVOUSNESS | | 1 | |
| NYSTAGMUS | | 1 | |
| PAIN, ABDOMEN | | 1 | |
| PARALYSIS | | 1 | |
| POLYPNEA | | 1 | |
| PR-LUNG(S), LESION(S) | | 1 | |
| SGPT/ALT HI, BLD | | 1 | |
| SHAKING, HEAD/FACE | | 1 | |
| TACHYCARDIA | | 1 | |
| ULCER(S), MOUTH/LIP(S) | | 1 | |
| UNCONSCIOUS | | 1 | |
| VOCALIZATION | | 1 | |

DICHLOROPHENE, TOLUENE ORAL, DOG

Reviews Treated Reacted Died

DICHLOROPHENE, TOLUENE ORAL, DOG

| Reviews | Treated | Reacted | Died |
|-----------------------------------|---------|-------------|---------------|
| 88 | 173 | 117 | 22 |
| Ci an | | Sum Reacted | Domaont |
| Sign VOMITING | | 41 | Percent 35 |
| ATAXIA | | 28 | 24 |
| DEPRESSION/LETHARGY | | 21 | 18 |
| HYPERSALIVATION | | 17 | 15 |
| TREMBLING | | 17 | 15 |
| DIARRHEA | | 15 | 13 |
| CONVULSION(S) | | 14 | 12 |
| ANOREXIA | | 9 | 8 |
| | | 9 | 8 |
| WEAKNESS | | 6 | 5 |
| HEMATOCHEZIA | | 6 | 5 |
| MYDRIASIS | | 5 | 4 |
| FROTH, MOUTH/LIP(S) HYPERACTIVITY | | 5 | 4 |
| | | 5 | 4 |
| ILL | | | |
| NERVOUSNESS | | 5 | 4 |
| CIRCLING | | 4 | 3 |
| CONFUSION | ١ | 4 | 3 |
| PR-INTEST, LESION(S |) | 4 | 3 |
| SHAKING | | 4 | 3 |
| TACHYCARDIA | | 4 | 3 |
| BIRTH, PREMATURE | | 3 | 3 |
| CYANOSIS | | 3 | 3 |
| DIARRHEA, BLOODY | | 3 | 3 |
| FEVER, BODY | | 3 | 3 |
| HALLUCINATION | | 3 | 3 |
| ODOR, MOUTH | | 3 | 3 |
| PAIN, ABDOMEN | | 3 | 3 |
| STOOL ABN | | 3 | 3 |
| WEAKNESS, NEWBORN | | 3 | 3 |
| BEHAVIOR DISORDER | | 2 | 2 |
| BLINDNESS | | 2 | 2 |
| DYSPNEA | | 2 | 2 |
| ODOR | | 2 | 2 |
| PALLOR, MUCOUS MEMB | | 2 | 2 |
| REACTION, UNSPECIFIE | ED | 2 | 2 |
| ADIPSIA | | 1 | 1 |
| APPREHENSION | | 1 | 1 |
| BALANCE DISORDER | | 1 | 1 |
| BRADYCARDIA | | 1 | 1 |
| DEMENTIA | | 1 | 1 |

DICHLOROPHENE, TOLUENE ORAL, DOG

| Reviews 88 | Treated 173 | Reacted 117 | Died 22 | |
|------------------------|----------------|----------------|------------|--|
| | 175 | 11, | 22 | |
| Sign | | Sum Reacted | Percent | |
| DIARRHEA, MILD | | 1 | 1 | |
| EYE DISORDER | | 1 | 1 | |
| HYPERESTHESIA | | 1 | 1 | |
| HYPERPNEA | | 1 | 1 | |
| IRRITATION, MOUTH/LIP(| | 1 | 1 | |
| PROSTRATION | | 1 | 1 | |
| RESPIRATORY DISORDER | | 1 | 1 | |
| SHAKING, HEAD/FACE | | 1 | 1 | |
| STUMBLING | | 1 | 1 | |
| STUPOR | | 1 | 1 | |
| SWELLING, HEAD/FACE | | 1 | 1 | |
| SWELLING, LIMB(S) | | 1 | 1 | |
| TWITCH | | 1 | 1 | |
| URINATION | | 1 | 1 | |
| URTICARIA | | 1 | 1 | |
| VOCALIZATION | | 1 | 1 | |

DICHLOROPHENE, TOLUENE ORAL, VARIOUS

| Reviews | Treated | Reacted | Died | |
|----------|---------|-------------|---------|--|
| 1 | 4 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 4 | 100 | |
| VOMITING | | 4 | 100 | |

DICHLOROPHENE, TOLUENE UNKNOWN, CAT

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| VOMITING | | 2 | 67 | |
| ANOREXIA | | 1 | 33 | |
| ATAXIA | | 1 | 33 | |
| CONFUSION | | 1 | 33 | |
| FROTH, MOUTH/LIP(S) | | 1 | 33 | |
| PARALYSIS, HIND LIMB(S | | 1 | 33 | |

DICHLORVOS DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 6 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-GRANULES/POWDER, ABN | | 0 | |
| PD-ODOR, ABN | | 0 | |
| PD-SEAL, ABN | | 0 | |

DICHLORVOS ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 1 | 100 | |
| DEPRESSION/LETHARGY | | 1 | 100 | |
| DIARRHEA | | 1 | 100 | |
| HYPERSALIVATION | | 1 | 100 | |
| URINATION | | 1 | 100 | |
| VOMITING | | 1 | 100 | |

DICHLORVOS ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 7 | 32 | 15 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, WHIPS | | 7 | 47 | |
| INEFFECT, ASCARIDS | | 4 | 27 | |
| INEFFECT, HOOKS | | 4 | 27 | |
| ANOREXIA | | 2 | 13 | |
| DEPRESSION/LETHARGY | | 2 | 13 | |
| DIARRHEA | | 2 | 13 | |
| DEHYDRATION | | 1 | 7 | |
| DIARRHEA, SEVERE | | 1 | 7 | |
| HYPOTHERMIA | | 1 | 7 | |
| NEUROLOGICAL DISORDER | | 1 | 7 | |
| WEAKNESS | | 1 | 7 | |
| | | | | |

DICHLORVOS ORAL, HORSE

| Reviews 2 | Treated 13 | Reacted 6 | Died O | |
|------------------------|---------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| UNPALATABLE, WON'T EAT | | 5 | 83 | |
| ANOREXIA | | 1 | 17 | |
| DEHYDRATION | | 1 | 17 | |
| DEPRESSION/LETHARGY | | 1 | 17 | |

DICHLORVOS ORAL, PIG

| 9 1820 222 120 Sign Sum Reacted Percent DIARRHEA 87 39 DEPRESSION/LETHARGY 70 32 PR-INTEST, LESION(S) 70 32 INEFFECT, WORMS 60 27 CONGESTION, SKIN 50 23 DIARRHEA, MILD 50 23 IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 ATAXIA 17 8 |
|--|
| DIARRHEA 87 39 DEPRESSION/LETHARGY 70 32 PR-INTEST, LESION(S) 70 32 INEFFECT, WORMS 60 27 CONGESTION, SKIN 50 23 DIARRHEA, MILD 50 23 IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| DEPRESSION/LETHARGY 70 32 PR-INTEST, LESION(S) 70 32 INEFFECT, WORMS 60 27 CONGESTION, SKIN 50 23 DIARRHEA, MILD 50 23 IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| PR-INTEST, LESION(S) 70 32 INEFFECT, WORMS 60 27 CONGESTION, SKIN 50 23 DIARRHEA, MILD 50 23 IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| INEFFECT, WORMS 60 27 CONGESTION, SKIN 50 23 DIARRHEA, MILD 50 23 IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| CONGESTION, SKIN 50 23 DIARRHEA, MILD 50 23 IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| DIARRHEA, MILD 50 23 IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| IRRITATION, SKIN 50 23 PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| PAIN, ABDOMEN 50 23 CYANOSIS 18 8 RECUMBENCY 18 8 |
| CYANOSIS 18 8 RECUMBENCY 18 8 |
| RECUMBENCY 18 8 |
| |
| מדמעדם 17 8 |
| 1111111111 |
| VOMITING 17 8 |
| ILL 10 5 |
| ANOREXIA 7 3 |
| DIARRHEA, BLOODY 7 3 |
| NERVOUSNESS 7 3 |

DICLAZURIL DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 2 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-GRANULES/POWDER, | ABN | 0 | |
| PD-UNDERFILL, PACKAG | E | 0 | |
| - | | | |

DICLOFENAC DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 1 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-TUBE(S), DAMAGED | | 0 | |

DICLOFENAC ORAL, HORSE

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| CONSTIPATION | | 1 | 100 |
| DISTRESS | | 1 | 100 |
| PAIN, ABDOMEN | | 1 | 100 |

DICLOFENAC TOPICAL, HORSE

| Reviews | Treated | Reacted | Died |
|-------------------|-----------|-------------|---------|
| 13 | 13 | 13 | 2 |
| Sign | | Sum Reacted | Percent |
| APPLICATION SITE | INFLAM | 4 | 31 |
| APPLICATION SITE | ALOPECIA | 3 | 23 |
| APPLICATION SITE | LESION(S) | 2 | 15 |
| APPLICATION SITE | PAIN | 2 | 15 |
| APPLICATION SITE | SWELLING | 2 | 15 |
| FEVER, BODY | | 2 | 15 |
| PAIN, ABDOMEN | | 2 | 15 |
| VESICLE(S)/BULLAE | E, SKI | 2 | 15 |
| ALOPECIA | | 1 | 8 |
| APPLICATION SITE | SKIN, DRY | 1 | 8 |
| BLD, SKIN | | 1 | 8 |
| CAPILLARY REFILL | PROLO | 1 | 8 |
| COLON, ABN | | 1 | 8 |
| HYPERPNEA | | 1 | 8 |
| INFECTION, SKIN | | 1 | 8 |
| INFLAM, SKIN | | 1 | 8 |
| LAMENESS | | 1 | 8 |
| LIVER ENZYMES HI, | , BLD | 1 | 8 |
| MUCOUS MEMBR, ABN | 1 COTO | 1 | 8 |
| MYOSITIS | | 1 | 8 |
| | | | |

DICLOFENAC TOPICAL, HORSE

| Reviews | Treated | Reacted | Died | |
|--------------------|---------|-------------|---------|--|
| 13 | 13 | 13 | 2 | |
| Sign | | Sum Reacted | Percent | |
| PAIN, HIND LIMB(S) | | 1 | 8 | |
| RECUMBENCY | | 1 | 8 | |
| ROLLING | | 1 | 8 | |
| SKIN, CRUST(S) | | 1 | 8 | |
| SKIN, NECROSIS | | 1 | 8 | |
| SKIN, SCAB(S) | | 1 | 8 | |
| SWELLING, LIMB(S) | | 1 | 8 | |
| TACHYCARDIA | | 1 | 8 | |

DICLOFENAC TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PR-BONE MARROW, LESIO | N | 1 | 100 | |
| SEGS LO, BLD | | 1 | 100 | |
| | | | | |

DIETHYLCARBAMAZINE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 60 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-CAP(S), ABN | | 0 | |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-CONTAM, INSECTS | | 0 | |
| PD-MISSING, LABEL(S) | | 0 | |
| PD-ODOR, ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-TABLET(S), ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| PD-UNKNOWN | | 0 | |
| UNPALATABLE | | 0 | |
| | | | |

DIETHYLCARBAMAZINE ORAL, CAT

| Reviews | Treated | Reacted | Died |
|---------|---------|--------------|----------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Donasanh |
| | | | |
| 51911 | | Sull Reacted | Percent |

DIETHYLCARBAMAZINE ORAL, DOG

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 184 | 255 | 211 | 7 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 65 | 31 |
| DEPRESSION/LETHARGY | | 42 | 20 |
| DIARRHEA | | 32 | 15 |
| INEFFECT, HW LARVAE | | 28 | 13 |
| ANOREXIA | | 25 | 12 |
| INEFFECT, HW ADULTS | | 15 | 7 |
| CONVULSION(S) | | 8 | 4 |
| COLLAPSE | | 7 | 3 |
| UNPALATABLE, WON'T EA | ΔT | 7 | 3 |
| ALK PHOS HI, BLD | | 6 | 3 |
| ATAXIA | | 5 | 2 |
| SGPT/ALT HI, BLD | | 5 | 2 |
| NERVOUSNESS | | 4 | 2 |
| PRURITIS | | 4 | 2 |
| VOCALIZATION | | 4 | 2 |
| HYPERACTIVITY | | 3 | 1 |
| INEFFECT, HW ANTIGEN | | 3 | 1 |
| SHOCK | | 3 | 1 |
| BLD, URINE | | 2 | 1 |
| DEHYDRATION | | 2 | 1 |
| DIARRHEA, MILD | | 2 | 1 |
| HYPERPNEA | | 2 | 1 |
| INFLAM, SKIN | | 2 | 1 |
| PLATELETS LO, BLD | | 2 | 1 |
| POLYDIPSIA | | 2 | 1 |
| POLYPNEA | | 2 | 1 |
| RECUMBENCY | | 2 | 1 |
| SEDATION | | 2 | 1 |
| UNCONSCIOUS | | 2 | 1 |
| URTICARIA | | 2 | 1 |
| AGGRESSION | | 1 | |

DIETHYLCARBAMAZINE ORAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|---------------|---------|
| 184 | 255 | 211 | 7 |
| Sign | | Sum Reacted | Percent |
| ANEMIA | | Julii Reacted | Percent |
| APPREHENSION | | 1 | |
| ARRHYTHMIA | | 1 | |
| ASCITES | | 1 | |
| BEHAVIOR DISORDER | | 1 | |
| BILIRUBIN(TOT) HI, BLD | | 1 | |
| BILIRUBIN, URINE | | 1 | |
| BLD(ECCHYMOSES) | | 1 | |
| BRADYCARDIA | | 1 | |
| BUN HI, BLD | | 1 | |
| CHOLESTEROL HI, BLD | | 1 | |
| COLITIS | | 1 | |
| CONFUSION | | 1 | |
| CREATININE HI, BLD | | 1 | |
| CYANOSIS | | 1 | |
| DIARRHEA, SEVERE | | 1 | |
| DISTRESS | | 1 | |
| EDEMA, LUNG(S)/TRACHEA | | 1 | |
| EPISTAXIS | | 1 | |
| HEMATOCHEZIA | | 1 | |
| HEPATOMEGALY | | 1 | |
| HYPERSALIVATION | | 1 | |
| HYPOSMIA | | 1 | |
| HYPOTHERMIA | | 1 | |
| ICTERUS, BODY | | 1 | |
| IMMUNE DISORDER | | 1 | |
| INEFFECT, ASCARIDS PRE | | 1 | |
| LIVER ENZYMES HI, BLD | | 1 | |
| NEOPLASM | | 1 | |
| PALLOR, MUCOUS MEMBRAN | | 1 | |
| PANCREATITIS | | 1 | |
| POLYCYTHEMIA | | 1 | |
| POLYURIA | | 1 | |
| PRURITIS, FEET/DIGIT(S | | 1 | |
| SKIN, CRUST(S) | | 1 | |
| SNEEZING | | 1 | |
| SOMNOLENCE | | 1 | |
| SPEC GRAVITY LO, URINE | | 1 | |
| TACHYCARDIA | | 1 | |
| TREMBLING | | 1 | |
| TUBLIDHTING | | Τ. | |

DIETHYLCARBAMAZINE ORAL, DOG

| Reviews 184 | Treated 255 | Reacted 211 | Died 7 | |
|-----------------------------|----------------|-------------------------|----------------|--|
| Sign WEAKNESS | | Sum Reacted 1 | Percent | |
| | | CARBAMAZINE DWN, DOG | | |
| Reviews 1 | Treated 1 | Reacted 1 | Died 1 | |
| Sign INEFFECT, HW LARVAE | | Sum Reacted | Percent 100 | |

DIETHYLCARBAMAZINE, OXIBENDAZOLE DEFECT, NOT APPLICABLE

| Reviews 133 | Treated 0 | Reacted 0 | Died 0 |
|------------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-CONTAM, INSECTS | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-MISSING, LABEL(S) | | 0 | |
| PD-ODOR, ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-TABLET(S), ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| PD-UNKNOWN | | 0 | |
| UNPALATABLE | | 0 | |
| UNPALATABLE, WON'T EAT | | 0 | |
| UNPALATABLE, WON'T SWA | | 0 | |

DIETHYLCARBAMAZINE, OXIBENDAZOLE MISSING, UNKNOWN

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |

DIETHYLCARBAMAZINE, OXIBENDAZOLE MISSING, UNKNOWN

| Reviews | Treated | Reacted | Died |
|---------|---------|---------------|----------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| - 5 | | buill Reacted | FEICEIIC |

$\begin{array}{c} {\tt DIETHYLCARBAMAZINE\,,\ OXIBENDAZOLE}\\ {\tt ORAL\,,\ CAT} \end{array}$

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 4 | 4 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 2 | 50 | |
| VOMITING | | 2 | 50 | |
| ANOREXIA | | 1 | 25 | |
| DIARRHEA | | 1 | 25 | |
| KIDNEY DISORDER | | 1 | 25 | |
| LAMENESS | | 1 | 25 | |
| MYDRIASIS | | 1 | 25 | |
| TREMBLING | | 1 | 25 | |
| WEAKNESS | | 1 | 25 | |

$\begin{array}{c} {\tt DIETHYLCARBAMAZINE\,,\ OXIBENDAZOLE}\\ {\tt ORAL\,,\ DOG} \end{array}$

| Reviews 954 | Treated 1449 | Reacted 1083 | Died 131 |
|----------------------|-----------------|-----------------|-------------|
| Sign | | Sum Reacted | Percent |
| VOMITING | | 279 | 26 |
| SGPT/ALT HI, BLD | | 237 | 22 |
| ALK PHOS HI, BLD | | 212 | 20 |
| ANOREXIA | | 172 | 16 |
| DEPRESSION/LETHARGY | | 165 | 15 |
| INEFFECT, HW LARVAE | | 158 | 15 |
| DIARRHEA | | 112 | 10 |
| PR-LIVER, LESION(S) | | 103 | 10 |
| BILIRUBIN(TOT) HI, E | BLD | 93 | 9 |
| SGOT/AST HI, BLD | | 92 | 8 |
| INEFFECT, HOOKS PREV | 7EN | 71 | 7 |
| WEIGHT LOSS | | 66 | 6 |
| ICTERUS, BODY | | 58 | 5 |
| LIVER ENZYMES HI, BI | JD | 54 | 5 |

| Reviews | Treated | Reacted | Died |
|---------------------------------|---------|-------------|---------|
| 954 | 1449 | 1083 | 131 |
| Sign | | Sum Reacted | Percent |
| ALBUMIN LO, BLD | | 50 | 5 |
| UNPALATABLE, WON'T EA | TA | 45 | 4 |
| WBC HI, BLD | | 45 | 4 |
| CONVULSION(S) | | 39 | 4 |
| POLYDIPSIA | | 37 | 3 |
| ANEMIA | | 34 | 3 |
| ASCITES | | 32 | 3 |
| FEVER, BODY | | 32 | 3 |
| POLYURIA | | 30 | 3 |
| BUN HI, BLD | | 27 | 2 |
| INEFFECT, ASCARIDS | | 27 | 2 |
| CHOLESTEROL HI, BLD | | 23 | 2 |
| BILE ACIDS HI, BLD | | 22 | 2 |
| ATAXIA | | 21 | 2 |
| LDH HI, BLD | | 21 | 2 |
| LIVER DISORDER | | 21 | 2 |
| PROTEIN(TOT) LO, BLD | | 20 | 2 |
| ICTERUS | | 18 | 2 |
| INEFFECT, HW MICROFII | LA | 17 | 2 |
| <pre>INTERACTION, DRUG(S)</pre> | | 17 | 2 |
| SEGS HI, BLD | | 17 | 2 |
| BILIRUBIN(DIR) HI, BI | LD . | 16 | 1 |
| BILIRUBIN, URINE | | 16 | 1 |
| INEFFECT, WHIPS PREVE | EN | 16 | 1 |
| P HI, BLD | | 16 | 1 |
| WEAKNESS | | 16 | 1 |
| CREATININE HI, BLD | | 15 | 1 |
| PLATELETS LO, BLD | | 15 | 1 |
| DIARRHEA, BLOODY | | 14 | 1 |
| POLYCYTHEMIA | | 14 | 1 |
| BUN LO, BLD | | 13 | 1 |
| INEFFECT, HW ADULTS | | 13 | 1 |
| PAIN, ABDOMEN | | 13 | 1 |
| PR-KIDNEY(S), LESION | (S | 13 | 1 |
| COLLAPSE | | 12 | 1 |
| CPK HI, BLD | | 12 | 1 |
| GLUCOSE HI, BLD | | 12 | 1 |
| PROTEIN(TOT) HI, BLD | | 12 | 1 |
| HEMATOCHEZIA | | 11 | 1 |
| MELENA | | 11 | 1 |
| | | | |

| Reviews | Treated | Reacted | Died |
|--|---------|-------------|---------|
| 954 | 1449 | 1083 | 131 |
| Sign | | Sum Reacted | Percent |
| BILIRUBIN(IND) HI, BLD | | 10 | 1 |
| DEHYDRATION | | 10 | 1 |
| GGT HI, BLD | | 10 | 1 |
| HEPATITIS | | 10 | 1 |
| ABN COLOR, URINE | | 9 | 1 |
| AMYLASE HI, BLD | | 9 | 1 |
| COAGULATION DISORDER | | 9 | 1 |
| GLUCOSE LO, BLD | | 9 | 1 |
| ICTERUS, SERUM | | 9 | 1 |
| INEFFECT, HOOKS | | 9 | 1 |
| MONOS LO, BLD | | 9 | 1 |
| PR-SPLEEN, LESION(S) | | 9 | 1 |
| BEHAVIOR DISORDER | | 8 | 1 |
| BLD, URINE | | 8 | 1 |
| DIARRHEA, MILD | | 8 | 1 |
| HEPATOMEGALY | | 8 | 1 |
| INEFFECT, ASCARIDS PRE | | 8 | 1 |
| INEFFECT, WHIPS | | 8 | 1 |
| K HI, BLD | | 8 | 1 |
| SKIN DISORDER | | 8 | 1 |
| AMMONIA HI, BLD | | 7 | 1 |
| BANDS HI, BLD | | 7 | 1 |
| CA LO, BLD | | 7 | 1 |
| HYPERSALIVATION | | 7 | 1 |
| SHOCK | | 7 | 1 |
| TACHYCARDIA | | 7 | 1 |
| ULCER(S), SKIN | | 7 | 1 |
| CHLORIDE LO, BLD | | 6 | 1 |
| CHOLESTEROL LO, BLD | | 6 | 1 |
| DYSPNEA | | 6 | 1 |
| GLOBULIN HI, BLD | | 6 | 1 |
| GLOBULIN LO, BLD | | 6 | 1 |
| HYPERACTIVITY | | 6 | 1 |
| INCONTINENCE, URINARY | | 6 | 1 |
| K LO, BLD | | 6 | 1 |
| LIVER FAILURE | | 6 | 1 |
| LYMPHS HI, BLD | | 6 | 1 |
| LYMPHS LO, BLD | | 6 | 1 |
| NERVOUSNESS | | 6 | 1 |
| PROTEIN, URINE | | 6 | 1 |
| THE THE PARTY OF T | | • | - |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 954 | 1449 | 1083 | 131 |
| Sign | | Sum Reacted | Percent |
| SPEC GRAVITY LO, URINE | | 6 | 1 |
| THYROID HORMONE(S) LO | | 6 | 1 |
| ALBUMIN HI, BLD | | 5 | |
| BSP RETENTION HI, BLD | | 5 | |
| EOSINOS HI, BLD | | 5 | |
| HEAD PRESSING | | 5 | |
| INEFFECT, HW ANTIGEN | | 5 | |
| LIPASE HI, BLD | | 5 | |
| NA LO, BLD | | 5 | |
| TREMBLING | | 5 | |
| VOMITING, BLOODY | | 5 | |
| ALKALINE URINE | | 4 | |
| CONFUSION | | 4 | |
| COOMBS TEST POS | | 4 | |
| DISTENTION, ABDOMEN | | 4 | |
| FROTH, MOUTH/LIP(S) | | 4 | |
| GASTROENTERITIS | | 4 | |
| HYPERPNEA | | 4 | |
| LIPIDS HI, BLD | | 4 | |
| POLYPHAGIA | | 4 | |
| UNCONSCIOUS | | 4 | |
| WBC LO, BLD | | 4 | |
| ANAPHYLAXIS/TOID | | 3 | |
| ANEMIA, AUTOIMMUNE HEM | | 3 | |
| ANEMIA, HEMOLYTIC | | 3 | |
| ANESTRUS | | 3 | |
| BLD(PETECHIAE) | | 3 | |
| BLINDNESS | | 3 | |
| CARDIOMEGALY | | 3 | |
| CIRCLING | | 3 | |
| CYANOSIS | | 3 | |
| DEAFNESS | | 3 | |
| HEART FAILURE | | 3 | |
| ILL | | 3 | |
| KIDNEY FAILURE | | 3 | |
| MONOS HI, BLD | | 3 | |
| PALLOR | | 3 | |
| PANCREATITIS | | 3 | |
| PD-COLOR, ABN | | 3 | |
| PD-PRODUCT DEFECT | | 3 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 954 | 1449 | 1083 | 131 |
| Sign | | Sum Reacted | Percent |
| PD-TABLET(S), ABN | | 3 | |
| PR-LUNG(S), LESION(S) | | 3 | |
| PR-PANCREAS, LESION(S) | | 3 | |
| PTT PROLONGED, BLD | | 3 | |
| STOOL ABN | | 3 | |
| TRIGLYCERIDES HI, BLD | | 3 | |
| URIC ACID HI, BLD | | 3 | |
| URTICARIA | | 3 | |
| US-LIVER ABN | | 3 | |
| WBC, URINE | | 3 | |
| AGGRESSION | | 2 | |
| ARREST, HEART | | 2 | |
| BALANCE DISORDER | | 2 | |
| BLOAT | | 2 | |
| COUGHING | | 2 | |
| CRYSTALS, URINE | | 2 | |
| DEMENTIA | | 2 | |
| DIC | | 2 | |
| EPISTAXIS | | 2 | |
| GASTRITIS | | 2 | |
| HYPOTHERMIA | | 2 | |
| HYPOTHERMIA, BODY | | 2 | |
| LAMENESS | | 2 | |
| LEUKODERMA, MOUTH/LIP(| | 2 | |
| MICROORGANISMS, URINE | | 2 | |
| MURMUR, HEART | | 2 | |
| POLYPNEA | | 2 | |
| PR-BRAIN, LESION(S) | | 2 | |
| PR-HEARTWORM DISEASE | | 2 | |
| PR-INTEST, LESION(S) | | 2 | |
| PR-SM INTEST, LESION(S | | 2 | |
| PROSTRATION | | 2 | |
| PRURITIS | | 2 | |
| RADIOGRAPH(S) ABN | | 2 | |
| SEGS LO, BLD | | 2 | |
| SHAKING | | 2 | |
| SPLENOMEGALY | | 2 | |
| STOOL, PALE/GRAY | | 2 | |
| STUPOR | | 2 | |
| URINE ABN | | 2 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 954 | 1449 | 1083 | 131 |
| Sign | | Sum Reacted | Percent |
| UROBILINOGEN HI, URINE | | 2 | |
| UVEITIS | | 2 | |
| A/G RATIO HI, BLD | | 1 | |
| ABN ODOR, URINE | | 1 | |
| ADIPSIA | | 1 | |
| ALBUMIN HI, URINE | | 1 | |
| ALOPECIA | | 1 | |
| ANISOCORIA | | 1 | |
| AZOTEMIA | | 1 | |
| BLD(ECCHYMOSES) | | 1 | |
| BLD, ABDOMEN | | 1 | |
| BLD, PASSING | | 1 | |
| BRADYCARDIA | | 1 | |
| CA HI, BLD | | 1 | |
| CHE HI, SERUM | | 1 | |
| CHLORIDE HI, BLD | | 1 | |
| CNS DISORDER | | 1 | |
| CO2 LO, BLD | | 1 | |
| CONGESTION | | 1 | |
| CONGESTION, LUNG(S) | | 1 | |
| CONGESTION, MUCOUS MEM | | 1 | |
| CONGESTION, SKIN | | 1 | |
| CONJUNCTIVITIS | | 1 | |
| CONSTIPATION | | 1 | |
| CREATININE LO, BLD | | 1 | |
| DEAFNESS, TEMP | | 1 | |
| DEFECATION | | 1 | |
| DIABETES MELLITUS | | 1 | |
| DIARRHEA, MUCOID | | 1 | |
| DIARRHEA, SEVERE | | 1 | |
| DYSMETRIA | | 1 | |
| DYSPHAGIA | | 1 | |
| EDEMA | | 1 | |
| EDEMA, HEAD/FACE | | 1 | |
| ERUPTION(S) | | 1 | |
| FE HI, BLD | | 1 | |
| FIBRINOGEN LO, BLD | | 1 | |
| FLATULENCE | | 1 | |
| GLUCOSE, URINE | | 1 | |
| HAIR, ABN | | 1 | |
| | | | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 954 | 1449 | 1083 | 131 |
| Sign | | Sum Reacted | Percent |
| HEAD BOBBING | | 1 | |
| HYPERESTHESIA | | 1 | |
| HYPERPIGMENTATION, SKI | | 1 | |
| INEFFECT, STOMACH WORM | | 1 | |
| INEFFECT, WORMS | | 1 | |
| INFECTION, SKIN | | 1 | |
| INFECTION, URINARY TRA | | 1 | |
| KETONES, URINE | | 1 | |
| KIDNEY DISORDER | | 1 | |
| LIVER PROFILE HI | | 1 | |
| MIOSIS | | 1 | |
| MYOSITIS | | 1 | |
| NA HI, BLD | | 1 | |
| NAUSEA | | 1 | |
| NOCTURIA | | 1 | |
| NYSTAGMUS | | 1 | |
| PACING | | 1 | |
| PANCREAS DISORDER | | 1 | |
| PARESIS | | 1 | |
| PARESIS, HIND LIMB(S) | | 1 | |
| PD-CONTAM, INSECTS | | 1 | |
| PD-ODOR, ABN | | 1 | |
| PLATELETS HI, BLD | | 1 | |
| POLYCYTHEMIA(RELATIVE) | | 1 | |
| PR-BONE MARROW, LESION | | 1 | |
| PR-COLON, LESION(S) | | 1 | |
| PR-GI, LESION(S) | | 1 | |
| PR-HEART, LESION(S) | | 1 | |
| PR-LYMPH NODE(S), LESI | | 1 | |
| PR-MENINGES, LESION(S) | | 1 | |
| PR-MULT SITES, BLD | | 1 | |
| PR-MULT SITES, ICTERUS | | 1 | |
| PR-STOMACH, LESION(S) | | 1 | |
| PR-WHOLE BODY, LESION(| | 1 | |
| PULSE THREADY | | 1 | |
| PUSTULE(S) | | 1 | |
| RECUMBENCY | | 1 | |
| RESPIRATORY DISORDER | | 1 | |
| SEDATION | | 1 | |
| SPASM | | 1 | |

| Reviews 954 | Treated 1449 | Reacted 1083 | Died 131 |
|------------------------|-----------------|-----------------|-------------|
| Sign | | Sum Reacted | Percent |
| STAGGERING | | 1 | |
| STIFFNESS | | 1 | |
| STIFFNESS, NECK | | 1 | |
| SWELLING | | 1 | |
| SWELLING, EYE(S)/LID(S | | 1 | |
| SYNCOPE | | 1 | |
| TENESMUS, RECTAL | | 1 | |
| THYROID HORMONE(S) HI | | 1 | |
| ULCER(S), MOUTH/LIP(S) | | 1 | |
| UNPALATABLE, WON'T SWA | | 1 | |
| URINATION | | 1 | |
| VOMITING, SEVERE | | 1 | |

DIETHYLCARBAMAZINE, OXIBENDAZOLE ORAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|--|---------|-----------------------|---------|--|
| 1 | 1 | 0 | O | |
| Sign HUMAN EXPOSURE, INGEST NO SIGNS | | Sum Reacted 0 0 | Percent | |

DIETHYLCARBAMAZINE, OXIBENDAZOLE UNKNOWN, DOG

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 6 | 11 | 8 | 0 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, HOOKS | | 2 | 25 |
| INEFFECT, HW LARVAE | | 2 | 25 |
| BLD, URINE | | 1 | 13 |
| CYSTITIS | | 1 | 13 |
| DYSPNEA | | 1 | 13 |
| FEVER, BODY | | 1 | 13 |
| HYPERPNEA | | 1 | 13 |
| RECUMBENCY | | 1 | 13 |
| VOMITING | | 1 | 13 |
| WEAKNESS | | 1 | 13 |

DIETHYLSTILBESTEROL ORAL, DOG

| Reviews 1 | Treated 1 | Reacted 1 | Died 1 | |
|--------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| ILL | | 1 | 100 | |
| WEAKNESS | | 1 | 100 | |

DIFLOXACIN DEFECT, NOT APPLICABLE

| Reviews 10 | Treated 0 | Reacted 0 | Died O |
|-----------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-MISSING, LABEL(S) | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-TABLET(S), ABN | | 0 | |
| PD-UNDERFILL, VIAL(S) | | 0 | |
| | | | |

DIFLOXACIN MISSING, DOG

| Reviews | Treated | Reacted | Died | |
|------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BLD, URINE | | 1 | 100 | |

DIFLOXACIN ORAL, CAT

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 3 | 6 | 6 | 0 |
| Sign | | Sum Reacted | Percent |
| HYPERSALIVATION | | 5 | 83 |
| DEPRESSION/LETHARGY | | 4 | 67 |
| VOMITING | | 4 | 67 |
| ATAXIA | | 2 | 33 |
| ANOREXIA | | 1 | 17 |
| NEUROLOGICAL DISORDE | R | 1 | 17 |

Reviews

DIFLOXACIN ORAL, CAT

| Reviews | Treated | Reacted | Died |
|-------------|---------|-------------|---------|
| 3 | 6 | 6 | 0 |
| Sign | | Sum Reacted | Percent |
| WEIGHT LOSS | | 1 | 17 |

Reacted Died

DIFLOXACIN ORAL, DOG

Treated

| ICCVICWD | iicacca | Reacted | Dica |
|----------------------|---------|-------------|---------|
| 46 | 126 | 72 | 9 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, ANTIBIOTIC | | 18 | 25 |
| VOMITING | | 17 | 24 |
| ANOREXIA | | 8 | 11 |
| DEPRESSION/LETHARGY | | 7 | 10 |
| CONVULSION(S) | | 5 | 7 |
| CRYSTALS, URINE | | 3 | 4 |
| DIARRHEA | | 3 | 4 |
| BLINDNESS | | 2 | 3 |
| FEVER, BODY | | 2 | 3 |
| KERATOCONJUNCTIVITIS | S | 2 | 3 |
| LAMENESS | | 2 | 3 |
| PUSTULE(S) | | 2 | 3 |
| ACID URINE | | 1 | 1 |
| ALBUMIN LO, BLD | | 1 | 1 |
| ALK PHOS HI, BLD | | 1 | 1 |
| ALKALINE URINE | | 1 | 1 |
| ANEMIA | | 1 | 1 |
| ANEMIA, BLD LOSS | | 1 | 1 |
| APPREHENSION | | 1 | 1 |
| ARTHRITIS | | 1 | 1 |
| ATAXIA | | 1 | 1 |
| BANDS HI, BLD | | 1 | 1 |
| BLD, URINE | | 1 | 1 |
| CONFUSION | | 1 | 1 |
| CONJUNCTIVITIS | | 1 | 1 |
| DIARRHEA, MILD | | 1 | 1 |
| DYSPNEA | | 1 | 1 |
| EPISTAXIS | | 1 | 1 |
| ERUPTION(S) | | 1 | 1 |
| EYE DISORDER | | 1 | 1 |
| GLOBULIN HI, BLD | | 1 | 1 |
| | | | |

DIFLOXACIN ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 46 | 126 | 72 | 9 | |
| Sign | | Sum Reacted | Percent | |
| GLUCOSE HI, BLD | | 1 | 1 | |
| HYPERPNEA | | 1 | 1 | |
| INCONTINENCE, URINARY | | 1 | 1 | |
| JOINT DISORDER | | 1 | 1 | |
| K HI, BLD | | 1 | 1 | |
| LOCOMOTION DISORDER | | 1 | 1 | |
| MONOS HI, BLD | | 1 | 1 | |
| NEUROLOGICAL DISORDER | | 1 | 1 | |
| NYSTAGMUS | | 1 | 1 | |
| ODOR, MOUTH | | 1 | 1 | |
| PAIN, JOINT(S) | | 1 | 1 | |
| PARALYSIS, HIND LIMB(S | | 1 | 1 | |
| PLATELETS HI, BLD | | 1 | 1 | |
| POLYDIPSIA | | 1 | 1 | |
| POLYPNEA | | 1 | 1 | |
| POLYURIA | | 1 | 1 | |
| PR-LIVER, LESION(S) | | 1 | 1 | |
| PR-SKIN, LESION(S) | | 1 | 1 | |
| PROPRIOCEPTIVE DISORDE | | 1 | 1 | |
| PRURITIS | | 1 | 1 | |
| PT PROLONGED, BLD | | 1 | 1 | |
| SGPT/ALT HI, BLD | | 1 | 1 | |
| SHAKING | | 1 | 1 | |
| SPERM ABN | | 1 | 1 | |
| SWELLING, EYE(S)/LID(S | | 1 | 1 | |
| URTICARIA | | 1 | 1 | |
| VISION DISORDER | | 1 | 1 | |
| WBC HI, BLD | | 1 | 1 | |
| WEAKNESS | | 1 | 1 | |

DIFLOXACIN ORAL, HUMAN

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| NAUSEA | | 1 | 100 |
| PAIN, ABDOMEN | | 1 | 100 |
| VOMITING | | 1 | 100 |

DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 1 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-TUBE(S), LEAKING | | 0 | |

DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE INTRAMAMMARY, CATTLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 15 | 250 | 76 | 1 |
| Sign | | Sum Reacted | Percent |
| UDDER, SWELLING | | 50 | 66 |
| DISCHARGE, NOSE | | 18 | 24 |
| HYPERPNEA | | 18 | 24 |
| SWELLING, HEAD/FACE | | 18 | 24 |
| UDDER, PAIN | | 18 | 24 |
| URTICARIA | | 18 | 24 |
| UDDER, MASTITIS | | 7 | 9 |
| UDDER, FEVER | | 6 | 8 |
| UDDER, HARD | | 6 | 8 |
| UDDER, MILK WATERY | | 4 | 5 |
| NERVOUSNESS | | 3 | 4 |
| UDDER, MILK ABN | | 3 | 4 |
| RESIDUE, MILK | | 2 | 3 |
| ABORTION | | 1 | 1 |
| PLACENTA, RETAINED | | 1 | 1 |

$\begin{array}{c} {\tt DIHYDROSTREPTOMYCIN,\ PENICILLIN\ G\ PROCAINE} \\ {\tt PARENTERAL,\ CATTLE} \end{array}$

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 10 | 69 | 34 | 28 |
| Sign | | Sum Reacted | Percent |
| THRASHING/PADDLING | | 12 | 35 |
| ANAPHYLAXIS/TOID | | 10 | 29 |
| CONJUNCTIVITIS | | 5 | 15 |
| DIARRHEA | | 5 | 15 |
| HYPERPNEA | | 5 | 15 |
| SWELLING, EYE(S)/LID(S | | 5 | 15 |
| TACHYCARDIA | | 5 | 15 |

DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 10 | 69 | 34 | 28 | |
| Sign | | Sum Reacted | Percent | |
| RECUMBENCY | | 4 | 12 | |
| ATAXIA | | 3 | 9 | |
| REACTION, UNSPECIFIED | | 2 | 6 | |

DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 2 | 5 | 5 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 4 | 80 | |
| INJ SITE SWELLING | | 1 | 20 | |

DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE PARENTERAL, PIG

| Reviews 8 | Treated 2414 | Reacted 605 | Died 53 |
|---------------------|-----------------|----------------|------------|
| Sign | | Sum Reacted | Percent |
| VOMITING | | 356 | 59 |
| DEPRESSION/LETHARGY | | 186 | 31 |
| DIARRHEA | | 180 | 30 |
| ABORTION | | 151 | 25 |
| ATAXIA | | 146 | 24 |
| CONVULSION(S) | | 140 | 23 |
| INEFFECT | | 70 | 12 |
| DIARRHEA, SEVERE | | 6 | 1 |

DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE PARENTERAL, SHEEP

| Reviews | Treated | Reacted | Died |
|------------|---------|-------------|---------|
| 1 | 1 | 1 | 1 |
| Sign | | Sum Reacted | Percent |
| RECUMBENCY | | 1 | 100 |

DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAINE TOPICAL, CATTLE

| Reviews 1 Sign UDDER, TEAT(S) DISORD | Treated 4 | Reacted 4 Sum Reacted 4 | Died 0 Percent 100 | | |
|---|--|-------------------------------------|-----------------------------|--|--|
| | YDROSTREPTOMYCIN | , PENICILLIN G PROCAIN | | | |
| Reviews 1 | Treated 3 | Reacted 3 | Died 3 | | |
| Sign | | Sum Reacted | Percent | | |
| DIH | | , PENICILLIN G PROCAIN NN, SHEEP | 1E | | |
| Reviews | Treated | Reacted | Died | | |
| 1 | 3 | 3 | 3 | | |
| Sign | | Sum Reacted | Percent | | |
| ANAPHYLAXIS/TOID | | 3 | 100 | | |
| | DIMETHYL SULFOXIDE (DMSO) DEFECT, NOT APPLICABLE | | | | |
| Reviews | Treated | Reacted | Died | | |
| 7 | 0 | 0 | 0 | | |
| Sign PD-MISSING, CAP | | Sum Reacted 0 | Percent | | |
| PD-ODOR, ABN | | 0 | | | |
| PD-PRODUCT DEFECT | | 0 | | | |
| PD-SEAL, ABN PD-VIAL(S), LEAKING | | 0 | | | |
| | | <u> </u> | | | |
| | | LFOXIDE (DMSO) RAL, HORSE | | | |
| Reviews | Treated | Reacted | Died | | |
| 1 | 25 | 2 | 2 | | |
| Sign ANAPHYLAXIS/TOID | | Sum Reacted 2 | Percent 100 | | |

DIMETHYL SULFOXIDE (DMSO) PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-----------|------------|-----------------|---------|--|
| 1 | 25 | 2 | 2 | |
| Sign | | Sum Reacted | Percent | |
| HYPERPNEA | | 2 | 100 | |
| | | | | |
| | DIMETHYL S | ULFOXIDE (DMSO) | | |

UNKNOWN, HORSE

| Reviews 1 | Treated 3 | Reacted 3 | Died O |
|----------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| INEFFECT, ANTIINFLAM | | 3 | 100 |
| PD-POTENCY, LO | | 3 | 100 |

DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 87 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-CAP(S), ABN | | 0 | |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-DEFECT UNKNOWN | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-UNDERFILL, TUBE(S) | | 0 | |
| PD-UNDERFILL, VIAL(S) | | 0 | |
| PD-VIAL(S), ABN | | 0 | |
| PD-VIAL(S), DAMAGED | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |

DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE OPHTHALMIC, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| CONGESTION, EYE(S)/LID | | 1 | 100 | |
| EDEMA, CORNEA(S) | | 1 | 100 | |

Reviews

1

Treated

1

DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE TOPICAL, CAT

| | 10110 | CAL, CAT | | |
|-------------------------|------------------------|------------------------------------|----------------|--|
| Reviews 1 | Treated 1 | Reacted 1 | Died 1 | |
| Sign HYPERSALIVATION | | Sum Reacted | Percent 100 | |
| | | E (DMSO), FLUOCINOLONI CAL, DOG | Ξ | |
| Reviews | Treated | Reacted | Died | |
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 1 | 50 | |
| POLYDIPSIA | | 1 | 50 | |
| POLYURIA | | 1 | 50 | |
| STAGGERING | | 1 | 50 | |
| Reviews 1 | MISSII Treated 1 | NG, HORSE Reacted 1 | Died 0 | |
| | | | | |
| Sign INEFFECT | | Sum Reacted 1 | Percent 100 | |
| | | TROMETHAMINE | | |
| Reviews | Treated | Reacted | Died | |
| 0 | 2 | 2 | 0 | |
| 2 | | | | |
| | | Sum Reacted | Percent | |
| Sign | | Sum Reacted 1 | Percent 50 | |
| | | | | |

Reacted

1

Died

0

DINOPROST TROMETHAMINE ORAL, HUMAN

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| ABORTION | | 1 | 100 |
| DIARRHEA | | 1 | 100 |
| PAIN, ABDOMEN | | 1 | 100 |

DINOPROST TROMETHAMINE PARENTERAL, CATTLE

| Reviews 60 | Treated 2360 | Reacted 979 | Died 56 |
|-----------------------|-----------------|----------------|------------|
| Sign | | Sum Reacted | Percent |
| INEFFECT, ESTRUS SYNC | CH | 471 | 48 |
| PD-POTENCY, LO | | 434 | 44 |
| INEFFECT | | 192 | 20 |
| INEFFECT, ABORTION | | 163 | 17 |
| INJ SITE SWELLING | | 115 | 12 |
| INJ SITE INFECT | | 49 | 5 |
| INJ SITE EMPHYSEMA | | 28 | 3 |
| RECUMBENCY | | 23 | 2 |
| INJ SITE ABSCESS | | 18 | 2 |
| MYOSITIS | | 17 | 2 |
| PD-CONTAMINATION | | 17 | 2 |
| SWELLING, LIMB(S) | | 13 | 1 |
| DEPRESSION/LETHARGY | | 12 | 1 |
| INJ SITE INFLAM | | 11 | 1 |
| INJ SITE NECROSIS | | 11 | 1 |
| LAMENESS | | 11 | 1 |
| INJ SITE ABN | | 9 | 1 |
| PR-MUSCLE(S), LESION | (S | 7 | 1 |
| EMPHYSEMA, SQ | | 6 | 1 |
| INJ SITE PAIN | | 6 | 1 |
| INJ SITE SLOUGH | | 6 | 1 |
| INJ SITE EDEMA | | 5 | 1 |
| UDDER, HYPOGALACTIA | | 5 | 1 |
| ANOREXIA | | 3 | |
| ANAPHYLAXIS/TOID | | 2 | |
| CELLULITIS | | 2 | |
| DIFFICULTY RISING | | 2 | |
| INJ SITE INDURATION | | 2 | |
| ODOR | | 2 | |
| | | | |

DINOPROST TROMETHAMINE PARENTERAL, CATTLE

| Reviews 60 | Treated 2360 | Reacted 979 | Died 56 | |
|------------------------|-----------------|----------------|------------|--|
| Sign | | Sum Reacted | Percent | |
| DYSPNEA | | 1 | | |
| FEVER, BODY | | 1 | | |
| INJ SITE SEPSIS | | 1 | | |
| PARALYSIS, HIND LIMB(S | | 1 | | |
| RELUCTANT TO MOVE | | 1 | | |

DINOPROST TROMETHAMINE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 50 | |
| ATAXIA | | 1 | 50 | |
| DEPRESSION/LETHARGY | | 1 | 50 | |
| POLYPNEA | | 1 | 50 | |
| TACHYCARDIA | | 1 | 50 | |
| VOMITING | | 1 | 50 | |

DINOPROST TROMETHAMINE PARENTERAL, GOAT

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 1 | 1 | 1 |
| Sign | | Sum Reacted | Percent |

DINOPROST TROMETHAMINE PARENTERAL, HORSE

| Reviews 8 | Treated 17 | Reacted 14 | Died 4 |
|---------------|---------------|---------------|-----------|
| Sign | | Sum Reacted | Percent |
| PAIN, ABDOMEN | | 8 | 57 |
| SWEATING | | 8 | 57 |
| DYSPNEA | | 4 | 29 |
| COLLAPSE | | 3 | 21 |
| ATAXIA | | 2 | 14 |

DINOPROST TROMETHAMINE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 8 | 17 | 14 | 4 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 7 | |
| CONFUSION | | 1 | 7 | |
| HEAD PRESSING | | 1 | 7 | |
| INJ SITE EDEMA | | 1 | 7 | |
| INJ SITE SEPSIS | | 1 | 7 | |
| INJ SITE SWELLING | | 1 | 7 | |
| TREMBLING | | 1 | 7 | |

DINOPROST TROMETHAMINE PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|----------------------|---------|-------------|---------|--|
| 4 | 4 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PAIN, ABDOMEN | | 3 | 75 | |
| DIARRHEA | | 1 | 25 | |
| MENSES, ABNORMAL | | 1 | 25 | |
| UTERUS, CONTRACTIONS | | 1 | 25 | |

DINOPROST TROMETHAMINE PARENTERAL, LLAMA

| Reviews 1 | Treated 1 | Reacted 1 | Died O |
|------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| ANAPHYLAXIS/TOID | | 1 | 100 |
| COLLAPSE | | 1 | 100 |
| DISCHARGE, NOSE | | 1 | 100 |
| DYSPNEA | | 1 | 100 |

DINOPROST TROMETHAMINE TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 14 | 14 | 12 | 0 |
| Sign | | Sum Reacted | Percent |
| PAIN, ABDOMEN | | 5 | 42 |

DINOPROST TROMETHAMINE TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 14 | 14 | 12 | 0 |
| Sign | | Sum Reacted | Percent |
| BLD, VAGINA | | 2 | 17 |
| NAUSEA | | 2 | 17 |
| PRURITIS | | 2 | 17 |
| BREATHING ABN | | 1 | 8 |
| DEPRESSION/LETHARGY | | 1 | 8 |
| DIARRHEA | | 1 | 8 |
| DYSPNEA | | 1 | 8 |
| IRRITATION, SKIN | | 1 | 8 |
| MACULE(S) | | 1 | 8 |
| MENSES, ABNORMAL | | 1 | 8 |
| PRESSURE LO, BLD | | 1 | 8 |
| REPRODUCTION DISORDER | | 1 | 8 |
| SWEATING | | 1 | 8 |
| SWELLING, VAGINA/VULVA | | 1 | 8 |
| VAGINITIS | | 1 | 8 |
| PD-VIAL(S), DAMAGED | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |
| VOMITING | | 0 | |
| | | | |

DINOPROST TROMETHAMINE UNKNOWN, CATTLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 5 | 20 | 16 | 3 |
| Sign | | Sum Reacted | Percent |
| INEFFECT | | 10 | 63 |
| INJ SITE SWELLING | | 4 | 25 |
| MYOSITIS | | 4 | 25 |
| ANOREXIA | | 2 | 13 |
| DEPRESSION/LETHARGY | | 2 | 13 |

DINOPROST TROMETHAMINE UNKNOWN, HORSE

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 2 | 2 | 1 |
| Sign | | Sum Reacted | Percent |
| PAIN, ABDOMEN | | 2 | 100 |

DINOPROST TROMETHAMINE UNKNOWN, HORSE

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 2 | 2 | 1 | |
| Sign | | Sum Reacted | Percent | |
| PR-CECUM, LESION(S |) | 1 | 50 | |
| PR-SM INTEST, LESIO | ON(S | 1 | 50 | |

DIPHENHYDRAMINE PARENTERAL, CAT

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BLD, MOUTH/LIP(S) | | 1 | 50 | |
| DIARRHEA | | 1 | 50 | |
| DISTRESS, RESP | | 1 | 50 | |
| HYPERSALIVATION | | 1 | 50 | |
| VOMITING | | 1 | 50 | |

DIPHENHYDRAMINE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANESTH INDUC TURBULENT | | 1 | 100 | |
| ANESTH RECOV TURBULENT | | 1 | 100 | |
| CONVULSION(S) | | 1 | 100 | |

DIPHENHYDRAMINE PARENTERAL, FERRET

| Reviews | Treated | Reacted | Died |
|------------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| ANAPHYLAXIS/TOID | | 1 | 100 |
| VOMITING | | 1 | 100 |

DISOPHENOL PARENTERAL, DOG

DISOPHENOL PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 3 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 1 | 33 | |
| DYSPNEA | | 1 | 33 | |
| FEVER, BODY | | 1 | 33 | |
| PR-GI, LESION(S) | | 1 | 33 | |
| UNCONSCIOUS | | 1 | 33 | |

DORAMECTIN DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 115 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-APPLICATOR, ABN | | 0 | |
| PD-CAP(S), ABN | | 0 | |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-LOCK, ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-SOLUTION, ABN | | 0 | |
| PD-SUSPENSION, ABN | | 0 | |
| PD-SYRINGE, ABN | | 0 | |
| PD-TUBE(S), LEAKING | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| PD-UNDERFILL, VIAL(S) | | 0 | |
| PD-UNKNOWN | | 0 | |
| PD-VIAL(S), ABN | | 0 | |
| PD-VIAL(S), DAMAGED | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |

DORAMECTIN MISSING, CATTLE

| Reviews | Treated | Reacted | Died |
|---------|---------|---------|------|
| 1 | 1 | 1 | 0 |

DORAMECTIN MISSING, CATTLE

| Reviews | Treated | Reacted | Died | |
|------------------------|-------------|---------------------|---------------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE ABN | | 1 | 100 | |
| | | | | |
| | DOP | RAMECTIN | | |
| | | ING, GOAT | | |
| | 11200 | 21.0 / 00112 | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 34 | 20 | 0 | |
| Sign | | Sum Reacted | Percent | |
| LESION(S), MOUTH/LIP(S | | 20 | 100 | |
| VESICLE(S)/BULLAE, MOU | | 20 | 100 | |
| VESICLE(S)/BULLAE, MOU | | | 100 | |
| | | | | |
| | | RAMECTIN | | |
| | NOT APPLI | ICABLE, HUMAN | | |
| Reviews | Treated | Reacted | Died | |
| reviews 1 | 1 | Reacted 1 | Died 0 | |
| 1 | 1 | 1 | U | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE PAIN | | 1 | 100 | |
| | | | | |
| | | RAMECTIN | | |
| | OPHTHAI | LMIC, HUMAN | | |
| Reviews | Treated | Reacted | Died | |
| 3 | 3 | 3 | 0 | |
| G i aus | | Sum Reacted | December | |
| Sign | | Sum Reacted 2 | Percent 67 | |
| IRRITATION, EYE(S)/LID | | 2 | 67 | |
| PAIN, EYE(S)/LID(S) | | | | |
| BLINDNESS, PARTIAL | | 1 | 33 | |
| CONGESTION, EYE(S)/LID | | 1 | 33 | |
| | | | | |
| | | RAMECTIN AL, CAT | | |
| | OR <i>I</i> | AL, CAI | | |
| Reviews | Treated | Reacted | Died | |
| 6 | 26 | 14 | 0 | |
| | | | | |
| Sign | | Sum Reacted | Percent | |

DORAMECTIN ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 6 | 26 | 14 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 10 | 71 | |
| ILL | | 9 | 64 | |
| NEUROLOGICAL DISORDER | 3 | 9 | 64 | |
| CONVULSION(S) | | 2 | 14 | |
| UNCONSCIOUS | | 2 | 14 | |
| ATAXIA | | 1 | 7 | |
| HYPERACTIVITY | | 1 | 7 | |
| MYDRIASIS | | 1 | 7 | |

DORAMECTIN ORAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 2 | 2100 | 1001 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1000 | 100 | |
| DYSPNEA | | 1000 | 100 | |
| RECUMBENCY | | 1000 | 100 | |
| SWELLING, HEAD/FACE | | 1000 | 100 | |
| ATAXIA | | 1 | | |
| BLINDNESS | | 1 | | |
| FEVER, BODY | | 1 | | |
| HYPERSALIVATION | | 1 | | |

DORAMECTIN ORAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 12 | 12 | 12 | 0 |
| Sign | | Sum Reacted | Percent |
| ATAXIA | | 6 | 50 |
| TREMBLING | | 4 | 33 |
| VOMITING | | 4 | 33 |
| ANOREXIA | | 2 | 17 |
| BLINDNESS, TE | MP | 2 | 17 |
| MYDRIASIS | | 2 | 17 |
| CONFUSION | | 1 | 8 |
| CONVULSION(S) | | 1 | 8 |

DORAMECTIN ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 12 | 12 | 12 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEMENTIA | | 1 | 8 | |
| DEPRESSION/LETHARGY | | 1 | 8 | |
| DIARRHEA, BLOODY | | 1 | 8 | |
| DIARRHEA, SEVERE | | 1 | 8 | |
| HEAD PRESSING | | 1 | 8 | |
| HYPERACTIVITY | | 1 | 8 | |
| HYPERESTHESIA | | 1 | 8 | |
| HYPERSALIVATION | | 1 | 8 | |
| HYPOTHERMIA | | 1 | 8 | |
| HYPOTHERMIA, BODY | | 1 | 8 | |
| ILL | | 1 | 8 | |
| PARALYSIS, ALL LIMBS | | 1 | 8 | |
| PROPRIOCEPTIVE DISORDE | | 1 | 8 | |
| STIFFNESS | | 1 | 8 | |
| STUPOR | | 1 | 8 | |
| VOCALIZATION | | 1 | 8 | |
| WEAKNESS | | 1 | 8 | |

DORAMECTIN ORAL, GOAT

| Reviews 1 | Treated 1 | Reacted 1 | Died O |
|--------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| ATAXIA | | 1 | 100 |
| BLINDNESS | | 1 | 100 |

DORAMECTIN ORAL, HORSE

| Reviews | Treated | Reacted | Died | |
|---------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| PAIN, ABDOMEN | | 1 | 100 | |

DORAMECTIN ORAL, HUMAN

DORAMECTIN ORAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| NAUSEA | | 2 | 67 | |
| PAIN, ABDOMEN | | 2 | 67 | |
| DIARRHEA | | 1 | 33 | |
| DIZZINESS | | 1 | 33 | |
| PAIN, MUSCLE(S) | | 1 | 33 | |
| PRESSURE HI, BLD | | 1 | 33 | |
| VOMITING | | 1 | 33 | |
| WEAKNESS | | 1 | 33 | |

DORAMECTIN PARENTERAL, CAT

| Reviews | Treated | Reacted | Died | |
|--------------|-----------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANESTH RECOV | PROLONGED | 2 | 100 | |
| INTERACTION, | DRUG(S) | 2 | 100 | |
| RECUMBENCY | | 1 | 50 | |
| UNCONSCIOUS | | 1 | 50 | |
| WEAKNESS | | 1 | 50 | |

DORAMECTIN PARENTERAL, CATTLE

| Reviews | | Treated | Reacted | Died |
|------------|--------------|---------|-------------|---------|
| 54 | | 15884 | 6612 | 74 |
| Sign | | | Sum Reacted | Percent |
| INEFFECT, | LICE | | 3243 | 49 |
| PRURITIS | | | 2301 | 35 |
| ALOPECIA | | | 1665 | 25 |
| INEFFECT, | WORMS | | 1560 | 24 |
| HAIR, ABN | | | 1400 | 21 |
| POOR PERFO | ORMANCE | | 1030 | 16 |
| INEFFECT, | LICE SUCKING | | 150 | 2 |
| INEFFECT, | PARASITE(S) | | 130 | 2 |
| INEFFECT | | | 95 | 1 |
| CONJUNCTIV | /ITIS | | 80 | 1 |
| COUGHING | | | 80 | 1 |

DORAMECTIN PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 54 | 15884 | 6612 | 74 |
| Sign | | Sum Reacted | Percent |
| LOSS OF CONDITION | | 77 | 1 |
| EDEMA, HEAD/FACE | | 60 | 1 |
| RECUMBENCY | | 57 | 1 |
| EYE DISORDER | | 50 | 1 |
| IRRITATION, EYE(S)/LI | D | 50 | 1 |
| DEPRESSION/LETHARGY | | 41 | 1 |
| DISCHARGE, EYE(S)/LID | (S) | 40 | 1 |
| DISCHARGE, NOSE | | 40 | 1 |
| RHINITIS | | 40 | 1 |
| PR-LUNG(S), LESION(S) | | 35 | 1 |
| INJ SITE ABSCESS | | 22 | |
| DIARRHEA, BLOODY | | 18 | |
| WEAKNESS | | 16 | |
| ANAPHYLAXIS/TOID | | 15 | |
| ATAXIA | | 15 | |
| GASTROENTERITIS | | 10 | |
| DYSPNEA | | 9 | |
| HYPERSALIVATION | | 5 | |
| CACHEXIA | | 4 | |
| INEFFECT, STRONGYLES | | 4 | |
| INEFFECT, WHIPS | | 4 | |
| SWELLING, HEAD/FACE | | 4 | |
| WEIGHT LOSS | | 4 | |
| LAMENESS | | 3 | |
| RELUCTANT TO MOVE | | 3 | |
| SWELLING, JOINT(S) | | 3 | |
| DIARRHEA, MILD | | 2 | |
| INJ SITE STERILE ABSO | E | 2 | |
| INJ SITE SWELLING | | 2 | |
| STAGGERING | | 2 | |
| COLLAPSE | | 1 | |
| DEFECATION | | 1 | |
| PARALYSIS | | 1 | |
| PR-INJ SITE, LESION(S |) | 1 | |
| URINATION | | 1 | |

DORAMECTIN
PARENTERAL, DOG

DORAMECTIN PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 3 | 100 | |
| DEPRESSION/LETHARGY | | 2 | 67 | |
| ANOREXIA | | 1 | 33 | |
| BLINDNESS, TEMP | | 1 | 33 | |
| CONVULSION(S) | | 1 | 33 | |
| DIARRHEA | | 1 | 33 | |
| DYSPHAGIA | | 1 | 33 | |
| PARESIS | | 1 | 33 | |
| PR-BRAIN, LESION(S) | | 1 | 33 | |
| TACHYCARDIA | | 1 | 33 | |
| TREMBLING | | 1 | 33 | |
| VOMITING | | 1 | 33 | |
| WEAKNESS | | 1 | 33 | |

DORAMECTIN PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 2 | 4 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| LAMINITIS | | 2 | 50 | |
| CACHEXIA | | 1 | 25 | |
| DEPRESSION/LETHARGY | | 1 | 25 | |
| LIVER ENZYMES HI, BLD | | 1 | 25 | |
| PAIN, ABDOMEN | | 1 | 25 | |

DORAMECTIN PARENTERAL, HUMAN

| Reviews 21 | Treated 21 | Reacted 19 | Died 0 |
|---------------------|---------------|---------------|-----------|
| Sign | | Sum Reacted | Percent |
| INJ SITE SWELLING | | 8 | 42 |
| DEPRESSION/LETHARGY | | 3 | 16 |
| INJ SITE INFLAM | | 3 | 16 |
| INJ SITE PAIN | | 3 | 16 |
| HEADACHE | | 2 | 11 |
| CONVULSION(S) | | 1 | 5 |

DORAMECTIN PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 21 | 21 | 19 | 0 |
| Sign | | Sum Reacted | Percent |
| DIZZINESS | | 1 | 5 |
| DYSPNEA | | 1 | 5 |
| DYSURIA | | 1 | 5 |
| FEVER, BODY | | 1 | 5 |
| HYPOESTHESIA | | 1 | 5 |
| INJ SITE ABN | | 1 | 5 |
| PAIN, ABDOMEN | | 1 | 5 |
| PAIN, BACK | | 1 | 5 |
| PAIN, LIMB(S) | | 1 | 5 |
| STIFFNESS, HAND(S) | | 1 | 5 |
| SWELLING | | 1 | 5 |
| VISION DISORDER | | 1 | 5 |
| VOMITING | | 1 | 5 |
| IRRITATION, SKIN | | 0 | |
| PAIN | | 0 | |

DORAMECTIN PARENTERAL, PIG

| Reviews 68 | Treated 94362 | Reacted 21334 | Died 395 |
|-------------------|------------------|------------------|-------------|
| Sign | | Sum Reacted | Percent |
| INEFFECT, MITES | | 19045 | 89 |
| PRURITIS | | 5003 | 23 |
| LESION(S), SKIN | | 1380 | 6 |
| HAIR, ABN | | 850 | 4 |
| INEFFECT, LICE | | 625 | 3 |
| CONGESTION, SKIN | | 520 | 2 |
| INEFFECT | | 500 | 2 |
| IRRITATION, SKIN | | 500 | 2 |
| INJ SITE EDEMA | | 450 | 2 |
| INJ SITE PAIN | | 450 | 2 |
| INJ SITE SWELLING | | 450 | 2 |
| MYOSITIS | | 450 | 2 |
| SKIN, CRUST(S) | | 400 | 2 |
| SKIN, SCAB(S) | | 278 | 1 |
| LAMENESS | | 250 | 1 |
| RECUMBENCY | | 229 | 1 |
| ATAXIA | | 215 | 1 |

DORAMECTIN PARENTERAL, PIG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 68 | 94362 | 21334 | 395 | |
| Sign | | Sum Reacted | Percent | |
| HYPERPIGMENTATION, SKI | | 200 | 1 | |
| THRASHING/PADDLING | | 178 | 1 | |
| CONVULSION(S) | | 125 | 1 | |
| INJ SITE ABSCESS | | 100 | | |
| INEFFECT, ASCARIDS | | 75 | | |
| DIFFICULTY RISING | | 70 | | |
| PARESIS, HIND LIMB(S) | | 55 | | |
| FROTH, MOUTH/LIP(S) | | 19 | | |
| ABORTION | | 15 | | |
| INJ SITE ABN | | 7 | | |
| SCALE(S), SKIN | | 7 | | |
| | | | | |

DORAMECTIN PARENTERAL, SHEEP

| Reviews 3 | Treated 2830 | Reacted 20 | Died 12 |
|---------------------|-----------------|---------------|------------|
| Sign | | Sum Reacted | Percent |
| DEPRESSION/LETHARGY | | 12 | 60 |
| TREMBLING | | 12 | 60 |
| INEFFECT, ASCARIDS | | 5 | 25 |
| INEFFECT, WORMS | | 3 | 15 |
| PR-PLEURAL EFFUSION | | 3 | 15 |

DORAMECTIN PARENTERAL, VARIOUS

| Reviews | Treated | Reacted | Died |
|-------------------|---------|-------------|---------|
| 1 | 1 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| G-HAIR, ABN COLOR | | 0 | |

DORAMECTIN TOPICAL, CAT

| Reviews | Treated | Reacted | Died |
|---------|---------|---------|------|
| 1 | 1 | 1 | 0 |

DORAMECTIN TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 1 | 100 | |
| DEPRESSION/LETHARGY | | 1 | 100 | |
| MYDRIASIS | | 1 | 100 | |

DORAMECTIN TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died |
|-------------------|---------|-------------|---------|
| 403 | 131131 | 49665 | 44 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, LICE | | 27350 | 55 |
| PRURITIS | | 18345 | 37 |
| ALOPECIA | | 14605 | 29 |
| INEFFECT, LICE SU | JCKING | 8754 | 18 |
| INEFFECT, LICE BI | TING | 7576 | 15 |
| INEFFECT, WORMS | | 2947 | 6 |
| INEFFECT, PARASIT | TE(S) | 2919 | 6 |
| LOSS OF CONDITION | 1 | 2428 | 5 |
| INEFFECT, STRONGY | LES | 496 | 1 |
| INEFFECT, STOMACH | H WORM | 345 | 1 |
| DIARRHEA, BLOODY | | 330 | 1 |
| LICKING | | 302 | 1 |
| INEFFECT, NEMATOR | DES | 278 | 1 |
| SKIN DISORDER | | 190 | |
| DIARRHEA, MUCOID | | 150 | |
| HAIR, ABN | | 140 | |
| INEFFECT, MITES | | 120 | |
| DIARRHEA | | 107 | |
| INEFFECT, LUNGWOF | RMS | 104 | |
| WEIGHT LOSS | | 87 | |
| DIARRHEA, MILD | | 80 | |
| EDEMA, HEAD/FACE | | 80 | |
| INEFFECT, PARASIT | TE . | 74 | |
| WEAKNESS | | 62 | |
| INEFFECT, ASCARII | os . | 60 | |
| PR-SKIN, LESION(S | 3) | 55 | |
| PNEUMONIA | | 54 | |
| SCALE(S), SKIN | | 50 | |
| INEFFECT, GRUBS | | 42 | |

DORAMECTIN TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 403 | 131131 | 49665 | 44 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, EAR MITES | | 30 | Percent |
| APPLICATION SITE ALOPEC | ТΛ | 26 | |
| HYPERKERATOSIS | IA | 25 | |
| LESION(S), SKIN | | 25 | |
| RASH | | 25 | |
| RECUMBENCY | | 25 | |
| SKIN, CRUST(S) | | 25 | |
| APPLICATION SITE LESION | (8) | 20 | |
| INEFFECT, WEIGHT INC | (5) | 17 | |
| ANAPHYLAXIS/TOID | | 14 | |
| PR-LUNG(S), LESION(S) | | 14 | |
| BREATHING ABN | | 11 | |
| HYPERPNEA | | 11 | |
| IRRITATION, SKIN | | 11 | |
| PARESIS, HIND LIMB(S) | | 11 | |
| BIRTH DEFECT(S) | | 8 | |
| BLINDNESS | | 8 | |
| SLOUGH, SKIN | | 8 | |
| ABORTION | | 7 | |
| COLLAPSE | | 7 | |
| ANOREXIA | | 5 | |
| BLOAT | | 4 | |
| BIRTH DEFECT(S), HEAD/ | | 3 | |
| DEHYDRATION | | 3 | |
| APPLICATION SITE PAIN | | 2 | |
| FEVER, BODY | | 2 | |
| ILL | | 2 | |
| INFLAM, SKIN | | 2 | |
| INJ SITE ALOPECIA | | 2 | |
| LAMENESS | | 2 | |
| PR-LUNG(S), EDEMA | | 2 | |
| SLOUGH, FEET/DIGIT(S) | | 2 | |
| STAGGERING | | 2 | |
| SWELLING, FEET/DIGIT(S | | 2 | |
| WEAKNESS, NEWBORN | | 2 | |
| ANEMIA | | 1 | |
| ATAXIA | | 1 | |
| DEMENTIA | | 1 | |
| DISTRESS, RESP | | 1 | |
| ENLARGEMENT(S) | | 1 | |
| | | ± | |

DORAMECTIN TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|-------------------------|---------|-------------|---------|--|
| 403 | 131131 | 49665 | 44 | |
| Sign | | Sum Reacted | Percent | |
| NEUROLOGICAL DISORDER | | 1 | | |
| OPISTHOTONOS | | 1 | | |
| PARALYSIS, HIND LIMB(S | | 1 | | |
| POSTURAL RXN(S) ABN | | 1 | | |
| PR-MENINGES, LESION(S) | | 1 | | |
| PR-MUSCLE(S), LESION(S) | | 1 | | |
| PR-SPINAL CORD, LESION | | 1 | | |
| PR-STOMACH, LESION(S) | | 1 | | |
| STIFFNESS, HIND LIMB(S | | 1 | | |

DORAMECTIN TOPICAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 1 | |
| Sign | | Sum Reacted | Percent | |
| DEHYDRATION | | 2 | 67 | |
| HEMATOCHEZIA | | 2 | 67 | |
| VOMITING | | 2 | 67 | |
| ANOREXIA | | 1 | 33 | |
| DEPRESSION/LETHARGY | | 1 | 33 | |
| HYPERSALIVATION | | 1 | 33 | |
| MELENA | | 1 | 33 | |
| PD-VIAL(S), ABN | | 1 | 33 | |

DORAMECTIN TOPICAL, HUMAN

| Reviews | | Treated | Reacted | Died |
|-------------|------------|---------|-------------|---------|
| 31 | | 30 | 29 | 0 |
| Sign | | | Sum Reacted | Percent |
| DIZZINESS | | | 5 | 17 |
| NAUSEA | | | 5 | 17 |
| DIARRHEA | | | 4 | 14 |
| IRRITATION, | EYE(S)/LID | | 3 | 10 |
| IRRITATION, | SKIN | | 3 | 10 |
| PRURITIS | | | 3 | 10 |
| CONGESTION, | SKIN | | 2 | 7 |

DORAMECTIN TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 31 | 30 | 29 | 0 |
| Sign | | Sum Reacted | Percent |
| DEPRESSION/LETHARGY | | 2 | 7 |
| DYSPNEA | | 2 | 7 |
| HEADACHE | | 2 | , 7 |
| HYPOESTHESIA | | 2 | 7 |
| RASH | | 2 | 7 |
| SHAKING | | 2 | 7 |
| SWELLING, FEET/DIGIT(S | | 2 | 7 |
| URTICARIA | | 2 | 7 |
| APPLICATION SITE LESION | N(S) | 1 | 3 |
| ATAXIA | (2) | 1 | 3 |
| COUGHING | | 1 | 3 |
| CREATININE HI, BLD | | 1 | 3 |
| DISCHARGE, NOSE | | 1 | 3 |
| ENLARGEMENT(S) | | 1 | 3 |
| HYPERESTHESIA | | 1 | 3 |
| ILL | | 1 | 3 |
| INFLAM, SKIN | | 1 | 3 |
| INSOMNIA | | 1 | 3 |
| IRRITATION, PHARYNX/TH | | 1 | 3 |
| MYOSITIS | | 1 | 3 |
| NEUROLOGICAL DISORDER | | 1 | 3 |
| PAIN, ABDOMEN | | 1 | 3 |
| PAIN, MUSCLE(S) | | 1 | 3 |
| PARESTHESIA | | 1 | 3 |
| PD-CONTAINER(S), DAMAG | | 1 | 3 |
| PR-LYMPH NODE(S), LESI | | 1 | 3 |
| PRURITIS, EYE(S) | | 1 | 3 |
| REACTION, UNSPECIFIED | | 1 | 3 |
| SPEC GRAVITY LO, URINE | | 1 | 3 |
| STIFFNESS | | 1 | 3 |
| SWELLING | | 1 | 3 |
| SWELLING, HEAD/FACE | | 1 | 3 |
| SWELLING, JOINT(S) | | 1 | 3 |
| SWELLING, LIMB(S) | | 1 | 3 |
| TREMBLING | | 1 | 3 |
| VESICLE(S)/BULLAE, SKI | | 1 | 3 |
| VOMITING | | 1 | 3 |
| VOMITING, SEVERE | | 1 | 3 |
| WEAKNESS | | 1 | 3 |
| PD-APPLICATOR, ABN | | 0 | |

DORAMECTIN UNKNOWN, CATTLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 49 | 38708 | 10316 | 10 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, LICE | | 5785 | 56 |
| PRURITIS | | 4983 | 48 |
| ALOPECIA | | 2266 | 22 |
| INEFFECT, WORMS | | 1952 | 19 |
| INEFFECT, SMALL STRONG | | 1500 | 15 |
| INEFFECT, LICE SUCKING | | 131 | 1 |
| LICKING | | 110 | 1 |
| INEFFECT | | 100 | 1 |
| LOSS OF CONDITION | | 100 | 1 |
| ALBUMIN LO, BLD | | 50 | |
| INEFFECT, STRONGYLOIDS | | 50 | |
| PROTEIN(TOT) LO, BLD | | 50 | |
| ANOREXIA | | 46 | |
| ALBUMIN HI, BLD | | 40 | |
| BLD, PASSING | | 40 | |
| BLD, URINE | | 40 | |
| CREATININE HI, BLD | | 40 | |
| PARTURITION, ABNORMAL | | 40 | |
| PTT PROLONGED, BLD | | 40 | |
| INEFFECT, MITES | | 25 | |
| COLLAPSE | | 7 | |
| WEAKNESS | | 7 | |
| DEPRESSION/LETHARGY | | 6 | |
| INJ SITE ABSCESS | | 6 | |
| ANAPHYLAXIS/TOID | | 5 | |
| RECUMBENCY | | 2 | |
| EYE DISORDER | | 1 | |
| FROTH, MOUTH/LIP(S) | | 1 | |
| FROTH, NOSE | | 1 | |
| HYPERSALIVATION | | 1 | |
| PR-LUNG(S), LESION(S) | | 1 | |
| SWELLING | | 1 | |

DORAMECTIN UNKNOWN, DOG

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 2 | 2 | 2 | 0 |
| Sign | | Sum Reacted | Percent |

DORAMECTIN UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HYPERSALIVATION | | 2 | 100 | |
| ATAXIA | | 1 | 50 | |
| BLINDNESS | | 1 | 50 | |
| CONVULSION(S) | | 1 | 50 | |
| DEPRESSION/LETHARGY | | 1 | 50 | |
| HEAD BOBBING | | 1 | 50 | |
| MYDRIASIS | | 1 | 50 | |
| TREMBLING | | 1 | 50 | |
| WEAKNESS | | 1 | 50 | |

DORAMECTIN UNKNOWN, HUMAN

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 7 | 6 | 5 | 0 |
| Sign | | Sum Reacted | Percent |
| INJ SITE INFLAM | | 2 | 40 |
| APPLICATION SITE ERY | ГНЕМА | 1 | 20 |
| CONGESTION, SKIN | | 1 | 20 |
| DEPRESSION/LETHARGY | | 1 | 20 |
| INJ SITE MASS | | 1 | 20 |
| INJ SITE SWELLING | | 1 | 20 |
| NAUSEA | | 1 | 20 |
| PRURITIS | | 1 | 20 |
| DIZZINESS | | 0 | |
| HUMAN EXPOSURE, INJ | | 0 | |
| PAIN, BRISKET/CHEST | | 0 | |

DORAMECTIN UNKNOWN, LLAMA

| Reviews | Treated | Reacted | Died |
|------------------|---------|-------------|----------------|
| 1 | 6 | 2 | 2 |
| Sign ABORTION | | Sum Reacted | Percent 100 |
| ABORTION | | 2 | 100 |

DORAMECTIN

DORAMECTIN UNKNOWN, PIG

| Reviews 6 | Treated 8880 | Reacted 2130 | Died 70 | |
|-----------------|-----------------|-----------------|------------|--|
| Sign | | Sum Reacted | Percent | |
| INEFFECT, MITES | | 2000 | 94 | |
| INFLAM, SKIN | | 500 | 23 | |
| PRURITIS | | 500 | 23 | |
| PROSTRATION | | 130 | 6 | |
| LESION(S), SKIN | | 100 | 5 | |
| ATAXIA | | 65 | 3 | |
| STAGGERING | | 65 | 3 | |

DORAMECTIN UNKNOWN, SHEEP

| Reviews | Treated | Reacted | Died |
|------------------|---------|-------------|---------|
| 1 | 1650 | 18 | 7 |
| Sign | | Sum Reacted | Percent |
| EDEMA, HEAD/FACE | | 18 | 100 |

DORAMECTIN VARIOUS, CATTLE

| Treated | Reacted | Died | |
|---------|-------------|------------------------|-------------------------------------|
| 266 | 36 | 1 | |
| | Sum Reacted | Percent | |
| | 25 | 69 | |
| | 10 | 28 | |
| | | 266 36 Sum Reacted 25 | 266 36 1 Sum Reacted Percent 25 69 |

DORAMECTIN VARIOUS, HUMAN

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1 | 1 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| CONGESTION, EYE(S)/LID | | 0 | |
| HYPOTHERMIA | | 0 | |
| SHAKING | | 0 | |
| VOMITING | | 0 | |

DOXAPRAM DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 3 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-LABEL(S), ABN | | 0 | | |
| | | | | |

DOXYCYCLINE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 20 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-APPLICATOR, ABN | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-GEL/PASTE, ABN | | 0 | |
| PD-LOCK, ABN | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-SYRINGE, ABN | | 0 | |
| PD-TUBE(S), ABN | | 0 | |
| PD-TUBE(S), LEAKING | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| SYRINGE, LOCKING RING | | 0 | |

DOXYCYCLINE ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DYSPHAGIA | | 1 | 50 | |
| IRRITATION, ESOPHAGUS | | 1 | 50 | |
| STRICTURE, ESOPHAGUS | | 1 | 50 | |
| STRICUTRE, ESOPHAGUS | | 1 | 50 | |

DOXYCYCLINE ORAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| CONVULSION(S) | | 1 | 100 |

DOXYCYCLINE TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|-------------------------|---------|-------------|---------|--|
| 6 | 10 | 8 | 0 | |
| Sign | | Sum Reacted | Percent | |
| APPLICATION SITE INFLAM | | 3 | 38 | |
| APPLICATION SITE PAIN | | 3 | 38 | |
| PD-GEL/PASTE, ABN | | 3 | 38 | |
| DYSPNEA | | 2 | 25 | |
| GINGIVITIS | | 2 | 25 | |
| RADIOGRAPH(S) ABN | | 2 | 25 | |
| SWELLING, MOUTH/LIP(S) | | 2 | 25 | |
| CONGESTION, MUCOUS MEM | | 1 | 13 | |
| EDEMA, HEAD/FACE | | 1 | 13 | |
| GINGIVA, ABN | | 1 | 13 | |
| SWELLING, ADM SITE | | 1 | 13 | |
| SWELLING, HEAD/FACE | | 1 | 13 | |
| ULCER(S), MOUTH/LIP(S) | | 1 | 13 | |

DOXYCYCLINE TOPICAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 13 | 13 | 13 | 0 |
| Sign | | Sum Reacted | Percent |
| SWELLING, EYE(S)/LID(S | | 3 | 23 |
| SWELLING, HEAD/FACE | | 3 | 23 |
| GINGIVA, ABN | | 2 | 15 |
| PAIN, MOUTH/LIP(S) | | 2 | 15 |
| SWELLING, ADM SITE | | 2 | 15 |
| SWELLING, MOUTH/LIP(S) | | 2 | 15 |
| AMYLASE HI, BLD | | 1 | 8 |
| ANAPHYLAXIS/TOID | | 1 | 8 |
| ANEMIA | | 1 | 8 |
| BEHAVIOR DISORDER | | 1 | 8 |
| BUN HI, BLD | | 1 | 8 |
| COUGHING | | 1 | 8 |
| DISCHARGE, MOUTH/LIP(S | | 1 | 8 |
| EDEMA, HEAD/FACE | | 1 | 8 |
| FEVER, BODY | | 1 | 8 |
| GLOBULIN HI, BLD | | 1 | 8 |
| IRRITATION, MOUTH/LIP(| | 1 | 8 |
| MURMUR, HEART | | 1 | 8 |
| PALLOR, MUCOUS MEMBRAN | | 1 | 8 |

DOXYCYCLINE TOPICAL, DOG

| Reviews 13 | Treated 13 | Reacted 13 | Died O | |
|--------------------|---------------|---------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| PERIODONTAL, ABSCE | ISS | 1 | 8 | |
| PROLAPSE | | 1 | 8 | |
| PROLAPSE, THIRD EX | ELID | 1 | 8 | |
| RADIOGRAPH(S) ABN | | 1 | 8 | |
| TACHYCARDIA | | 1 | 8 | |
| WEAKNESS | | 1 | 8 | |

DROPERIDOL, FENTANYL NOT APPLICABLE, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |

DROPERIDOL, FENTANYL PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 25 | 44 | 38 | 5 |
| Sign | | Sum Reacted | Percent |
| AGGRESSION | | 14 | 37 |
| ANESTH RECOV PROLONGE | D | 9 | 24 |
| HEAD BOBBING | | 6 | 16 |
| INEFFECT, ANALGESIA | | 5 | 13 |
| INEFFECT, SEDATION | | 5 | 13 |
| CONVULSION(S) | | 4 | 11 |
| DEPRESSION/LETHARGY | | 4 | 11 |
| NERVOUSNESS | | 4 | 11 |
| POLYPNEA | | 3 | 8 |
| VOCALIZATION | | 3 | 8 |
| APNEA | | 2 | 5 |
| ATAXIA | | 2 | 5 |
| ANOREXIA | | 1 | 3 |
| ARREST, HEART | | 1 | 3 |
| CIRCLING | | 1 | 3 |
| CONFUSION | | 1 | 3 |
| DIARRHEA | | 1 | 3 |
| DYSPNEA | | 1 | 3 |
| | | | |

DROPERIDOL, FENTANYL PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|--------------------|---------|-------------|---------|--|
| 25 | 44 | 38 | 5 | |
| Sign | | Sum Reacted | Percent | |
| FEVER, BODY | | 1 | 3 | |
| HEAD PRESSING | | 1 | 3 | |
| HYPOPNEA | | 1 | 3 | |
| INJ SITE PAIN | | 1 | 3 | |
| LAMENESS | | 1 | 3 | |
| PACING | | 1 | 3 | |
| PARALYSIS | | 1 | 3 | |
| RECUMBENCY | | 1 | 3 | |
| THRASHING/PADDLING | | 1 | 3 | |
| TREMBLING | | 1 | 3 | |
| | | | | |

DROPERIDOL, FENTANYL PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|--------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HYPOESTHESIA | | 1 | 100 | |

DROPERIDOL, FENTANYL PARENTERAL, RABBIT

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 2 | 14 | 9 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE NECROSIS | | 5 | 56 | |
| SLOUGH, SKIN | | 5 | 56 | |
| APNEA | | 4 | 44 | |
| | | | | |

DROPERIDOL, FENTANYL UNKNOWN, DOG

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 8 | 13 | 10 | 3 |
| Sign | | Sum Reacted | Percent |
| CONVULSION(S) | | 4 | 40 |
| HEAD BOBBING | | 3 | 30 |

DROPERIDOL, FENTANYL UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 8 | 13 | 10 | 3 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, ANESTHESIA | | 3 | 30 | |
| AGGRESSION | | 2 | 20 | |
| ANESTH RECOV PROLONGED | | 1 | 10 | |
| ANOREXIA | | 1 | 10 | |
| APNEA | | 1 | 10 | |
| APPREHENSION | | 1 | 10 | |
| ARREST, HEART | | 1 | 10 | |
| HYPERACTIVITY | | 1 | 10 | |
| NERVOUSNESS | | 1 | 10 | |
| POLYPNEA | | 1 | 10 | |
| TREMBLING | | 1 | 10 | |
| TWITCH | | 1 | 10 | |

DROPERIDOL, FENTANYL VARIOUS, DOG

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|------------------|----------------|--|
| 1 | 1 | 1 | O | |
| Sign CONVULSION(S) | | Sum Reacted 1 | Percent 100 | |

EAR CLEANSERS/ASTRINGENTS TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|-------------------------------|---------|-------------|---------|--|
| 5 | 5 | 5 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 2 | 40 | |
| DEAFNESS | | 2 | 40 | |
| ANOREXIA | | 1 | 20 | |
| BILIRUBIN(TOT) HI, | BLD | 1 | 20 | |
| DISCHARGE, EAR(S) | | 1 | 20 | |
| HORNER'S SYNDROME | | 1 | 20 | |
| <pre>IRRITATION, EAR(S)</pre> | | 1 | 20 | |
| NYSTAGMUS | | 1 | 20 | |
| WEIGHT LOSS | | 1 | 20 | |

EAR CLEANSERS/ASTRINGENTS TOPICAL, DOG

| Reviews | Treated | Reacted | Died | |
|----------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DEAFNESS, TEMP | | 2 | 100 | |

EAR DESSICANT, ISOPROPANOL, BENZOIC ACID TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ADIPSIA | | 1 | 100 | |
| ANISOCORIA | | 1 | 100 | |
| ANOREXIA | | 1 | 100 | |
| ATAXIA | | 1 | 100 | |
| DEAFNESS | | 1 | 100 | |
| DEPRESSION/LETHARGY | | 1 | 100 | |
| DISCHARGE, EAR(S) | | 1 | 100 | |
| TYMPANIC MEM, RUPTUREI |) | 1 | 100 | |

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE OPHTHALMIC, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| IRRITATION, EYE(S)/LID | | 1 | 33 | |
| PAIN, EYE(S)/LID(S) | | 1 | 33 | |
| PARAESTHESIA, EYE(S)/L | | 1 | 33 | |

$\begin{array}{c} \mathtt{EMBUTRAMIDE}\,,\;\; \mathtt{MEBEZONIUM}\,,\;\; \mathtt{TETRACAINE}\\ \\ \mathtt{ORAL}\,,\;\; \mathtt{CAT} \end{array}$

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| NEUROLOGICAL DISOR | DER | 1 | 100 |

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE PARENTERAL, CAT

| Reviews 1 | Treated 1 | Reacted 1 | Died 1 |
|---------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| CONVULSION(S) | | 1 | 100 |
| INEFFECT | | 1 | 100 |

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|----------|---------|-------------|---------|
| 2 | 4 | 4 | 1 |
| Sign | | Sum Reacted | Percent |
| INEFFECT | | 4 | 100 |

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 5 | 9 | 9 | 9 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT | | 6 | 67 | |
| HYPERACTIVITY | | 4 | 44 | |
| INEFFECT, DELAYED EFFE | | 3 | 33 | |
| THRASHING/PADDLING | | 3 | 33 | |
| REACTION, UNSPECIFIED | | 2 | 22 | |
| CONVULSION(S) | | 1 | 11 | |

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 4 | 4 | 4 | 0 |
| Sign | | Sum Reacted | Percent |
| HYPOESTHESIA, LIMB(S) | | 2 | 50 |
| INJ SITE SWELLING | | 1 | 25 |
| PAIN, FEET/DIGIT(S) | | 1 | 25 |
| SEDATION | | 1 | 25 |
| | | | |

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE

ANOREXIA

BUN HI, BLD

EMBUTRAMIDE, MEBEZONIUM, TETRACAINE UNKNOWN, CAT

| Reviews | Treated | Reacted | Died | |
|--------------|------------------|----------------------|---------|--|
| 1 | 6 | 6 | 6 | |
| Sign | | Sum Reacted | Percent | |
| APNEA | | 6 | 100 | |
| TWITCH | | 6 | 100 | |
| | | | | |
| | EMBUTRAMIDE, MEE | BEZONIUM, TETRACAINE | | |
| | UNKNO | OWN, DOG | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 3 | 3 | 3 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT | | 3 | 100 | |
| | | | | |
| | | BEZONIUM, TETRACAINE | | |
| | UNKNO | WN, HORSE | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT | | 1 | 100 | |
| | | | | |
| | EMBUTRAMIDE, MEF | BEZONIUM, TETRACAINE | | |
| | | WN, HUMAN | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HYPOESTHESIA | | 1 | 100 | |
| | | | | |
| | ENA | ALAPRIL | | |
| | ORA | L, CAT | | |
| Reviews | Treated | Reacted | Died | |
| 4 | 4 | 4 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ALOPECIA | | 1 | 25 | |
| | | | | |

1

1

25

25

ENALAPRIL ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 4 | 4 | 4 | 1 | |
| Sign | | Sum Reacted | Percent | |
| CONVULSION(S) | | 1 | 25 | |
| DEPRESSION/LETHARGY | | 1 | 25 | |
| DIARRHEA, BLOODY | | 1 | 25 | |
| GLUCOSE HI, BLD | | 1 | 25 | |
| PRESSURE LO, BLD | | 1 | 25 | |

ENALAPRIL ORAL, DOG

| Reviews | Treated 29 | Reacted | Died 11 |
|---------------------|---------------|-------------|------------|
| 29 | 29 | 29 | 11 |
| Sign | | Sum Reacted | Percent |
| BRADYCARDIA | | 4 | 14 |
| DEPRESSION/LETHARGY | | 4 | 14 |
| ANOREXIA | | 3 | 10 |
| BUN HI, BLD | | 3 | 10 |
| CREATININE HI, BLD | | 3 | 10 |
| COLLAPSE | | 2 | 7 |
| CONGESTION, SKIN | | 2 | 7 |
| KIDNEY FAILURE | | 2 | 7 |
| LESION(S), SKIN | | 2 | 7 |
| PR-SKIN, LESION(S) | | 2 | 7 |
| PRURITIS | | 2 | 7 |
| RECUMBENCY | | 2 | 7 |
| THRASHING/PADDLING | | 2 | 7 |
| VOMITING | | 2 | 7 |
| ALK PHOS HI, BLD | | 1 | 3 |
| ARREST, HEART | | 1 | 3 |
| AZOTEMIA | | 1 | 3 |
| BLD, EYE(S) | | 1 | 3 |
| BLD, MOUTH/LIP(S) | | 1 | 3 |
| BLD, SKIN | | 1 | 3 |
| CIRCLING | | 1 | 3 |
| COLITIS | | 1 | 3 |
| CONFUSION | | 1 | 3 |
| CONGESTION, LUNG(S) | | 1 | 3 |
| CONVULSION(S) | | 1 | 3 |
| DEHYDRATION | | 1 | 3 |
| DIARRHEA | | 1 | 3 |
| | | | |

ENALAPRIL ORAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 29 | 29 | 29 | 11 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA, WATERY | | 1 | 3 |
| DYSPNEA | | 1 | 3 |
| EDEMA, HEAD/FACE | | 1 | 3 |
| EDEMA, LUNG(S)/TRACHEA | | 1 | 3 |
| EDEMA, NECK | | 1 | 3 |
| ENLARGEMENT(S), SKIN | | 1 | 3 |
| ERUPTION(S) | | 1 | 3 |
| FEVER, BODY | | 1 | 3 |
| GGT HI, BLD | | 1 | 3 |
| GLOSSITIS | | 1 | 3 |
| HYPERSALIVATION | | 1 | 3 |
| ICTERUS, BODY | | 1 | 3 |
| INFLAM, SKIN | | 1 | 3 |
| JERKING | | 1 | 3 |
| LIVER DISORDER | | 1 | 3 |
| MELENA | | 1 | 3 |
| NERVOUSNESS | | 1 | 3 |
| PALLOR, MUCOUS MEMBRAN | | 1 | 3 |
| PR-HEART, LESION(S) | | 1 | 3 |
| PULSE THREADY | | 1 | 3 |
| SKIN DISORDER | | 1 | 3 |
| SKIN, NECROSIS | | 1 | 3 |
| SOUND ABN, RESPIRATORY | | 1 | 3 |
| SYNCOPE | | 1 | 3 |
| TREMBLING | | 1 | 3 |
| VESICLE(S)/BULLAE, SKI | | 1 | 3 |
| WEAKNESS | | 1 | 3 |

ENROFLOXACIN DEFECT, NOT APPLICABLE

| Reviews 347 | Treated 0 | Reacted 0 | Died 0 |
|-------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-CAP(S), ABN | | 0 | |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAMINATION | | 0 | |
| PD-DEFECT UNKNOWN | | 0 | |
| PD-LABEL(S), ABN | | 0 | |

ENROFLOXACIN DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 347 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-MISSING, CAP | | 0 | | |
| PD-MISSING, LABEL(S) | | 0 | | |
| PD-POTENCY, LO | | 0 | | |
| PD-SEAL, ABN | | 0 | | |
| PD-SOLUTION, ABN | | 0 | | |
| PD-TABLET(S), ABN | | 0 | | |
| PD-UNDERFILL, PACKAGE | | 0 | | |
| PD-UNDERFILL, VIAL(S) | | 0 | | |
| PD-UNKNOWN | | 0 | | |
| PD-VIAL(S), ABN | | 0 | | |
| PD-VIAL(S), DAMAGED | | 0 | | |
| PD-VIAL(S), LEAKING | | 0 | | |
| | | | | |

ENROFLOXACIN INHALATION, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| NAUSEA | | 3 | 100 | |
| PD-ODOR, ABN | | 3 | 100 | |
| PD-VIAL(S), DAMAGED | | 3 | 100 | |

ENROFLOXACIN MISSING, CAT

| Reviews 1 | Treated 1 | Reacted 1 | Died O |
|--------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| BLINDNESS, PARTIAL | | 1 | 100 |
| REFLEX(ES) ABN | | 1 | 100 |
| RETINA ABN | | 1 | 100 |
| | | | |

ENROFLOXACIN MISSING, DOG

Reviews Treated Reacted Died

ENROFLOXACIN MISSING, DOG

| Reviews 2 | Treated 3 | Reacted 3 | Died O |
|-------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| INJ SITE SWELLING | | 2 | 67 |
| FEVER, BODY | | 1 | 33 |
| HYPERESTHESIA | | 1 | 33 |
| VOCALIZATION | | 1 | 33 |

ENROFLOXACIN MISSING, HORSE

| Reviews 1 | Treated 1 | Reacted 1 | Died O | |
|----------------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| ENLARGEMENT(S) | | 1 | 100 | |
| ENLARGEMENT(S), SKIN | | 1 | 100 | |

ENROFLOXACIN OPHTHALMIC, HUMAN

| Reviews | Treated | Reacted | Died |
|--------------------------------|---------|-------------|---------|
| 3 | 3 | 2 | 0 |
| Sign | | Sum Reacted | Percent |
| <pre>IRRITATION, EYE(S)/</pre> | LID | 1 | 50 |
| MYDRIASIS | | 1 | 50 |
| PAIN, EYE(S)/LID(S) | | 1 | 50 |
| SWELLING, EYE(S)/LI | D(S | 1 | 50 |
| VISION DISORDER | | 1 | 50 |
| PD-SEAL, ABN | | 0 | |
| | | | |

ENROFLOXACIN ORAL, BIRD

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 1 | 100 | |

ENROFLOXACIN

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 270 | 310 | 294 | 19 |
| Sign | | Sum Reacted | Percent |
| MYDRIASIS | | 148 | 50 |
| RETINA ABN | | 112 | 38 |
| BLINDNESS | | 106 | 36 |
| REFLEX(ES) ABN | | 49 | 17 |
| BLINDNESS, PARTIAL | | 48 | 16 |
| PUPIL(S), AREFLEXIA | | 37 | 13 |
| VOMITING | | 27 | 9 |
| ERG ABN | | 20 | 7 |
| ANOREXIA | | 18 | 6 |
| BLINDNESS, TEMP | | 17 | 6 |
| CONVULSION(S) | | 15 | 5 |
| ATAXIA | | 14 | 5 |
| DEPRESSION/LETHARGY | | 13 | 4 |
| VISION DISORDER | | 13 | 4 |
| BEHAVIOR DISORDER | | 12 | 4 |
| CONFUSION | | 12 | 4 |
| NERVOUSNESS | | 12 | 4 |
| HIDING | | 8 | 3 |
| VOCALIZATION | | 8 | 3 |
| AGGRESSION | | 7 | 2 |
| APPREHENSION | | 7 | 2 |
| HALLUCINATION | | 6 | 2 |
| HYPERACTIVITY | | 6 | 2 |
| SGPT/ALT HI, BLD | | 5 | 2 |
| STUMBLING | | 5 | 2 |
| ANAPHYLAXIS/TOID | | 4 | 1 |
| CONGESTION, SKIN | | 4 | 1 |
| CREATININE HI, BLD | | 4 | 1 |
| FEVER, BODY | | 4 | 1 |
| LYMPHS LO, BLD | | 4 | 1 |
| ANEMIA | | 3 | 1 |
| ANISOCORIA | | 3 | 1 |
| BUN HI, BLD | | 3 | 1 |
| CHOLESTEROL HI, BLD | | 3 | 1 |
| GLUCOSE HI, BLD | | 3 | 1 |
| INEFFECT, ANTIBIOTIC | | 3 | 1 |
| LICKING | | 3 | 1 |
| NA HI, BLD | | 3 | 1 |
| PR- RETINA(S), LESION(S | 3) | 3 | 1 |
| PR-LIVER, LESION(S) | | 3 | 1 |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 270 | 310 | 294 | 19 |
| Sign | | Sum Reacted | Percent |
| PRESSURE HI, BLD | | 3 | 1 |
| RELUCTANT TO MOVE | | 3 | 1 |
| SGOT/AST HI, BLD | | 3 | 1 |
| WBC LO, BLD | | 3 | 1 |
| ALK PHOS HI, BLD | | 2 | 1 |
| AMYLASE HI, BLD | | 2 | 1 |
| BILIRUBIN(TOT) HI, BLD | | 2 | 1 |
| BLD(ECCHYMOSES) | | 2 | 1 |
| BLD, RETINA | | 2 | 1 |
| BLD, URINE | | 2 | 1 |
| CA HI, BLD | | 2 | 1 |
| CIRCLING | | 2 | 1 |
| CPK HI, BLD | | 2 | 1 |
| CRYSTALS, URINE | | 2 | 1 |
| DEHYDRATION | | 2 | 1 |
| DIARRHEA | | 2 | 1 |
| EDEMA, HEAD/FACE | | 2 | 1 |
| EOSINOS HI, BLD | | 2 | 1 |
| EPISTAXIS | | 2 | 1 |
| HEAD BOBBING | | 2 | 1 |
| HYPERSENSITIVE, SOUND | | 2 | 1 |
| ILL | | 2 | 1 |
| K LO, BLD | | 2 | 1 |
| LIVER DISORDER | | 2 | 1 |
| LIVER ENZYMES HI, BLD | | 2 | 1 |
| MONOS HI, BLD | | 2 | 1 |
| NEUROLOGICAL DISORDER | | 2 | 1 |
| PHOTOPHOBIA | | 2 | 1 |
| PLATELETS LO, BLD | | 2 | 1 |
| PROPRIOCEPTIVE DISORDE | | 2 | 1 |
| PROTEIN(TOT) HI, BLD | | 2 | 1 |
| PRURITIS | | 2 | 1 |
| RADIOGRAPH(S) ABN | | 2 | 1 |
| SEGS LO, BLD | | 2 | 1 |
| SPEC GRAVITY LO, URINE | | 2 | 1 |
| SWELLING, HEAD/FACE | | 2 | 1 |
| TREMBLING | | 2 | 1 |
| TWITCH | | 2 | 1 |
| WEAKNESS | | 2 | 1 |
| WEIGHT LOSS | | 2 | 1 |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|----------|
| 270 | 310 | 294 | 19 |
| Sign | | Sum Reacted | Percent |
| ACCIDENTAL EXPOSURE | | 1 | rerectie |
| ACID URINE | | 1 | |
| ADVERSE DRUG REACTION | | 1 | |
| ALBUMIN HI, BLD | | 1 | |
| ALOPECIA | | 1 | |
| BITING/CHEWING | | 1 | |
| BLD(PETECHIAE) | | 1 | |
| BLD, ANUS | | 1 | |
| BLD, EYE(S) | | 1 | |
| BLD, MOUTH/LIP(S) | | 1 | |
| BUN LO, BLD | | 1 | |
| CA LO, BLD | | 1 | |
| CHLORIDE LO, BLD | | 1 | |
| CNS STIMULATION | | 1 | |
| CO2 LO, BLD | | 1 | |
| COAGULATION DISORDER | | 1 | |
| COLLAPSE | | 1 | |
| CYSTITIS | | 1 | |
| DEAFNESS | | 1 | |
| DISSOCIATION | | 1 | |
| DISTRESS | | 1 | |
| DISTRESS, RESP | | 1 | |
| DYSPNEA | | 1 | |
| DYSURIA | | 1 | |
| EDEMA, CORNEA(S) | | 1 | |
| EDEMA, LUNG(S)/TRACHEA | | 1 | |
| EPIPHORA | | 1 | |
| ERUPTION(S) | | 1 | |
| EYE DISORDER | | 1 | |
| FROTH, MOUTH/LIP(S) | | 1 | |
| GGT HI, BLD | | 1 | |
| GLOBULIN HI, BLD | | 1 | |
| GLUCOSE, URINE | | 1 | |
| HAIR, ABN | | 1 | |
| HEAD TILT | | 1 | |
| HEART FAILURE | | 1 | |
| HEMATOCHEZIA | | 1 | |
| HYPERESTHESIA | | 1 | |
| HYPERSALIVATION | | 1 | |
| HYPOTHERMIA, BODY | | 1 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 270 | 310 | 294 | 19 |
| Sign | | Sum Reacted | Percent |
| ICTERUS | | 1 | |
| ICTERUS, BODY | | 1 | |
| ICTERUS, SERUM | | 1 | |
| INSOMNIA | | 1 | |
| KIDNEY VALUES HI, BLD | | 1 | |
| LAMENESS | | 1 | |
| LESION(S), SKIN | | 1 | |
| LIPASE HI, BLD | | 1 | |
| LIVER PROFILE HI | | 1 | |
| MIOSIS | | 1 | |
| MORIBUND | | 1 | |
| NAUSEA | | 1 | |
| NECK, VENTROFLEXION | | 1 | |
| NEUROPATHY | | 1 | |
| NYSTAGMUS, ROTARY | | 1 | |
| PACING | | 1 | |
| PALLOR, MUCOUS MEMBRAN | | 1 | |
| PARESIS | | 1 | |
| PHOTOSENSITIZATION | | 1 | |
| POLYCYTHEMIA(RELATIVE) | | 1 | |
| POLYPNEA | | 1 | |
| PR-HEART, LESION(S) | | 1 | |
| PR-LUNG(S), LESION(S) | | 1 | |
| PROTEIN, URINE | | 1 | |
| PRURITIS, FEET/DIGIT(S | | 1 | |
| RECUMBENCY | | 1 | |
| SEBORRHEA | | 1 | |
| SEDATION | | 1 | |
| SEDIMENT, URINE | | 1 | |
| SEGS HI, BLD | | 1 | |
| SLOUGH, SKIN | | 1 | |
| SNEEZING | | 1 | |
| STAGGERING | | 1 | |
| STARING | | 1 | |
| STIMULATION, CNS | | 1 | |
| STRABISMUS | | 1 | |
| TENESMUS, RECTAL | | 1 | |
| TORTICOLLIS | | 1 | |
| ULCER(S), MOUTH/LIP(S) | | 1 | |
| ULCER(S), SKIN | | 1 | |

ENROFLOXACIN ORAL, CAT

| Reviews 270 | Treated 310 | Reacted 294 | Died 19 |
|---------------------|----------------|----------------|------------|
| Sign | | Sum Reacted | Percent |
| UNCONSCIOUS | | 1 | |
| US ABN | | 1 | |
| VESTIBULAR DISORDER | | 1 | |
| VOMITING, BLOODY | | 1 | |
| WBC HI, BLD | | 1 | |

ENROFLOXACIN ORAL, CHICKEN

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 6 | 395100 | 12540 | 12390 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, ANTIBIOTIC | | 12540 | 100 |

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 189 | 235 | 225 | 43 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 59 | 26 |
| DEPRESSION/LETHARGY | | 37 | 16 |
| CONVULSION(S) | | 33 | 15 |
| ANOREXIA | | 24 | 11 |
| ATAXIA | | 18 | 8 |
| LAMENESS | | 13 | 6 |
| BIRTH DEFECT(S) | | 11 | 5 |
| FEVER, BODY | | 10 | 4 |
| BLINDNESS | | 9 | 4 |
| URTICARIA | | 9 | 4 |
| ANAPHYLAXIS/TOID | | 8 | 4 |
| LIVER ENZYMES HI, B | LD | 8 | 4 |
| BILIRUBIN(TOT) HI, | BLD | 7 | 3 |
| BIRTH DEFECT(S), TO | RSO | 7 | 3 |
| MYDRIASIS | | 7 | 3 |
| TREMBLING | | 7 | 3 |
| CONFUSION | | 6 | 3 |
| DIARRHEA | | 6 | 3 |
| | | | |

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 189 | 235 | 225 | 43 |
| Sign | | Sum Reacted | Percent |
| EDEMA, HEAD/FACE | | 6 | 3 |
| NERVOUSNESS | | 6 | 3 |
| RECUMBENCY | | 6 | 3 |
| WBC HI, BLD | | 6 | 3 |
| WEAKNESS | | 6 | 3 |
| APPREHENSION | | 5 | 2 |
| CONGESTION, SKIN | | 5 | 2 |
| ICTERUS, BODY | | 5 | 2 |
| POLYDIPSIA | | 5 | 2 |
| PR-LIVER, LESION(S) | | 5 | 2 |
| SWELLING, HEAD/FACE | | 5 | 2 |
| ALK PHOS HI, BLD | | 4 | 2 |
| ANEMIA | | 4 | 2 |
| DEHYDRATION | | 4 | 2 |
| EDEMA, LIMB(S) | | 4 | 2 |
| HYPERSALIVATION | | 4 | 2 |
| POLYPNEA | | 4 | 2 |
| PRURITIS | | 4 | 2 |
| RETINA ABN | | 4 | 2 |
| STAGGERING | | 4 | 2 |
| AMYLASE HI, BLD | | 3 | 1 |
| ANEMIA, AUTOIMMUNE HI | EM | 3 | 1 |
| BLINDNESS, PARTIAL | | 3 | 1 |
| BUN HI, BLD | | 3 | 1 |
| COLLAPSE | | 3 | 1 |
| CREATININE HI, BLD | | 3 | 1 |
| DYSPNEA | | 3 | 1 |
| HYPERACTIVITY | | 3 | 1 |
| INFLAM, SKIN | | 3 | 1 |
| LESION(S), SKIN | | 3 | 1 |
| PAIN, ABDOMEN | | 3 | 1 |
| PALLOR, MUCOUS MEMBRA | AN | 3 | 1 |
| PANCREATITIS | | 3 | 1 |
| SGPT/ALT HI, BLD | | 3 | 1 |
| SHAKING | | 3 | 1 |
| TACHYCARDIA | | 3 | 1 |
| VISION DISORDER | | 3 | 1 |
| VOCALIZATION | | 3 | 1 |
| BEHAVIOR DISORDER | | 2 | 1 |
| BILIRUBIN, URINE | | 2 | 1 |
| | | | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 189 | 235 | 225 | 43 |
| Sign | | Sum Reacted | Percent |
| CATARACT(S) | | 2 | 1 |
| CIRCLING | | 2 | 1 |
| CNS STIMULATION | | 2 | 1 |
| CONGESTION, EAR(S) | | 2 | 1 |
| DEAFNESS | | 2 | 1 |
| DEMENTIA | | 2 | 1 |
| DIARRHEA, MILD | | 2 | 1 |
| HEPATITIS | | 2 | 1 |
| HYPERESTHESIA | | 2 | 1 |
| ILL | | 2 | 1 |
| KIDNEY FAILURE | | 2 | 1 |
| LIPASE HI, BLD | | 2 | 1 |
| LIVER FAILURE | | 2 | 1 |
| NAUSEA | | 2 | 1 |
| NEUROLOGICAL DISORDER | | 2 | 1 |
| PAIN | | 2 | 1 |
| PLATELETS LO, BLD | | 2 | 1 |
| POLYURIA | | 2 | 1 |
| PR-KIDNEY(S), LESION(S | | 2 | 1 |
| PROTEIN(TOT) HI, BLD | | 2 | 1 |
| PUPIL(S), AREFLEXIA | | 2 | 1 |
| REFLEX(ES) ABN | | 2 | 1 |
| STUPOR | | 2 | 1 |
| SWELLING, EYE(S)/LID(S | | 2 | 1 |
| SWELLING, JOINT(S) | | 2 | 1 |
| SWELLING, LIMB(S) | | 2 | 1 |
| WBC LO, BLD | | 2 | 1 |
| ABN COLOR, URINE | | 1 | |
| AGGRESSION | | 1 | |
| ANEMIA, SPHERO | | 1 | |
| ANISOCORIA | | 1 | |
| ARREST, HEART | | 1 | |
| BLD(PETECHIAE) | | 1 | |
| BLD, EYE(S) | | 1 | |
| BLD, MOUTH/LIP(S) | | 1 | |
| BLD, RECTUM | | 1 | |
| BLD, SKIN | | 1 | |
| BLD, URINE | | 1 | |
| CA HI, BLD | | 1 | |
| CELLULITIS | | 1 | |

| Reviews | Treated | Reacted | Died |
|---------------------------------|---------|-------------|---------|
| 189 | 235 | 225 | 43 |
| Sign | | Sum Reacted | Percent |
| CHOLESTEROL HI, BLD | | 1 | |
| COAGULATION DISORDER | | 1 | |
| CONGESTION, EYE(S)/LID | | 1 | |
| COOMBS TEST POS | | 1 | |
| DEAFNESS, PARTIAL | | 1 | |
| DEAFNESS, TEMP | | 1 | |
| DERMATITIS, MOIST | | 1 | |
| DIARRHEA, BLOODY | | 1 | |
| DIARRHEA, WATERY | | 1 | |
| DISTENTION, ABDOMEN | | 1 | |
| DIZZINESS | | 1 | |
| EDEMA, MULTIPLE SITES | | 1 | |
| EPIPHORA | | 1 | |
| EPISTAXIS | | 1 | |
| ERG ABN | | 1 | |
| ERUPTION(S) | | 1 | |
| EYE DISORDER | | 1 | |
| GASTRITIS | | 1 | |
| GASTROENTERITIS | | 1 | |
| GLUCOSE LO, BLD | | 1 | |
| HALLUCINATION | | 1 | |
| HEAD BOBBING | | 1 | |
| HEAD TILT | | 1 | |
| HYPERPNEA | | 1 | |
| HYPOTHERMIA | | 1 | |
| ICTERUS | | 1 | |
| INCONTINENCE, URINARY | | 1 | |
| INEFFECT, ANTIBIOTIC | | 1 | |
| INFECTION, SKIN | | 1 | |
| <pre>INTERACTION, DRUG(S)</pre> | | 1 | |
| IRRITATION, EYE(S)/LID | | 1 | |
| KIDNEY DISORDER | | 1 | |
| LESION(S) | | 1 | |
| LICKING | | 1 | |
| LICKING, FEET/DIGIT(S) | | 1 | |
| MELENA | | 1 | |
| MORIBUND | | 1 | |
| NEURITIS, OPTIC | | 1 | |
| P HI, BLD | | 1 | |
| PAIN, HIND LIMB(S) | | 1 | |

| Reviews | Treated | Reacted | Died |
|---|---------|------------------|---------|
| 189 | 235 | 225 | 43 |
| Cian | | Cum Doogtod | Dowgont |
| Sign PAIN, JOINT(S) | | Sum Reacted 1 | Percent |
| PAIN, JOINI(S) PAIN, LIMB(S) | | 1 | |
| PARESIS, FORELIMB(S) | | 1 | |
| PARESIS, HIND LIMB(S) | | 1 | |
| PHOTOPHOBIA | | 1 | |
| PLATELETS HI, BLD | | 1 | |
| PNEUMONIA | | 1 | |
| POLLAKIURIA | | 1 | |
| PR-BLADDER, LESION(S) | | 1 | |
| PR-BONE MARROW, LESION | | 1 | |
| PR-MULT SITES, BLD | | 1 | |
| PR-SKIN, LESION(S) | | 1 | |
| PR-SM INTEST, LESION(S | | 1 | |
| PR-SPLEEN, LESION(S) | | 1 | |
| PR-STOMACH, LESION(S) | | 1 | |
| | | 1 | |
| PRESSURE HI, BLD PROLAPSE, THIRD EYELID | | 1 | |
| · | | 1 | |
| PROPRIOCEPTIVE DISORDE | | 1 | |
| PROSTATOMEGALY | | 1 | |
| PRURITIS, EAR(S) | | 1 | |
| PTT PROLONGED, BLD | | | |
| RASH | | 1 | |
| RBC, ANISO | | 1 | |
| RBC, NUCLEATED | | 1 | |
| SEGS LO, BLD | | 1 | |
| SKIN DISORDER | | 1 | |
| SKIN, SCAB(S) | | 1 | |
| SLOUGH, SKIN | | 1 | |
| SLOUGH, TONGUE | | 1 | |
| SORE(S) | | 1 | |
| SOUND ABN, RESPIRATORY | | 1 | |
| STIFFNESS, LIMB(S) | | 1 | |
| STUMBLING | | 1 | |
| TYMPANIC MEM, RUPTURED | | 1 | |
| ULCER(S), MOUTH/LIP(S) | | 1 | |
| ULCER(S), SKIN | | 1 | |
| UREMIA | | 1 | |
| UVEITIS | | 1 | |
| VESTIBULAR DISORDER | | 1 | |
| WEIGHT LOSS | | 1 | |

ENROFLOXACIN ORAL, HORSE

ENROFLOXACIN ORAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 5 | 5 | 5 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INSOMNIA | | 2 | 40 | |
| RASH | | 2 | 40 | |
| DIARRHEA | | 1 | 20 | |
| HEADACHE | | 1 | 20 | |
| INJ SITE INFLAM | | 1 | 20 | |
| INJ SITE PAIN | | 1 | 20 | |
| PAIN, BRISKET/CHEST | | 1 | 20 | |
| TASTE ABNORMALITY | | 1 | 20 | |

ENROFLOXACIN ORAL, PARROT

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 2 | 2 | 2 |
| Sign | | Sum Reacted | Percent |

ENROFLOXACIN ORAL, RABBIT

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 1 | 1 | 1 |
| Sign | | Sum Reacted | Percent |
| CONVULSION(S) | | 1 | 100 |

ENROFLOXACIN ORAL, TURKEY

| Reviews | Treated | Reacted | Died | |
|----------------------|---------|-------------|---------|--|
| 3 | 16900 | 8124 | 451 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, ANTIBIOTIC | | 4724 | 58 | |
| INEFFECT | | 3400 | 42 | |
| | | | | |

ENROFLOXACIN ORAL, VARIOUS

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 3 | 8 | 6 | O |
| Sign | | Sum Reacted | Percent |
| INEFFECT, ANTIBIOTIC | | 6 | 100 |

ENROFLOXACIN PARENTERAL, BIRD

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 1 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE NECROSIS | | 3 | 100 | |

ENROFLOXACIN PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 142 | 155 | 152 | 15 |
| Sign | | Sum Reacted | Percent |
| MYDRIASIS | | 64 | 42 |
| BLINDNESS | | 46 | 30 |
| RETINA ABN | | 36 | 24 |
| REFLEX(ES) ABN | | 24 | 16 |
| CONVULSION(S) | | 20 | 13 |
| BLINDNESS, PARTIAL | | 19 | 13 |
| PUPIL(S), AREFLEXIA | | 15 | 10 |
| LAMENESS | | 13 | 9 |
| ERG ABN | | 9 | 6 |
| ATAXIA | | 8 | 5 |
| BLINDNESS, TEMP | | 8 | 5 |
| PARESIS, HIND LIMB(S |) | 8 | 5 |

ENROFLOXACIN PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|------------------|--------------|
| 142 | 155 | 152 | 15 |
| Cian | | Cum Doogtod | Domaont |
| Sign INJ SITE INFLAM | | Sum Reacted 7 | percent 5 |
| ANOREXIA | | 6 | 4 |
| DEPRESSION/LETHARGY | | 5 | 3 |
| INJ SITE ALOPECIA | | 5 | 3 |
| SKIN, SCAB(S) | | 5 | 3 |
| VISION DISORDER | | 5 | 3 |
| ANEMIA | | 4 | 3 |
| CONFUSION | | 4 | 3 |
| INJ SITE STERILE ABSCE | | 4 | 3 |
| AGGRESSION | | 3 | 2 |
| HYPERACTIVITY | | 3 | 2 |
| INJ SITE NECROSIS | | 3 | 2 |
| INJ SITE SWELLING | | 3 | 2 |
| PRESSURE HI, BLD | | 3 | 2 |
| PROPRIOCEPTIVE DISORDE | | 3 | 2 |
| TWITCH | | 3 | 2 |
| ADIPSIA | | 2 | 1 |
| ANISOCORIA | | 2 | 1 |
| BUN HI, BLD | | 2 | 1 |
| CNS DISORDER | | 2 | 1 |
| COLLAPSE | | 2 | 1 |
| DISCOMFORT | | 2 | 1 |
| FEVER, BODY | | 2 | 1 |
| HYPERSALIVATION | | 2 | 1 |
| INJ SITE PAIN | | 2 | 1 |
| LEG DISORDER | | 2 | 1 |
| NERVOUSNESS | | 2 | 1 |
| PLATELETS LO, BLD | | 2 | 1 |
| POLYPNEA | | 2 | 1 |
| SHAKING | | 2 | 1 |
| SKIN, NECROSIS | | 2 | 1 |
| TACHYCARDIA | | 2 | 1 |
| TREMBLING | | 2 | 1 |
| ULCER(S), SKIN | | 2 | 1 |
| VOCALIZATION | | 2 | 1 |
| ALOPECIA | | 1 | 1 |
| ARREST, HEART | | 1 | 1 |
| BLD(ECCHYMOSES) | | 1 | 1 |
| BLD, EYE(S) | | 1 | 1 |
| BLD, MOUTH/LIP(S) | | 1 | 1 |
| | | | |

ENROFLOXACIN PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|----------------|--------------|
| 142 | 155 | 152 | 15 |
| Sian | | Sum Reacted | Dowgont |
| Sign BLEPHAROSPASM | | Sum Reacted 1 | percent 1 |
| CA HI, BLD | | 1 | 1 |
| CASTS, URINE | | 1 | 1 |
| CIRCLING | | 1 | 1 |
| CONGESTION, LUNG(S) | | 1 | 1 |
| CREATININE HI, BLD | | 1 | 1 |
| CYANOSIS | | 1 | 1 |
| DEHYDRATION | | 1 | 1 |
| DIARRHEA, BLOODY | | 1 | 1 |
| DISCHARGE, EYE(S)/LID(S |) | 1 | 1 |
| DISCOMFORT, MOUTH/LIP(S | | 1 | 1 |
| DYSPNEA | , | 1 | 1 |
| EPISTAXIS | | 1 | 1 |
| FROTH, MOUTH/LIP(S) | | 1 | 1 |
| GLUCOSE HI, BLD | | 1 | 1 |
| GLUCOSE, URINE | | 1 | 1 |
| HALLUCINATION | | 1 | 1 |
| HIDING | | 1 | 1 |
| HYPERPNEA | | 1 | 1 |
| HYPERSENSITIVE, SOUND | | 1 | 1 |
| INFLAM, SKIN | | 1 | 1 |
| INJ SITE ABN | | 1 | 1 |
| INJ SITE MASS | | 1 | 1 |
| INJ SITE PRURITIS | | 1 | 1 |
| LESION(S), SKIN | | 1 | 1 |
| LIPASE HI, BLD | | 1 | 1 |
| LIVER DISORDER | | 1 | 1 |
| LIVER ENZYMES HI, BLD | | 1 | 1 |
| LOCOMOTION DISORDER | | 1 | 1 |
| NA HI, BLD | | 1 | 1 |
| NEUROLOGICAL DISORDER | | 1 | 1 |
| NEUROPATHY | | 1 | 1 |
| PAIN, HIND LIMB(S) | | 1 | 1 |
| PALLOR, MUCOUS MEMBRAN | | 1 | 1 |
| PARALYSIS, HIND LIMB(S | | 1 | 1 |
| PHOTOPHOBIA | | 1 | 1 |
| PR-EYE(S)/LID(S), LESI | | 1 | 1 |
| PROLAPSE, THIRD EYELID | | 1 | 1 |
| PROTEIN(TOT) HI, BLD | | 1 | 1 |
| PROTEIN, URINE | | 1 | 1 |

ENROFLOXACIN PARENTERAL, CAT

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 142 | 155 | 152 | 15 | |
| Sign | | Sum Reacted | Percent | |
| PRURITIS | | 1 | 1 | |
| PULSE THREADY | | 1 | 1 | |
| RECUMBENCY | | 1 | 1 | |
| RELUCTANT TO MOVE | | 1 | 1 | |
| SEGS LO, BLD | | 1 | 1 | |
| SGOT/AST HI, BLD | | 1 | 1 | |
| SGPT/ALT HI, BLD | | 1 | 1 | |
| SKIN DISORDER | | 1 | 1 | |
| SLOUGH, EAR(S) | | 1 | 1 | |
| SLOUGH, SKIN | | 1 | 1 | |
| STUMBLING | | 1 | 1 | |
| SWELLING, FEET/DIGIT(S | | 1 | 1 | |
| SWELLING, LIMB(S) | | 1 | 1 | |
| TORTICOLLIS | | 1 | 1 | |
| ULCER(S), MOUTH/LIP(S) | | 1 | 1 | |
| VESTIBULAR DISORDER | | 1 | 1 | |
| WBC HI, BLD | | 1 | 1 | |

ENROFLOXACIN PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 12 | 336 | 125 | 29 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, ANTIBIOTIC | | 104 | 83 | |
| INJ SITE ABSCESS | | 12 | 10 | |
| INJ SITE STERILE ABSCE | | 12 | 10 | |
| INJ SITE SWELLING | | 8 | 6 | |
| LAMENESS | | 6 | 5 | |
| PD-SOLUTION, ABN | | 3 | 2 | |
| ANAPHYLAXIS/TOID | | 1 | 1 | |
| DYSPNEA | | 1 | 1 | |
| EDEMA, NECK | | 1 | 1 | |
| EPISTAXIS | | 1 | 1 | |
| REFLEX(ES) ABN | | 1 | 1 | |

ENROFLOXACIN PARENTERAL, DOG

ENROFLOXACIN PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 44 | 47 | 47 | 13 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 10 | 21 |
| CONVULSION(S) | | 7 | 15 |
| ANAPHYLAXIS/TOID | | 6 | 13 |
| COLLAPSE | | 6 | 13 |
| ATAXIA | | 5 | 11 |
| INJ SITE INFLAM | | 5 | 11 |
| DEPRESSION/LETHARGY | | 4 | 9 |
| LAMENESS | | 4 | 9 |
| PROPRIOCEPTIVE DISORDE | | 4 | 9 |
| BLINDNESS | | 3 | 6 |
| DIARRHEA | | 3 | 6 |
| FEVER, BODY | | 3 | 6 |
| INJ SITE PAIN | | 3 | 6 |
| INJ SITE SWELLING | | 3 | 6 |
| NEUROLOGICAL DISORDER | | 3 | 6 |
| BRADYCARDIA | | 2 | 4 |
| BUN HI, BLD | | 2 | 4 |
| CONFUSION | | 2 | 4 |
| CREATININE HI, BLD | | 2 | 4 |
| GLUCOSE LO, BLD | | 2 | 4 |
| MYDRIASIS | | 2 | 4 |
| PARESIS, HIND LIMB(S) | | 2 | 4 |
| PARESTHESIA | | 2 | 4 |
| RECUMBENCY | | 2 | 4 |
| RETINA ABN | | 2 | 4 |
| TREMBLING | | 2 | 4 |
| VOCALIZATION | | 2 | 4 |
| ACCIDENTAL EXPOSURE | | 1 | 2 |
| ALK PHOS HI, BLD | | 1 | 2 |
| AMYLASE HI, BLD | | 1 | 2 |
| ANOREXIA | | 1 | 2 |
| APNEA | | 1 | 2 |
| ARREST, HEART | | 1 | 2 |
| BILIRUBIN(TOT) HI, BLD | | 1 | 2 |
| BLD, SCLERA | | 1 | 2 |
| DEFECATION | | 1 | 2 |
| DIFFICULTY RISING | | 1 | 2 |
| DIZZINESS | | 1 | 2 |
| DYSMETRIA | | 1 | 2 |
| DYSPNEA | | 1 | 2 |

ENROFLOXACIN PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 44 | 47 | 47 | 13 | |
| Sign | | Sum Reacted | Percent | |
| EDEMA, LUNG(S)/TRACHEA | | 1 | 2 | |
| HEAD BOBBING | | 1 | 2 | |
| HEPATITIS | | 1 | 2 | |
| HYPERESTHESIA | | 1 | 2 | |
| HYPOPNEA | | 1 | 2 | |
| INEFFECT, ANTIBIOTIC | | 1 | 2 | |
| INJ SITE MASS | | 1 | 2 | |
| INJ SITE NECROSIS | | 1 | 2 | |
| INJ SITE SLOUGH | | 1 | 2 | |
| INJ SITE ULCER(S) | | 1 | 2 | |
| KIDNEY FAILURE | | 1 | 2 | |
| LESION(S), SKIN | | 1 | 2 | |
| LIVER ENZYMES HI, BLD | | 1 | 2 | |
| LOSS OF CONDITION | | 1 | 2 | |
| MUCOUS MEMBR, MUDDY | | 1 | 2 | |
| NYSTAGMUS | | 1 | 2 | |
| PALLOR, MUCOUS MEMBRAN | | 1 | 2 | |
| PANCREATITIS | | 1 | 2 | |
| PARALYSIS | | 1 | 2 | |
| PARALYSIS, HIND LIMB(S | | 1 | 2 | |
| PD-CONTAMINATION | | 1 | 2 | |
| PLATELETS HI, BLD | | 1 | 2 | |
| PROSTATOMEGALY | | 1 | 2 | |
| PROTEIN(TOT) HI, BLD | | 1 | 2 | |
| PRURITIS | | 1 | 2 | |
| REFLEX(ES) ABN | | 1 | 2 | |
| SPEC GRAVITY LO, URINE | | 1 | 2 | |
| STAGGERING | | 1 | 2 | |
| SWELLING, LIMB(S) | | 1 | 2 | |
| TACHYCARDIA | | 1 | 2 | |
| TWITCH | | 1 | 2 | |
| URINATION | | 1 | 2 | |
| URTICARIA | | 1 | 2 | |

ENROFLOXACIN PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died |
|---------|---------|---------|------|
| 12 | 12 | 12 | 0 |

ENROFLOXACIN PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 12 | 12 | 12 | 0 |
| Sign | | Sum Reacted | Percent |
| INJ SITE PAIN | | 5 | 42 |
| INJ SITE SWELLING | | 4 | 33 |
| INJ SITE BLD | | 2 | 17 |
| INJ SITE INFLAM | | 2 | 17 |
| CELLULITIS | | 1 | 8 |
| DIZZINESS | | 1 | 8 |
| HUMAN EXPOSURE, INJ | | 1 | 8 |
| HYPOESTHESIA | | 1 | 8 |
| INJ SITE STIFFNESS | | 1 | 8 |
| IRRITATION, SKIN | | 1 | 8 |
| PAIN | | 1 | 8 |
| PARESTHESIA | | 1 | 8 |
| SHAKING | | 1 | 8 |
| TASTE ABNORMALITY | | 1 | 8 |

ENROFLOXACIN PARENTERAL, OTHER

| Reviews 2 | Treated 3 | Reacted 3 | Died 1 | |
|-------------------|-----------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 2 | 67 | |
| COLLAPSE | | 2 | 67 | |
| SHOCK | | 2 | 67 | |
| INJ SITE SWELLING | | 1 | 33 | |

ENROFLOXACIN PARENTERAL, RABBIT

| Reviews | Treated | Reacted | Died |
|-------------------|---------|-------------|---------|
| 4 | 20 | 20 | 0 |
| Sign | | Sum Reacted | Percent |
| DISCOMFORT | | 14 | 70 |
| INJ SITE PAIN | | 14 | 70 |
| IRRITATION | | 14 | 70 |
| INJ SITE ABN | | 4 | 20 |
| INJ SITE MASS | | 1 | 5 |
| INJ SITE NECROSIS | | 1 | 5 |

ENROFLOXACIN PARENTERAL, SNAKE

| Reviews | Treated | Reacted | Died | |
|---------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| CONFUSION | | 1 | 100 | |
| HYPERACTIVITY | | 1 | 100 | |

ENROFLOXACIN TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE ALOPECIA | | 1 | 100 | |

ENROFLOXACIN TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 4 | 4 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HYPERESTHESIA | | 2 | 50 | |
| FEVER, BODY | | 1 | 25 | |
| HEADACHE | | 1 | 25 | |
| HYPOESTHESIA | | 1 | 25 | |
| PAIN | | 1 | 25 | |
| SWELLING, HEAD/FACE | | 1 | 25 | |
| SWELLING, TONGUE | | 1 | 25 | |
| VESICLE(S)/BULLAE, SKI | | 1 | 25 | |

ENROFLOXACIN UNKNOWN, CAT

| Reviews 19 | Treated 69 | Reacted 21 | Died 4 |
|---------------|---------------|---------------|-----------|
| Sign | | Sum Reacted | Percent |
| MYDRIASIS | | 8 | 38 |
| RETINA ABN | | 7 | 33 |
| CONVULSION(S) | | 5 | 24 |
| BLINDNESS | | 3 | 14 |
| COLLAPSE | | 3 | 14 |

ENROFLOXACIN UNKNOWN, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 19 | 69 | 21 | 4 | |
| Sign | | Sum Reacted | Percent | |
| DEMENTIA | | 3 | 14 | |
| INCONTINENCE, FECAL | | 3 | 14 | |
| ANEMIA | | 2 | 10 | |
| ANOREXIA | | 2 | 10 | |
| BLINDNESS, TEMP | | 2 | 10 | |
| HEAD TILT | | 2 | 10 | |
| REFLEX(ES) ABN | | 2 | 10 | |
| TWITCH | | 2 | 10 | |
| WBC LO, BLD | | 2 | 10 | |
| AGGRESSION | | 1 | 5 | |
| ATAXIA | | 1 | 5 | |
| BEHAVIOR DISORDER | | 1 | 5 | |
| BEHAVOR DISORDER | | 1 | 5 | |
| BLINDNESS, PARTIAL | | 1 | 5 | |
| CIRCLING | | 1 | 5 | |
| CPK HI, BLD | | 1 | 5 | |
| DEPRESSION/LETHARGY | | 1 | 5 | |
| ERG ABN | | 1 | 5 | |
| FROTH, MOUTH/LIP(S) | | 1 | 5 | |
| HORNER'S SYNDROME | | 1 | 5 | |
| INJ SITE NECROSIS | | 1 | 5 | |
| LICKING | | 1 | 5 | |
| LYMPHS LO, BLD | | 1 | 5 | |
| PUPIL(S), AREFLEXIA | | 1 | 5 | |
| STRABISMUS | | 1 | 5 | |
| TREMBLING | | 1 | 5 | |
| VISION DISORDER | | 1 | 5 | |

ENROFLOXACIN UNKNOWN, CATTLE

| Reviews 9 | Treated 650 | Reacted 232 | Died 105 |
|----------------------|----------------|----------------|-------------|
| Sign | | Sum Reacted | Percent |
| INEFFECT, ANTIBIOTIC | | 222 | 96 |
| ANOREXIA | | 60 | 26 |
| LAMENESS | | 60 | 26 |
| STIFFNESS, LIMB(S) | | 60 | 26 |
| DISTENTION, ABDOMEN | | 25 | 11 |

ENROFLOXACIN UNKNOWN, CATTLE

| Reviews | Treated | Reacted | Died | |
|-------------------------------------|---------|------------------|---------|--|
| 9 | 650 | 232 | 105 | |
| Sign | | Sum Reacted | Percent | |
| HYPERACTIVITY | | 9 | 4 | |
| CIRCLING | | 8 | 3 | |
| FROTH, MOUTH/LIP(S) | | 8 | 3 | |
| INJ SITE PAIN | | 8 | 3 | |
| AGGRESSION | | 1 | | |
| HEAD PRESSING | | 1 | | |
| INJ SITE SWELLING | | 1 | | |
| NERVOUSNESS | | 1 | | |
| PR-MULT SITES, EDEMA | | 1 | | |
| PR-MUSCLE(S), LESION(S |) | 1 | | |
| NERVOUSNESS PR-MULT SITES, EDEMA |) | 1 1 1 1 | | |

ENROFLOXACIN UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 7 | 13 | 12 | 8 | |
| Sign | | Sum Reacted | Percent | |
| VOMITING, BLOODY | | 2 | 17 | |
| ANEMIA | | 1 | 8 | |
| ATAXIA | | 1 | 8 | |
| HYPERSALIVATION | | 1 | 8 | |
| HYPOTHERMIA, BODY | | 1 | 8 | |
| INJ SITE MASS | | 1 | 8 | |
| LEG DISORDER | | 1 | 8 | |
| PLATELETS LO, BLD | | 1 | 8 | |
| VOMITING | | 1 | 8 | |

ENROFLOXACIN UNKNOWN, HORSE

| Reviews | Treated | Reacted | Died |
|------------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| ANAPHYLAXIS/TOID | | 1 | 100 |
| CONGESTION | | 1 | 100 |
| EDEMA, HEAD/FACE | | 1 | 100 |

ENROFLOXACIN UNKNOWN, HUMAN

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 2 | 2 | 2 | 0 |
| Sign | | Sum Reacted | Percent |
| INJ SITE BLD | | 1 | 50 |
| INJ SITE PAIN | | 1 | 50 |

ENROFLOXACIN UNKNOWN, VARIOUS

| Reviews | Treated | Reacted | Died |
|----------|---------|-------------|---------|
| 1 | 5 | 5 | 0 |
| Sign | | Sum Reacted | Percent |
| LAMENESS | | 5 | 100 |

ENROFLOXACIN VARIOUS, CAT

| Reviews | Treated | Reacted | Died | |
|-------------------------|---------|-------------|---------|--|
| 8 | 8 | 8 | 1 | |
| Sign | | Sum Reacted | Percent | |
| MYDRIASIS | | 5 | 63 | |
| BLINDNESS | | 3 | 38 | |
| BLINDNESS, PARTIAL | | 3 | 38 | |
| PUPIL(S), AREFLEXIA | | 3 | 38 | |
| RETINA ABN | | 3 | 38 | |
| AGGRESSION | | 1 | 13 | |
| BEHAVIOR DISORDER | | 1 | 13 | |
| BLINDNESS, TEMP | | 1 | 13 | |
| CATARACT(S) | | 1 | 13 | |
| DEFECATION | | 1 | 13 | |
| ERG ABN | | 1 | 13 | |
| HYPERACTIVITY | | 1 | 13 | |
| NEUROLOGICAL DISORDER | | 1 | 13 | |
| PR- RETINA(S), LESION(S |) | 1 | 13 | |
| REFLEX(ES) ABN | | 1 | 13 | |
| URINATION | | 1 | 13 | |
| VISION DISORDER | | 1 | 13 | |
| VOCALIZATION | | 1 | 13 | |

ENROFLOXACIN

ENROFLOXACIN VARIOUS, DOG

| Reviews | Treated | Reacted | Died | |
|-----------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HYPERSALIVATION | | 2 | 67 | |
| INJ SITE MASS | | 1 | 33 | |

ENROFLOXACIN, SILVER SULFADIAZINE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 21 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-APPLICATOR, ABN | | 0 | |
| PD-CAP(S), ABN | | 0 | |
| PD-DEFECT UNKNOWN | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-SOLUTION, ABN | | 0 | |
| PD-SUSPENSION, ABN | | 0 | |
| PD-UNDERFILL, VIAL(S) | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |

ENROFLOXACIN, SILVER SULFADIAZINE OPHTHALMIC, DOG

| Reviews | Treated | Reacted | Died | |
|--------------------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| <pre>IRRITATION, EYE(S)/</pre> | LID | 1 | 100 | |
| PAIN, EYE(S)/LID(S) | | 1 | 100 | |
| | | | | |

ENROFLOXACIN, SILVER SULFADIAZINE TOPICAL, CAT

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 8 | 8 | 8 | 0 |
| Sign | | Sum Reacted | Percent |
| SHAKING, HEAD/FACE | | 3 | 38 |

ENROFLOXACIN, SILVER SULFADIAZINE TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|-------------------------------|---------|-------------|---------|--|
| 8 | 8 | 8 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 13 | |
| ANOREXIA | | 1 | 13 | |
| APPLICATION SITE ERYTHE | MA | 1 | 13 | |
| APPLICATION SITE PAIN | | 1 | 13 | |
| ATAXIA | | 1 | 13 | |
| CONGESTION, EAR(S) | | 1 | 13 | |
| CONGESTION, SKIN | | 1 | 13 | |
| DEAFNESS | | 1 | 13 | |
| DEPRESSION/LETHARGY | | 1 | 13 | |
| DYSPNEA | | 1 | 13 | |
| EDEMA, HEAD/FACE | | 1 | 13 | |
| <pre>IRRITATION, EAR(S)</pre> | | 1 | 13 | |
| MYDRIASIS | | 1 | 13 | |
| TACHYCARDIA | | 1 | 13 | |

ENROFLOXACIN, SILVER SULFADIAZINE TOPICAL, DOG

| Reviews | Treated | Reacted | Died |
|-------------------------------|---------|-------------|---------|
| 81 | 149 | 96 | 0 |
| Sign | | Sum Reacted | Percent |
| CONGESTION, EAR(S) | | 42 | 44 |
| <pre>IRRITATION, EAR(S)</pre> | | 20 | 21 |
| APPLICATION SITE ERY | THEMA | 18 | 19 |
| APPLICATION SITE IN | FLAM | 9 | 9 |
| DEAFNESS | | 9 | 9 |
| APPLICATION SITE PA | IN | 7 | 7 |
| DEAFNESS, PARTIAL | | 7 | 7 |
| INFLAM, SKIN | | 7 | 7 |
| ULCER(S), EAR(S) | | 7 | 7 |
| INEFFECT, ANTIBIOTIC | | 6 | 6 |
| PRURITIS, EAR(S) | | 6 | 6 |
| SWELLING, EAR(S) | | 6 | 6 |
| CONGESTION, SKIN | | 5 | 5 |
| INFLAM | | 5 | 5 |
| DISCOMFORT | | 4 | 4 |
| INEFFECT | | 4 | 4 |
| VESICLE(S)/BULLAE, S | SKI | 4 | 4 |
| DISCHARGE, EAR(S) | | 3 | 3 |

ENROFLOXACIN, SILVER SULFADIAZINE TOPICAL, DOG

| Reviews | Treated | Reacted | Died | |
|-------------------------|---------|-------------|---------|--|
| 81 | 149 | 96 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PAIN | | 3 | 3 | |
| BLD, EAR(S) | | 2 | 2 | |
| EDEMA, HEAD/FACE | | 2 | 2 | |
| PAIN, HEAD/FACE | | 2 | 2 | |
| PRURITIS | | 2 | 2 | |
| URTICARIA | | 2 | 2 | |
| APPLICATION SITE PRURIT | IS | 1 | 1 | |
| APPLICATION SITE SWELLI | NG | 1 | 1 | |
| CONGESTION | | 1 | 1 | |
| DEAFNESS, TEMP | | 1 | 1 | |
| DEPRESSION/LETHARGY | | 1 | 1 | |
| DYSPNEA | | 1 | 1 | |
| EAR DISORDER | | 1 | 1 | |
| EDEMA | | 1 | 1 | |
| FEVER, BODY | | 1 | 1 | |
| HYPERPIGMENTATION, SKI | | 1 | 1 | |
| IRRITATION, SKIN | | 1 | 1 | |
| OTITIS | | 1 | 1 | |
| PAPULE(S) | | 1 | 1 | |
| PUSTULE(S) | | 1 | 1 | |
| SCALE(S), SKIN | | 1 | 1 | |
| SKIN, NECROSIS | | 1 | 1 | |
| SORE(S) | | 1 | 1 | |
| TREMBLING | | 1 | 1 | |
| TYMPANIC MEM, RUPTURED | | 1 | 1 | |
| VESTIBULAR DISORDER | | 1 | 1 | |

EPRINOMECTIN DEFECT, NOT APPLICABLE

| Reviews 7 | Treated 0 | Reacted 0 | Died 0 |
|-----------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-CAP(S), ABN | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| PD-UNDERFILL, VIAL(S) | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |

EPRINOMECTIN MISSING, DOG

| Reviews 1 | Treated 1 | Reacted 1 | Died 1 |
|---------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| CIRCLING | | 1 | 100 |
| DEPRESSION/LETHARGY | | 1 | 100 |
| HEAD PRESSING | | 1 | 100 |
| UNCONSCIOUS | | 1 | 100 |
| | | | |

EPRINOMECTIN ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ALK PHOS HI, BLD | | 1 | 100 | |
| ANEMIA, REGEN | | 1 | 100 | |
| ANOREXIA | | 1 | 100 | |
| ICTERUS, BODY | | 1 | 100 | |
| LIVER FAILURE | | 1 | 100 | |
| SGOT/AST HI, BLD | | 1 | 100 | |
| SGPT/ALT HI, BLD | | 1 | 100 | |
| UROBILINOGEN HI, | URINE | 1 | 100 | |
| VOMITING | | 1 | 100 | |

EPRINOMECTIN ORAL, CATTLE

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 2 | 13 | 3 | 3 |
| Sign | | Sum Reacted | Percent |

EPRINOMECTIN ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|-----------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BLINDNESS | | 1 | 100 | |
| HYPERSALIVATION | | 1 | 100 | |
| MYDRIASIS | | 1 | 100 | |

EPRINOMECTIN ORAL, HORSE

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| PAIN, ABDOMEN | | 1 | 100 |

EPRINOMECTIN TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died |
|----------------------------------|---------|-------------|---------|
| 16 | 1476 | 539 | 32 |
| Sign | | Sum Reacted | Percent |
| <pre>INEFFECT, PARASITE(S)</pre> | | 250 | 46 |
| ANOREXIA | | 210 | 39 |
| UDDER, HYPOGALACTIA | | 210 | 39 |
| INFLAM, SKIN | | 31 | 6 |
| ALOPECIA | | 30 | 6 |
| HYPERPIGMENTATION, SKI | | 30 | 6 |
| ULCER(S), SKIN | | 30 | 6 |
| ILL | | 25 | 5 |
| INEFFECT, LICE SUCKING | | 10 | 2 |
| PRURITIS | | 10 | 2 |
| RECUMBENCY | | 5 | 1 |
| ATAXIA | | 3 | 1 |
| ANAPHYLAXIS/TOID | | 2 | |
| COLLAPSE | | 2 | |
| DYSPNEA | | 2 | |
| HYPERSALIVATION | | 2 | |
| WEAKNESS | | 2 | |
| BLINDNESS | | 1 | |
| CONFUSION | | 1 | |
| DEPRESSION/LETHARGY | | 1 | |
| DISCHARGE, NOSE | | 1 | |
| DISSOCIATION | | 1 | |
| EFFUSION, PLEURAL | | 1 | |
| ENTERITIS | | 1 | |
| INEFFECT, STRONGYLES | | 1 | |
| PR-SM INTEST, LESION(S |) | 1 | |

EPRINOMECTIN
TOPICAL, HUMAN

EPRINOMECTIN TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 8 | 8 | 8 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PAIN, ABDOMEN | | 2 | 25 | |
| RASH | | 2 | 25 | |
| CONVULSION(S) | | 1 | 13 | |
| DISTENTION, ABDOMEN | | 1 | 13 | |
| DIZZINESS | | 1 | 13 | |
| FEVER, BODY | | 1 | 13 | |
| FLATULENCE | | 1 | 13 | |
| HEADACHE | | 1 | 13 | |
| HYPOESTHESIA | | 1 | 13 | |
| IRRITATION, SKIN | | 1 | 13 | |
| MENSES, ABNORMAL | | 1 | 13 | |
| PAIN, JOINT(S) | | 1 | 13 | |
| PRURITIS | | 1 | 13 | |
| SYNCOPE | | 1 | 13 | |
| TREMBLING | | 1 | 13 | |
| UNCONSCIOUS | | 1 | 13 | |

EPRINOMECTIN UNKNOWN, DOG

| Reviews 1 | Treated 1 | Reacted 1 | Died 0 | |
|-----------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 1 | 100 | |
| BLINDNESS, TEMP | | 1 | 100 | |
| MYDRIASIS | | 1 | 100 | |

EPSIPRANTEL MISSING, DOG

| Reviews | Treated | Reacted | Died |
|------------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA | | 1 | 100 |
| DIARRHEA, MUCOID | | 1 | 100 |
| VOMITING | | 1 | 100 |

EPSIPRANTEL ORAL, CAT

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 65 | 103 | 99 | 8 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, TAPES | | 59 | 60 |
| DEPRESSION/LETHARGY | | 10 | 10 |
| ANOREXIA | | 6 | 6 |
| ATAXIA | | 6 | 6 |
| VOMITING | | 5 | 5 |
| CONVULSION(S) | | 3 | 3 |
| HYPERSALIVATION | | 3 | 3 |
| ANEMIA | | 2 | 2 |
| DEFECATION | | 2 | 2 |
| DIARRHEA, BLOODY | | 2 | 2 |
| DYSPNEA | | 2 | 2 |
| FEVER, BODY | | 2 | 2 |
| HEMATOCHEZIA | | 2 | 2 |
| HYPERACTIVITY | | 2 | 2 |
| RECUMBENCY | | 2 | 2 |
| TREMBLING | | 2 | 2 |
| TWITCH | | 2 | 2 |
| WBC LO, BLD | | 2 | 2 |
| ADIPSIA | | 1 | 1 |
| APPREHENSION | | 1 | 1 |
| BEHAVIOR DISORDER | | 1 | 1 |
| BILIRUBIN(TOT) HI, BLD | | 1 | 1 |
| DEHYDRATION | | 1 | 1 |
| EDEMA, LUNG(S)/TRACHEA | | 1 | 1 |
| GAGGING | | 1 | 1 |
| HEAD TILT | | 1 | 1 |
| HEMOGLOBIN, URINE | | 1 | 1 |
| HIDING | | 1 | 1 |
| HYPERESTHESIA | | 1 | 1 |
| HYPOTHERMIA | | 1 | 1 |
| ICTERUS, SERUM | | 1 | 1 |
| LYMPHS HI, BLD | | 1 | 1 |
| MYDRIASIS | | 1 | 1 |
| NAUSEA | | 1 | 1 |
| OPISTHOTONOS | | 1 | 1 |
| POLYPNEA | | 1 | 1 |
| PR-LIVER, LESION(S) | | 1 | 1 |
| PR-MULT SITES, BLD | | 1 | 1 |
| STOOL, MUCOID | | 1 | 1 |
| WEAKNESS | | 1 | 1 |

EPSIPRANTEL ORAL, DOG

| Sign | Reviews | Treated | Reacted | Died |
|--|------------------------|---------|-------------|---------|
| INEFFECT, TAPES | 121 | 296 | 261 | 8 |
| INEFFECT, TAPES | Sign | | Sum Reacted | Percent |
| DIARRHEA 10 4 DEPRESSION/LETHARGY 9 3 CONVULSION(S) 6 2 ANOREXIA 5 2 DIARRHEA, BLOODY 5 2 ATAXIA 2 1 BUN HI, BLD 2 1 DIARRHEA, SEVERE 2 1 EDEMA, HEAD/FACE 2 1 HYPERSALIVATION 2 1 WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 1 COLLAPSE 1 1 CREATININE HI, BLD 1 ENLARGEMENT, LYMPH NOD 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 COTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MYDRIASIS 1 POLYPNEA 1 POLYPNEA 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | | | 216 | 83 |
| DEPRESSION/LETHARGY 9 3 CONVULSION(S) 6 2 ANOREXIA 5 2 DIARRHEA, BLOODY 5 2 ATAXIA 2 1 BUN HI, BLD 2 1 DIARRHEA, SEVERE 2 1 EDEMA, HEAD/FACE 2 1 HYPERSALIVATION 2 1 URTICARIA 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 COLLAPSE 1 CREATININE HI, BLD 1 ENHARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MMELENA 1 MYDRIASIS 1 POLYPNEA 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 STOOL, MUCOID 1 I STIFFNESS, NECK 5 1 STOOL, MUCOID 1 ENDARGEMENT I STORM 1 STOOL MUCOID 1 STIFFNESS, NECK 5 1 ATAXIA 2 2 1 A 2 2 1 A 3 3 A 4 5 5 5 2 A 5 6 6 2 A 5 7 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 2 A 5 7 6 6 6 6 6 2 A 5 7 6 6 6 6 6 2 A 5 7 6 6 6 6 6 6 6 A 5 7 6 6 6 6 6 6 A 5 7 6 6 6 6 6 A 5 7 6 6 6 6 6 A 5 7 6 6 6 6 A 5 7 6 6 6 6 A 5 7 6 6 6 6 A 5 7 6 6 6 A 5 7 6 6 6 A 5 7 6 6 6 A 5 7 6 6 6 A 5 7 6 6 6 A 5 7 6 6 6 A 5 7 6 6 6 A 5 7 6 6 6 A 5 7 6 7 6 A 6 7 6 7 6 A 7 7 6 7 6 A 7 7 7 6 A 7 7 7 7 7 7 A 7 7 7 7 7 A 7 7 7 7 A 7 7 7 7 | VOMITING | | 25 | 10 |
| CONVULSION(S) 6 2 ANOREXIA 5 2 DIARRHEA, BLOODY 5 2 ATAXIA 2 1 BUN HI, BLD 2 1 DIARRHEA, SEVERE 2 1 EDEMA, HEAD/FACE 2 1 HYPERSALIVATION 2 1 URTICARIA 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 COLLAPSE 1 CREATININE HI, BLD 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MMELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | DIARRHEA | | 10 | 4 |
| ANOREXIA 5 2 DIARRHEA, BLOODY 5 2 ATAXIA 2 1 BUN HI, BLD 2 1 DIARRHEA, SEVERE 2 1 EDEMA, HEAD/FACE 2 1 HYPERSALIVATION 2 1 WEAKNESS 2 1 BLILIRUBIN(TOT) HI, BLD 1 BLOAT 2 1 COLLAPSE 1 1 CREATININE HI, BLD 1 DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 5 STOOL, MUCOID 1 | DEPRESSION/LETHARGY | | 9 | 3 |
| DIARRHEA, BLOODY 5 2 ATAXIA 2 1 BUN HI, BLD 2 1 DIARRHEA, SEVERE 2 1 EDEMA, HEAD/FACE 2 1 HYPERSALIVATION 2 1 URTICARIA 2 1 WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 CCLAPSE 1 CREATININE HI, BLD 1 DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | CONVULSION(S) | | 6 | 2 |
| ATAXIA 2 1 1 BUN HI, BLD 2 1 1 DIARRHEA, SEVERE 2 1 1 EDEMA, HEAD/FACE 2 1 1 HYPERSALIVATION 2 1 1 URTICARIA 2 1 1 WEAKNESS 2 1 1 BILIRUBIN(TOT) HI, BLD 1 1 BLOAT 1 1 COLLAPSE 1 1 CREATININE HI, BLD 1 1 ENLARGEMENT, LYMPH NOD 1 1 ENLARGEMENT, LYMPH NOD 1 1 FEVER, BODY 1 1 CTERUS 1 1 KIDNEY VALUES HI, BLD 1 1 LIVER ENZYMES HI, BLD 1 1 LIVER ENZYMES HI, BLD 1 1 MELENA 1 1 MYDRIASIS 1 1 POLYPNEA 1 1 PROPRIOCEPTIVE DISORDE 1 1 STIFFNESS, NECK 1 1 STOOL, MUCOID 1 1 | ANOREXIA | | 5 | 2 |
| BUN HI, BLD DIARRHEA, SEVERE 2 1 EDEMA, HEAD/FACE 4 2 1 HYPERSALIVATION 2 1 URTICARIA WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD BLOAT COLLAPSE CREATININE HI, BLD DEHYDRATION 1 ENLARGEMENT, LYMPH NOD FEVER, BODY ICTERUS KIDNEY VALUES HI, BLD LIVER ENZYMES HI, BLD MELENA MYDRIASIS POLYPNEA PR-LUNG(S), LESION(S) PROPRIOCEPTIVE DISORDE STIFFNESS, NECK STOOL, MUCOID 1 1 1 1 1 1 1 1 1 1 1 1 1 | DIARRHEA, BLOODY | | 5 | 2 |
| DIARRHEA, SEVERE 2 1 EDEMA, HEAD/FACE 2 1 HYPERSALIVATION 2 1 URTICARIA 2 1 WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 COLLAPSE 1 CREATININE HI, BLD 1 DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | ATAXIA | | 2 | 1 |
| EDEMA, HEAD/FACE 2 1 HYPERSALIVATION 2 1 URTICARIA 2 1 WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 COLLAPSE 1 CREATININE HI, BLD 1 DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | BUN HI, BLD | | 2 | 1 |
| HYPERSALIVATION 2 1 URTICARIA 2 1 WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 COLLAPSE 1 CREATININE HI, BLD 1 DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | DIARRHEA, SEVERE | | 2 | 1 |
| URTICARIA 2 1 WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 COLLAPSE 1 CREATININE HI, BLD 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | EDEMA, HEAD/FACE | | 2 | 1 |
| WEAKNESS 2 1 BILIRUBIN(TOT) HI, BLD 1 BLOAT 1 COLLAPSE 1 CREATININE HI, BLD 1 DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | HYPERSALIVATION | | 2 | 1 |
| BILIRUBIN(TOT) HI, BLD BLOAT COLLAPSE 1 CREATININE HI, BLD DEHYDRATION ENLARGEMENT, LYMPH NOD FEVER, BODY 1 ICTERUS KIDNEY VALUES HI, BLD LIVER ENZYMES HI, BLD MELENA MYDRIASIS POLYPNEA PR-LUNG(S), LESION(S) PROPRIOCEPTIVE DISORDE STIFFNESS, NECK STOOL, MUCOID 1 1 1 1 1 1 1 1 1 1 1 1 1 | URTICARIA | | 2 | 1 |
| BLOAT COLLAPSE CREATININE HI, BLD DEHYDRATION ENLARGEMENT, LYMPH NOD FEVER, BODY ICTERUS KIDNEY VALUES HI, BLD LIVER ENZYMES HI, BLD MELENA MYDRIASIS POLYPNEA PR-LUNG(S), LESION(S) PROPRIOCEPTIVE DISORDE STIFFNESS, NECK STOOL, MUCOID 1 1 CREATININE HI, BLD 1 1 1 1 1 1 1 1 1 1 1 1 1 | WEAKNESS | | 2 | 1 |
| COLLAPSE 1 CREATININE HI, BLD 1 DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | BILIRUBIN(TOT) HI, BLD |) | 1 | |
| CREATININE HI, BLD DEHYDRATION ENLARGEMENT, LYMPH NOD FEVER, BODY ICTERUS KIDNEY VALUES HI, BLD LIVER ENZYMES HI, BLD MELENA MYDRIASIS POLYPNEA PR-LUNG(S), LESION(S) PROPRIOCEPTIVE DISORDE STIFFNESS, NECK 1 CREATININE HI, BLD 1 1 1 1 1 1 1 1 1 1 1 1 1 | BLOAT | | 1 | |
| DEHYDRATION 1 ENLARGEMENT, LYMPH NOD 1 FEVER, BODY 1 ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | COLLAPSE | | 1 | |
| ENLARGEMENT, LYMPH NOD FEVER, BODY ICTERUS KIDNEY VALUES HI, BLD LIVER ENZYMES HI, BLD MELENA MYDRIASIS POLYPNEA PR-LUNG(S), LESION(S) PROPRIOCEPTIVE DISORDE STIFFNESS, NECK STOOL, MUCOID 1 | CREATININE HI, BLD | | 1 | |
| FEVER, BODY ICTERUS KIDNEY VALUES HI, BLD LIVER ENZYMES HI, BLD MELENA MYDRIASIS 1 POLYPNEA POLYPNEA PROPRIOCEPTIVE DISORDE STIFFNESS, NECK STOOL, MUCOID 1 1 1 1 1 1 1 1 1 1 1 1 1 | DEHYDRATION | | 1 | |
| ICTERUS 1 KIDNEY VALUES HI, BLD 1 LIVER ENZYMES HI, BLD 1 MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | ENLARGEMENT, LYMPH NOD |) | 1 | |
| KIDNEY VALUES HI, BLD LIVER ENZYMES HI, BLD MELENA MYDRIASIS POLYPNEA 1 PR-LUNG(S), LESION(S) PROPRIOCEPTIVE DISORDE STIFFNESS, NECK 1 STOOL, MUCOID 1 1 | FEVER, BODY | | 1 | |
| LIVER ENZYMES HI, BLD MELENA MYDRIASIS 1 POLYPNEA PROPRIOCEPTIVE DISORDE STIFFNESS, NECK STOOL, MUCOID 1 1 1 1 1 1 1 1 1 1 1 1 1 | ICTERUS | | 1 | |
| MELENA 1 MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | KIDNEY VALUES HI, BLD | | 1 | |
| MYDRIASIS 1 POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | LIVER ENZYMES HI, BLD | | 1 | |
| POLYPNEA 1 PR-LUNG(S), LESION(S) 1 PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | MELENA | | 1 | |
| PR-LUNG(S), LESION(S) PROPRIOCEPTIVE DISORDE STIFFNESS, NECK 1 STOOL, MUCOID 1 | MYDRIASIS | | 1 | |
| PROPRIOCEPTIVE DISORDE 1 STIFFNESS, NECK 1 STOOL, MUCOID 1 | POLYPNEA | | 1 | |
| STIFFNESS, NECK 1 STOOL, MUCOID 1 | PR-LUNG(S), LESION(S) | | 1 | |
| STOOL, MUCOID 1 | PROPRIOCEPTIVE DISORDE | | 1 | |
| · | STIFFNESS, NECK | | 1 | |
| SWELLING, HEAD/FACE 1 | STOOL, MUCOID | | 1 | |
| | SWELLING, HEAD/FACE | | 1 | |

EPSIPRANTEL ORAL, HUMAN

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 3 | 3 | 3 | 0 |
| Sign | | Sum Reacted | Percent |

UDDER, PAIN

EPSIPRANTEL ORAL, HUMAN

| | | -, | | |
|-----------------------|-----------|--------------------------|---------------|--|
| Reviews | Treated | Reacted | Died | |
| 3 | 3 | 3 | 0 | |
| G. L. T. | | G D | D | |
| Sign HEADACHE | | Sum Reacted 1 | Percent 33 | |
| HUMAN EXPOSURE | | 1 | 33 | |
| PAIN, ABDOMEN | | 1 | 33 | |
| | | | | |
| | FDQ. | IPRANTEL | | |
| | | L, OTHER | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, TAPES | | 1 | 100 | |
| | | | | |
| | EPS: | IPRANTEL | | |
| | | , UNKNOWN | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 10 | 10 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, TAPES | | 10 | 100 | |
| | | | | |
| | ERYT | HROMYCIN | | |
| | DEFECT, N | OT APPLICABLE | | |
| Reviews | Treated | Reacted | Died | |
| 2 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-MISSING, LABEL(S) | | 0 | | |
| PD-UNDERFILL, VIAL(S) | | 0 | | |
| | | | | |
| | | HROMYCIN MARY, CATTLE | | |
| Reviews | Treated | Reacted | Died | |
| Keviews 5 | 24 | 24 | 1 | |
| | | | Da | |
| Sign | | Sum Reacted | Percent | |

12

50

ERYTHROMYCIN INTRAMAMMARY, CATTLE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 5 | 24 | 24 | 1 | |
| Sign | | Sum Reacted | Percent | |
| UDDER, MASTITIS | | 10 | 42 | |
| CONGESTION | | 9 | 38 | |
| INFLAMMATION, MAMMARY | | 6 | 25 | |
| FIBROSIS | | 3 | 13 | |
| UDDER, HARD | | 3 | 13 | |
| UDDER, HYPOGALACTIA | | 3 | 13 | |
| RESIDUE, MILK | | 2 | 8 | |

ERYTHROMYCIN PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|----------------|---------|-------------|---------|--|
| 2 | 4 | 4 | 4 | |
| Sign | | Sum Reacted | Percent | |
| CONVULSION(S) | | 3 | 75 | |
| DISTRESS, RESP | | 1 | 25 | |

ERYTHROMYCIN PARENTERAL, PIG

| Treated | Reacted | Died | |
|---------|-------------|----------------|----------------------------------|
| 275 | 150 | 150 | |
| | Sum Reacted | Percent 100 | |
| | | 275 150 | 275 150 150 Sum Reacted Percent |

ERYTHROMYCIN UNKNOWN, CATTLE

| Reviews | Treated | Reacted | Died |
|-------------------|---------|-------------|---------|
| 1 | 15 | 15 | 3 |
| Sign | | Sum Reacted | Percent |
| DYSPNEA | | 15 | 100 |
| FEVER, BODY | | 15 | 100 |
| INJ SITE SWELLING | | 15 | 100 |

ESTRADIOL ORAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|----------|---------|-------------|---------|--|
| 1 | 1147 | 50 | 19 | |
| Sign | | Sum Reacted | Percent | |
| PROLAPSE | | 50 | 100 | |

ESTRADIOL PARENTERAL, CATTLE

| Reviews 23 | Treated | Reacted 1102 | Died 42 |
|---------------------|---------|-----------------|------------|
| 23 | 5023 | 1102 | 42 |
| Sign | | Sum Reacted | Percent |
| ESTRUS BEHAVIOR | | 1005 | 91 |
| INJURY | | 406 | 37 |
| HYPERACTIVITY | | 285 | 26 |
| PROLAPSE, VAGINA | | 51 | 5 |
| PROLAPSE, RECTUM | | 45 | 4 |
| PROLAPSE, UTERUS | | 31 | 3 |
| TECH ERROR, IMPLANT | | 15 | 1 |

ESTRADIOL, NORGESTOMET PARENTERAL, CATTLE

| Reviews 8 | Treated 182 | Reacted 65 | Died O | |
|-----------------------|----------------|---------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| ESTRUS TOO SOON | | 31 | 48 | |
| INEFFECT | | 15 | 23 | |
| REPRODUCTION DISORDER | | 10 | 15 | |
| ESTRUS CYCLE ABNORMAL | | 9 | 14 | |
| ABORTION | | 5 | 8 | |
| ESTRUS BEHAVIOR | | 5 | 8 | |

ESTRADIOL, NORGESTOMET VARIOUS, CATTLE

| Reviews | Treated | Reacted | Died |
|-----------------|---------|-------------|---------|
| 28 | 1295 | 351 | 0 |
| Sign | | Sum Reacted | Percent |
| INEFFECT | | 259 | 74 |
| ESTRUS TOO SOON | | 215 | 61 |

ESTRADIOL, NORGESTOMET VARIOUS, CATTLE

| Reviews | Treated | Reacted | Died | |
|----------------------|---------|-------------|---------|--|
| 28 | 1295 | 351 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ESTRUS BEHAVIOR | | 112 | 32 | |
| INEFFECT, ESTRUS SUP | PPR | 90 | 26 | |

ESTRADIOL, PROGESTERONE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 32 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-APPLICATOR, ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-CONTAM, MOLD | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-IMPLANT, ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| | | | |

ESTRADIOL, PROGESTERONE PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 21 | 30820 | 2917 | 4 |
| Sign | | Sum Reacted | Percent |
| ESTRUS BEHAVIOR | | 2372 | 81 |
| AGGRESSION | | 2280 | 78 |
| ENLARGEMENT(S) | | 240 | 8 |
| UDDER, SWELLING | | 240 | 8 |
| SWELLING, PREPUCE | | 90 | 3 |
| PD-IMPLANT, ABN | | 50 | 2 |
| HYPERSALIVATION | | 46 | 2 |
| NERVOUSNESS | | 44 | 2 |
| POLYPNEA | | 44 | 2 |
| RECUMBENCY | | 44 | 2 |
| SWELLING, EYE(S)/LI | D(S | 44 | 2 |
| UDDER, AGALACTIA | | 30 | 1 |
| REPRODUCTION DISORD | ER | 29 | 1 |
| ANAPHYLAXIS/TOID | | 23 | 1 |
| ESTRUS CYCLE ABNORM | AL | 21 | 1 |
| | | | |

ESTRADIOL, PROGESTERONE PARENTERAL, CATTLE

| Reviews 21 | Treated 30820 | Reacted 2917 | Died 4 | |
|--------------------|------------------|-----------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| UDDER, MASTITIS | | 16 | 1 | |
| ESTRUS | | 15 | 1 | |
| PROLAPSE, PREPUCE | | 14 | | |
| BLD, VAGINA | | 8 | | |
| FERTILITY, LACK OF | | 8 | | |
| INJURY | | 7 | | |
| PROLAPSE | | 7 | | |
| LABOR, PREMATURE | | 6 | | |
| COLLAPSE | | 1 | | |
| DISTRESS, RESP | | 1 | | |
| HYPERPNEA | | 1 | | |
| INJ SITE SWELLING | | 1 | | |
| STAGGERING | | 1 | | |
| | | | | |

ESTRADIOL, PROGESTERONE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| BLD, VAGINA | | 1 | 100 | |

ESTRADIOL, TESTOSTERONE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 17 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-IMPLANT, ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |

ESTRADIOL, TESTOSTERONE PARENTERAL, CATTLE

ESTRADIOL, TESTOSTERONE PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 14 | 9043 | 432 | 27 | |
| Sign | | Sum Reacted | Percent | |
| PROLAPSE, VAGINA | | 274 | 63 | |
| UDDER, SWELLING | | 100 | 23 | |
| FERTILITY, REDUCED | | 80 | 19 | |
| PROLAPSE, RECTUM | | 66 | 15 | |
| ESTRUS BEHAVIOR | | 42 | 10 | |
| PD-IMPLANT, ABN | | 25 | 6 | |
| UDDER, ABN | | 20 | 5 | |
| HYPERPNEA | | 7 | 2 | |
| HYPERSALIVATION | | 7 | 2 | |
| INJURY | | 7 | 2 | |
| STAGGERING | | 7 | 2 | |
| APPLICATION SITE SWEL | LING | 4 | 1 | |
| RECUMBENCY | | 4 | 1 | |
| SWELLING, EAR(S) | | 4 | 1 | |
| SWELLING, HEAD/FACE | | 4 | 1 | |
| | | | | |

ESTRADIOL, TRENBOLONE DEFECT, NOT APPLICABLE

| Reviews 15 | Treated 0 | Reacted 0 | Died 0 |
|------------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-IMPLANT, ABN | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |

ESTRADIOL, TRENBOLONE PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died |
|------------------|---------|-------------|---------|
| 13 | 3796 | 706 | 4 |
| Sign | | Sum Reacted | Percent |
| ESTRUS BEHAVIOR | | 320 | 45 |
| DYSPNEA | | 274 | 39 |
| ANAPHYLAXIS/TOID | | 254 | 36 |

ESTRADIOL, TRENBOLONE PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 13 | 3796 | 706 | 4 | |
| Sign | | Sum Reacted | Percent | |
| FROTH, MOUTH/LIP(S) | | 224 | 32 | |
| PD-COLOR, ABN | | 120 | 17 | |
| INJ SITE ABSCESS | | 102 | 14 | |
| PD-CONTAINER(S), ABN | | 90 | 13 | |
| AGGRESSION | | 30 | 4 | |
| DIFFICULTY RISING | | 30 | 4 | |
| EDEMA, LUNG(S)/TRACHEA | | 30 | 4 | |
| RECUMBENCY | | 30 | 4 | |
| INJ SITE ABN | | 22 | 3 | |
| SWELLING, EYE(S)/LID(S | | 20 | 3 | |
| INJ SITE SWELLING | | 12 | 2 | |

ESTRADIOL, TRENBOLONE UNKNOWN, CATTLE

| Reviews | Treated | Reacted | Died | |
|----------|---------|-------------|---------|--|
| 1 | 260 | 6 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 6 | 100 | |
| POLYPNEA | | 6 | 100 | |

ETODOLAC DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 59 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-CAP(S), ABN | | 0 | |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), AB | N | 0 | |
| PD-CONTAINER(S), DA | MAG | 0 | |
| PD-CONTAMINATION | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-MISSING, LABEL(S |) | 0 | |
| PD-ODOR, ABN | | 0 | |
| PD-POTENCY, LO | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-SEAL, ABN | | 0 | |
| | | | |

ETODOLAC DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 59 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-TABLET(S), ABN | | 0 | | |
| PD-UNDERFILL, PACKAGE | | 0 | | |
| PD-UNDERFILL, VIAL(S) | | 0 | | |
| PD-VIAL(S), DAMAGED | | 0 | | |
| PD-VIAL(S), LEAKING | | 0 | | |

ETODOLAC MISSING, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 10 | 10 | 10 | 1 | |
| Sign | | Sum Reacted | Percent | |
| KERATOCONJUNCTIVITIS S | | 4 | 40 | |
| ALK PHOS HI, BLD | | 1 | 10 | |
| ANEMIA | | 1 | 10 | |
| BILIRUBIN(TOT) HI, BLD | | 1 | 10 | |
| CONFUSION | | 1 | 10 | |
| DEPRESSION/LETHARGY | | 1 | 10 | |
| DIARRHEA | | 1 | 10 | |
| DYSURIA | | 1 | 10 | |
| ENLARGEMENT, LYMPH NOD | | 1 | 10 | |
| ENTERITIS | | 1 | 10 | |
| ICTERUS | | 1 | 10 | |
| INFLAM, SKIN | | 1 | 10 | |
| LIVER DISORDER | | 1 | 10 | |
| LIVER ENZYMES HI, BLD | | 1 | 10 | |
| RECUMBENCY | | 1 | 10 | |
| SGPT/ALT HI, BLD | | 1 | 10 | |
| STRANGURIA | | 1 | 10 | |
| VOMITING | | 1 | 10 | |

ETODOLAC ORAL, CAT

| Reviews | Treated | Reacted | Died |
|--------------|---------|-------------|---------|
| 4 | 4 | 4 | 1 |
| Sign | | Sum Reacted | Percent |
| GI, ABNORMAL | | 1 | 25 |

ETODOLAC ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|----------|---------|-------------|---------|--|
| 4 | 4 | 4 | 1 | |
| Sign | | Sum Reacted | Percent | |
| TWITCH | | 1 | 25 | |
| VOMITING | | 1 | 25 | |

ETODOLAC ORAL, DOG

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 347 | 19 |
| DIARRHEA, BLOODY | | 298 | 17 |
| ANOREXIA | | 281 | 16 |
| KERATOCONJUNCTIVITIS | S | 261 | 14 |
| DIARRHEA | | 253 | 14 |
| DEPRESSION/LETHARGY | | 185 | 10 |
| ALK PHOS HI, BLD | | 169 | 9 |
| SGPT/ALT HI, BLD | | 163 | 9 |
| LIVER ENZYMES HI, BLD | | 111 | 6 |
| MELENA | | 99 | 5 |
| ANEMIA | | 98 | 5 |
| BILIRUBIN(TOT) HI, BL | D | 83 | 5 |
| POLYDIPSIA | | 74 | 4 |
| POLYURIA | | 63 | 3 |
| WBC HI, BLD | | 62 | 3 |
| PROTEIN(TOT) LO, BLD | | 60 | 3 |
| HEMATOCHEZIA | | 57 | 3 |
| PLATELETS LO, BLD | | 57 | 3 |
| ALBUMIN LO, BLD | | 51 | 3 |
| VOMITING, BLOODY | | 48 | 3 |
| BUN HI, BLD | | 45 | 2 |
| WEIGHT LOSS | | 45 | 2 |
| ICTERUS, BODY | | 44 | 2 |
| CONVULSION(S) | | 43 | 2 |
| INTERACTION, DRUG(S) | | 43 | 2 |
| INEFFECT, ANALGESIA | | 40 | 2 |
| CREATININE HI, BLD | | 38 | 2 |
| PR-LIVER, LESION(S) | | 37 | 2 |
| SGOT/AST HI, BLD | | 33 | 2 |
| WEAKNESS | | 31 | 2 |

ETODOLAC ORAL, DOG

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| ATAXIA | | 29 | 2 |
| FEVER, BODY | | 29 | 2 |
| BLD, URINE | | 26 | 1 |
| DIARRHEA, MILD | | 24 | 1 |
| DISCHARGE, EYE(S)/LI | D(S) | 22 | 1 |
| ICTERUS | D(D) | 21 | 1 |
| PALLOR, MUCOUS MEMBR | ΔN | 21 | 1 |
| POLYPNEA | | 20 | 1 |
| AMYLASE HI, BLD | | 19 | 1 |
| GGT HI, BLD | | 18 | 1 |
| US-LIVER ABN | | 18 | 1 |
| LIPASE HI, BLD | | 17 | 1 |
| NAUSEA | | 17 | 1 |
| ULCER(S), CORNEA(S) | | 17 | 1 |
| CONJUNCTIVITIS | | 16 | 1 |
| DYSPNEA | | 16 | 1 |
| GI, ABNORMAL | | 16 | 1 |
| DEHYDRATION | | 15 | 1 |
| EPISTAXIS | | 15 | 1 |
| FLATULENCE | | 15 | 1 |
| PAIN, ABDOMEN | | 15 | 1 |
| ALOPECIA | | 14 | 1 |
| DIARRHEA, SEVERE | | 14 | 1 |
| KIDNEY FAILURE | | 14 | 1 |
| CONFUSION | | 13 | 1 |
| LIVER DISORDER | | 13 | 1 |
| SPEC GRAVITY LO, URI | NE | 13 | 1 |
| ANEMIA, AUTOIMMUNE H | EM | 12 | 1 |
| BLD(PETECHIAE) | | 12 | 1 |
| DIARRHEA, WATERY | | 12 | 1 |
| INCONTINENCE, URINAR | Y | 12 | 1 |
| PROTEIN, URINE | | 12 | 1 |
| PRURITIS | | 12 | 1 |
| BILE ACIDS HI, BLD | | 11 | 1 |
| COAGULATION DISORDER | | 11 | 1 |
| DIARRHEA, MUCOID | | 11 | 1 |
| EDEMA, LIMB(S) | | 11 | 1 |
| GASTROENTERITIS | | 11 | 1 |
| HEPATITIS | | 11 | 1 |
| SEGS HI, BLD | | 11 | 1 |
| | | | |

ETODOLAC ORAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| AGGRESSION | | 10 | 1 |
| COLLAPSE | | 10 | 1 |
| ULCER(S), GI | | 10 | 1 |
| ULCER(S), STOMACH | | 10 | 1 |
| BILIRUBIN, URINE | | 9 | |
| GASTRITIS | | 9 | |
| HEPATOMEGALY | | 9 | |
| HYPERACTIVITY | | 9 | |
| INFLAM, SKIN | | 9 | |
| LIVER FAILURE | | 9 | |
| PR-KIDNEY(S), LESION(S | | 9 | |
| RECUMBENCY | | 9 | |
| TREMBLING | | 9 | |
| ASCITES | | 8 | |
| BEHAVIOR DISORDER | | 8 | |
| BLD, GI | | 8 | |
| GLOBULIN LO, BLD | | 8 | |
| HEAD TILT | | 8 | |
| P HI, BLD | | 8 | |
| RADIOGRAPH(S) ABN | | 8 | |
| URTICARIA | | 8 | |
| ANEMIA, REGEN | | 7 | |
| BLD(ECCHYMOSES) | | 7 | |
| GLUCOSE, URINE | | 7 | |
| KIDNEY VALUES HI, BLD | | 7 | |
| NERVOUSNESS | | 7 | |
| PAIN, EYE(S)/LID(S) | | 7 | |
| PR-STOMACH, LESION(S) | | 7 | |
| RELUCTANT TO MOVE | | 7 | |
| SEDATION | | 7 | |
| DISTENTION, ABDOMEN | | 6 | |
| PALLOR | | 6 | |
| STAGGERING | | 6 | |
| STOOL ABN | | 6 | |
| THYROID HORMONE(S) LO | | 6 | |
| URINATION ABN | | 6 | |
| WBC LO, BLD | | 6 | |
| ADIPSIA | | 5 | |
| APPREHENSION | | 5 | |
| DERMATITIS, MOIST | | 5 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| EDEMA, VENTRAL | | 5 | |
| INFECTION, URINARY TRA | | 5 | |
| KIDNEY DISORDER | | 5 | |
| PR-GI, LESION(S) | | 5 | |
| PROPRIOCEPTIVE DISORDE | | 5 | |
| STOOL, MUCOID | | 5 | |
| TACHYCARDIA | | 5 | |
| URINATION | | 5 | |
| BANDS HI, BLD | | 4 | |
| BLD | | 4 | |
| BLD, ABDOMEN | | 4 | |
| BLEPHAROSPASM | | 4 | |
| CA HI, BLD | | 4 | |
| CHOLESTEROL HI, BLD | | 4 | |
| CONSTIPATION | | 4 | |
| DEAFNESS | | 4 | |
| ENTERITIS | | 4 | |
| HYPERSALIVATION | | 4 | |
| HYPOTHERMIA, BODY | | 4 | |
| INFECTION, SKIN | | 4 | |
| LICKING | | 4 | |
| PANCREATITIS | | 4 | |
| PARESIS, HIND LIMB(S) | | 4 | |
| PHOTOPHOBIA | | 4 | |
| POLYCYTHEMIA | | 4 | |
| PR-PANCREAS, LESION(S) | | 4 | |
| PR-SM INTEST, LESION(S | | 4 | |
| RBC, NUCLEATED | | 4 | |
| SPLENOMEGALY | | 4 | |
| US ABN | | 4 | |
| VESTIBULAR DISORDER | | 4 | |
| BLD(HEMATOMA) | | 3 | |
| BLD, SKIN | | 3 | |
| BLINDNESS | | 3 | |
| BORBORYGMI | | 3 | |
| BUN LO, BLD | | 3 | |
| CASTS, URINE | | 3 | |
| CHEMISTRY ABN | | 3 | |
| COLITIS | | 3 | |
| CONGESTION, SKIN | | 3 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| COUGHING | | 3 | |
| CPK HI, BLD | | 3 | |
| DEHISCENCE | | 3 | |
| DIC | | 3 | |
| DIFFICULTY RISING | | 3 | |
| DISSOCIATION | | 3 | |
| EDEMA | | 3 | |
| EDEMA, HEAD/FACE | | 3 | |
| EDEMA, LUNG(S)/TRACHEA | | 3 | |
| GLUCOSE LO, BLD | | 3 | |
| HIDING | | 3 | |
| НҮРНЕМА | | 3 | |
| ICTERUS, SERUM | | 3 | |
| ILL | | 3 | |
| K HI, BLD | | 3 | |
| LYMPHS LO, BLD | | 3 | |
| MASS, ABDOMEN | | 3 | |
| NOCTURIA | | 3 | |
| NYSTAGMUS | | 3 | |
| PAIN | | 3 | |
| PANCREAS ENZYMES HI, B | | 3 | |
| PARALYSIS, FACIAL NERV | | 3 | |
| PR-SKIN, LESION(S) | | 3 | |
| PROTEIN(TOT) HI, BLD | | 3 | |
| SHAKING | | 3 | |
| SHOCK | | 3 | |
| STUPOR | | 3 | |
| ULCER(S), SKIN | | 3 | |
| ULCER(S), TONGUE | | 3 | |
| VOCALIZATION | | 3 | |
| ANAPHYLAXIS/TOID | | 2 | |
| ANEMIA, HEMOLYTIC | | 2 | |
| APNEA | | 2 | |
| AZOTEMIA | | 2 | |
| BILE ACIDS ABN, BLD | | 2 | |
| BILIRUBIN(DIR) HI, BLD | | 2 | |
| BLD, RECTUM | | 2 | |
| CARDIOMEGALY | | 2 | |
| CHOLESTEROL LO, BLD | | 2 | |
| CIRCLING | | 2 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| CONGESTION, EYE(S)/LID | | 2 | |
| CYANOSIS | | 2 | |
| DIARRHEA, PROJECTILE | | 2 | |
| EAR DISORDER | | 2 | |
| EFFUSION, PLEURAL | | 2 | |
| ELECTROLYTE DISORDER | | 2 | |
| EOSINOS HI, BLD | | 2 | |
| FLY BITING | | 2 | |
| FROTH, MOUTH/LIP(S) | | 2 | |
| GLOBULIN HI, BLD | | 2 | |
| HAIR, SHEDDING | | 2 | |
| HORNER'S SYNDROME | | 2 | |
| INCONTINENCE, FECAL | | 2 | |
| IRRITATION, EYE(S)/LID | | 2 | |
| LIVER PROFILE HI | | 2 | |
| MONOS HI, BLD | | 2 | |
| ODOR, MOUTH | | 2 | |
| OTITIS | | 2 | |
| PACING | | 2 | |
| PERFORATION, STOMACH | | 2 | |
| PERITONITIS | | 2 | |
| PR-COLON, LESION(S) | | 2 | |
| PR-HEART, LESION(S) | | 2 | |
| PR-SPLEEN, LESION(S) | | 2 | |
| PROLAPSE, THIRD EYELID | | 2 | |
| PRURITIS, EYE(S) | | 2 | |
| RETICULOCYTES HI, BLD | | 2 | |
| SALIVA, ABN | | 2 | |
| SKIN DISORDER | | 2 | |
| SKIN, CRUST(S) | | 2 | |
| SOMNOLENCE | | 2 | |
| SOUND ABN, VOICE | | 2 | |
| SWELLING, LIMB(S) | | 2 | |
| TOX | | 2 | |
| TRIGLYCERIDES HI, BLD | | 2 | |
| UREMIA | | 2 | |
| WBC, URINE | | 2 | |
| ABN COLOR, URINE | | 1 | |
| ALBUMIN HI, BLD | | 1 | |
| ANEMIA, BLD LOSS | | 1 | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| ARREST, HEART | | 1 | |
| ARRHYTHMIA | | 1 | |
| BEHAVOR DISORDER | | 1 | |
| BITING/CHEWING | | 1 | |
| BLD(PURPURA) | | 1 | |
| BLD, ABN | | 1 | |
| BLD, ANUS | | 1 | |
| BLD, EYE(S) | | 1 | |
| BLD, LUNG(S)/TRACHEA | | 1 | |
| BLD, MOUTH/LIP(S) | | 1 | |
| BLD, VAGINA | | 1 | |
| BLINDNESS, PARTIAL | | 1 | |
| BLINDNESS, TEMP | | 1 | |
| CALCULI, BLADDER | | 1 | |
| CNS INFARCT | | 1 | |
| COLITIS, ULCERATIVE | | 1 | |
| COLON, ABN | | 1 | |
| CONGESTION, EAR(S) | | 1 | |
| CONGESTION, PHARYNX | | 1 | |
| COOMBS TEST POS | | 1 | |
| COPROPHAGIA | | 1 | |
| CULTURE/TITER DATA ABN | | 1 | |
| DEAFNESS, PARTIAL | | 1 | |
| DEFECATION | | 1 | |
| DEMENTIA | | 1 | |
| DIABETES INSIPIDUS | | 1 | |
| DIABETES MELLITUS | | 1 | |
| DISCHARGE, EYE(S)/LID(| | 1 | |
| DISCHARGE, NOSE | | 1 | |
| DISCOMFORT | | 1 | |
| DYSPHAGIA | | 1 | |
| EDEMA, BRISKET/CHEST | | 1 | |
| EDEMA, LARYNX | | 1 | |
| EFFUSION, PERITONEAL | | 1 | |
| ELIMINATION ABN | | 1 | |
| ENLARGEMENT, LYMPH NOD | | 1 | |
| ERUPTION(S) | | 1 | |
| EYE DISORDER | | 1 | |
| FIBRINOGEN LO, BLD | | 1 | |
| GLUCOSE HI, BLD | | 1 | |
| | | | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|----------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| HEAD BOBBING | | 1 | 10100110 |
| HEAD PRESSING | | 1 | |
| HEALING IMPAIRED | | 1 | |
| HYPERADRENOCORTICISM | | 1 | |
| HYPERESTHESIA | | 1 | |
| HYPERSENSITIVE, SOUND | | 1 | |
| HYPOMOTILITY | | 1 | |
| HYPOTHERMIA | | 1 | |
| IMMUNE DISORDER | | 1 | |
| INEFFECT | | 1 | |
| INEFFECT, ANTIINFLAM | | 1 | |
| INFECTION, EYE(S) | | 1 | |
| INFECTION, FEET/DIGIT(| | 1 | |
| INSOMNIA | | 1 | |
| IRRITATION, ESOPHAGUS | | 1 | |
| IRRITATION, PHARYNX/TH | | 1 | |
| K LO, BLD | | 1 | |
| LAMENESS | | 1 | |
| LARYNGITIS | | 1 | |
| LESION(S), SKIN | | 1 | |
| LOCOMOTION DISORDER | | 1 | |
| LOSS OF CONDITION | | 1 | |
| LYMPHS HI, BLD | | 1 | |
| MICROORANISMS, URINE | | 1 | |
| MICROORGANISMS, URINE | | 1 | |
| MUCOUS MEMBR, MUDDY | | 1 | |
| MURMUR, HEART | | 1 | |
| MYDRIASIS | | 1 | |
| NA LO, BLD | | 1 | |
| NECROSIS | | 1 | |
| NEUROLOGICAL DISORDER | | 1 | |
| NYSTAGMUS, HORIZONTAL | | 1 | |
| OBSTRUCTION, LARYNX | | 1 | |
| ODOR, URINE | | 1 | |
| P LO, BLD | | 1 | |
| PAIN, BACK | | 1 | |
| PANCYTOPENIA | | 1 | |
| PAPULE(S) | | 1 | |
| PARESIS | | 1 | |
| PERFORATION, GI | | 1 | |
| FERFORALION, GI | | 1 | |

| Reviews | Treated | Reacted | Died |
|-------------------------|---------|-------------|---------|
| 1609 | 1950 | 1803 | 199 |
| Sign | | Sum Reacted | Percent |
| PHARYNGITIS | | 1 | |
| PHLEBITIS | | 1 | |
| PHOTOSENSITIZATION | | 1 | |
| PICA | | 1 | |
| PR-ADRENAL(S), LESION(S | 5) | 1 | |
| PR-BONE MARROW, LESION | | 1 | |
| PR-LUNG(S), EDEMA | | 1 | |
| PR-LUNG(S), LESION(S) | | 1 | |
| PR-MOUTH/LIP(S), LESIO | | 1 | |
| PR-MULT SITES, BLD | | 1 | |
| PR-MULT SITES, LESION(S | 5) | 1 | |
| PR-PERICARDIAL EFFUSIO | | 1 | |
| PR-PERITONEUM, LESION(| | 1 | |
| PR-SM INTEST, LESION(S) |) | 1 | |
| PT PROLONGED, BLD | | 1 | |
| PTT PROLONGED, BLD | | 1 | |
| PUPIL(S), AREFLEXIA | | 1 | |
| RASH | | 1 | |
| REACTION, UNSPECIFIED | | 1 | |
| REFLEX(ES) ABN | | 1 | |
| RELUCTANT TO CLIMB | | 1 | |
| RETICULOCYTES LO, BLD | | 1 | |
| SKIN, SCAB(S) | | 1 | |
| SNEEZING | | 1 | |
| SORE(S) | | 1 | |
| SPASM | | 1 | |
| SQUINTING | | 1 | |
| STIFFNESS | | 1 | |
| STIFFNESS, HIND LIMB(S | | 1 | |
| STRANGURIA | | 1 | |
| SWELLING, BRISKET/CHES | | 1 | |
| SWELLING, EAR(S) | | 1 | |
| SWELLING, EYE(S)/LID(S | | 1 | |
| SWELLING, HEAD/FACE | | 1 | |
| SWELLING, JOINT(S) | | 1 | |
| SWELLING, MULT SITES | | 1 | |
| SYNCOPE | | 1 | |
| TECH ERROR ADMINISTRAT | | 1 | |
| TENESMUS, RECTAL | | 1 | |
| TWITCH | | 1 | |
| | | | |

| Reviews 1609 | Treated 1950 | Reacted 1803 | Died 199 | |
|------------------------|-----------------|-----------------|-------------|--|
| Sign | | Sum Reacted | Percent | |
| ULCER(S), MOUTH/LIP(S) | | 1 | | |
| ULCER(S), MUCOCUTANEOU | J | 1 | | |
| ULCER(S), PYLORUS | | 1 | | |
| VISION DISORDER | | 1 | | |
| VOICE DISORDER | | 1 | | |
| VOMITING, SEVERE | | 1 | | |
| | | | | |

ETODOLAC ORAL, PIG

| Reviews | Treated | Reacted | Died |
|------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| AGGRESSION | | Ţ | 100 |

ETODOLAC TOPICAL, DOG

| Reviews | Treated | Reacted | Died |
|--------------------------|---------|-------------|----------------|
| 1 | 1 | 1 | 0 |
| Sign VOMITING, BLOODY | | Sum Reacted | Percent 100 |

ETODOLAC UNKNOWN, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 30 | 30 | 30 | 2 |
| Sign | | Sum Reacted | Percent |
| ANOREXIA | | 7 | 23 |
| DEPRESSION/LETHARGY | | 7 | 23 |
| LIVER ENZYMES HI, BLD | | 6 | 20 |
| VOMITING | | 6 | 20 |
| DIARRHEA | | 5 | 17 |
| DIARRHEA, BLOODY | | 5 | 17 |
| KERATOCONJUNCTIVITIS S | | 5 | 17 |
| SGPT/ALT HI, BLD | | 5 | 17 |

ETODOLAC UNKNOWN, DOG

| Reviews 30 | Treated | Reacted 30 | Died 2 |
|---------------------------------|---------|---------------|-----------|
| 30 | 30 | 30 | 2 |
| Sign | | Sum Reacted | Percent |
| ALK PHOS HI, BLD | | 3 | 10 |
| BILIRUBIN(TOT) HI, BLD | | 3 | 10 |
| ICTERUS | | 3 | 10 |
| ULCER(S), CORNEA(S) | | 3 | 10 |
| BUN HI, BLD | | 2 | 7 |
| CREATININE HI, BLD | | 2 | 7 |
| FEVER, BODY | | 2 | 7 |
| PR-LIVER, LESION(S) | | 2 | 7 |
| CONFUSION | | 1 | 3 |
| CONGESTION, EYE(S)/LID | | 1 | 3 |
| CONVULSION(S) | | 1 | 3 |
| DIARRHEA, MILD | | 1 | 3 |
| DISCHARGE, EYE(S)/LID(S |) | 1 | 3 |
| ENTERITIS | | 1 | 3 |
| GLUCOSE LO, BLD | | 1 | 3 |
| <pre>INTERACTION, DRUG(S)</pre> | | 1 | 3 |
| LIVER DISORDER | | 1 | 3 |
| LIVER FAILURE | | 1 | 3 |
| MASS, SKIN | | 1 | 3 |
| P HI, BLD | | 1 | 3 |
| POLYDIPSIA | | 1 | 3 |
| POLYURIA | | 1 | 3 |
| RADIOGRAPH(S) ABN | | 1 | 3 |
| RUPTURE | | 1 | 3 |
| SGOT/AST HI, BLD | | 1 | 3 |
| US-LIVER ABN | | 1 | 3 |
| WEIGHT LOSS | | 1 | 3 |

FAMPHUR DEFECT, NOT APPLICABLE

| Reviews 8 | Treated 0 | Reacted 0 | Died 0 |
|------------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| PD-APPLICATOR, ABN | | 0 | |
| PD-CAP(S), ABN | | 0 | |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-CONTAINER(S), DAMAG | | 0 | |
| PD-ODOR, ABN | | 0 | |

FAMPHUR DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 8 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-VIAL(S), LEAKING | | 0 | | |

FAMPHUR INHALATION, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 5 | 6 | 6 | 0 | |
| Sign | | Sum Reacted | Percent | |
| IRRITATION | | 2 | 33 | |
| COUGHING | | 1 | 17 | |
| DYSPNEA | | 1 | 17 | |
| HEADACHE | | 1 | 17 | |
| HUMAN EXPOSURE, HEAD/F | | 1 | 17 | |
| INFLAM | | 1 | 17 | |
| IRRITATION, EYE(S)/LID | | 1 | 17 | |
| NAUSEA | | 1 | 17 | |
| PAIN, ABDOMEN | | 1 | 17 | |
| PNEUMONIA, ASPIRATION | | 1 | 17 | |
| RADIOGRAPH(S) ABN | | 1 | 17 | |
| SWELLING, EYE(S)/LID(S | | 1 | 17 | |
| SWELLING, PHARYNX/THRO | | 1 | 17 | |

FAMPHUR MISSING, HUMAN

| Reviews | Treated | Reacted | Died | |
|----------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ABORTION | | 1 | 100 | |

FAMPHUR OPHTHALMIC, HUMAN

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 9 | 9 | 9 | 0 |
| Sign | | Sum Reacted | Percent |
| IRRITATION, EYE(S) | /LID | 4 | 44 |

FAMPHUR OPHTHALMIC, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 9 | 9 | 9 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PAIN, EYE(S)/LID(S) | | 2 | 22 | |
| CONJUNCTIVITIS | | 1 | 11 | |
| EPIPHORA | | 1 | 11 | |
| HUMAN EXPOSURE, EYE(S) | | 1 | 11 | |
| IRRITATION, PHARYNX/TH | | 1 | 11 | |
| PARESTHESIA, EYE(S)/L | | 1 | 11 | |
| PHOTOPHOBIA | | 1 | 11 | |
| SWELLING, EYE(S)/LID(S | | 1 | 11 | |
| SWELLING, PHARYNX/THRO | | 1 | 11 | |

FAMPHUR ORAL, BIRD

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 2 | 1013 | 1013 | 1013 |
| Sign | | Sum Reacted | Percent |

FAMPHUR ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 1 | 33 | |
| CIRCLING | | 1 | 33 | |
| CONVULSION(S) | | 1 | 33 | |
| DEPRESSION/LETHARGY | | 1 | 33 | |
| FEVER, BODY | | 1 | 33 | |
| HEAD TILT | | 1 | 33 | |
| HYPERSALIVATION | | 1 | 33 | |
| MYDRIASIS | | 1 | 33 | |
| TREMBLING | | 1 | 33 | |

FAMPHUR ORAL, RAPTOR

| Reviews Treated Reacted | Died |
|-------------------------|------|
|-------------------------|------|

FAMPHUR ORAL, RAPTOR

| Reviews 1 | Treated 4 | Reacted 4 | Died 3 |
|------------------------|-----------------|-------------------|-----------|
| | 4 | | |
| Sign | | Sum Reacted | Percent |
| | | | |
| | FAMI ORAL, V | PHUR AND TOTIS | |
| | ORAL, V | ARTOUS | |
| Reviews | Treated | Reacted | Died |
| 1 | 300 | 300 | 300 |
| Sign | | Sum Reacted | Percent |
| | FAMI | PHUR | |
| | PARENTERA | AL, HUMAN | |
| Reviews | Treated | Reacted | Died |
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA | | 1 | 100 |
| DIZZINESS | | 1 | 100 |
| HUMAN EXPOSURE, HAND(S | | 1 | 100 |
| PAIN, ABDOMEN | | 1 | 100 |
| SWEATING | | 1 | 100 |
| VOMITING | | 1 | 100 |
| | FAMI | PHUR | |
| | SUPPOSITO | | |
| Reviews | Treated | Reacted | Died |
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| EPIPHORA | | 1 | 100 |
| | | | |
| | FAMI | PHUR | |
| | TOPICAL, | CATTLE | |
| Reviews | Treated | Reacted | Died |
| 80 | 12268 | 3277 | 217 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, LICE | | 1413 | 43 |
| | | | |

FAMPHUR TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 80 | 12268 | 3277 | 217 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, GRUBS | | 926 | 28 |
| HYPERSALIVATION | | 275 | 8 |
| FROTH, MOUTH/LIP(S |) | 227 | 7 |
| RECUMBENCY | , | 226 | 7 |
| PRURITIS | | 173 | 5 |
| ANOREXIA | | 167 | 5 |
| DIARRHEA | | 149 | 5 |
| DEPRESSION/LETHARG | Y | 148 | 5 |
| ABORTION | | 133 | 4 |
| STRAINING | | 110 | 3 |
| COUGHING | | 106 | 3 |
| STAGGERING | | 105 | 3 |
| ALOPECIA | | 93 | 3 |
| ATAXIA | | 90 | 3 |
| DYSPNEA | | 83 | 3 |
| EYE DISORDER | | 60 | 2 |
| SHAKING, HEAD/FACE | | 60 | 2 |
| DEHYDRATION | | 54 | 2 |
| CONVULSION(S) | | 52 | 2 |
| TREMBLING | | 51 | 2 |
| PARESIS, HIND LIMB | (S) | 50 | 2 |
| PROLAPSE, RECTUM | | 50 | 2 |
| STIFFNESS | | 46 | 1 |
| APPLICATION SITE A | LOPECIA | 40 | 1 |
| BLOAT | | 29 | 1 |
| COLLAPSE | | 26 | 1 |
| BLD, PASSING | | 25 | 1 |
| PR-LUNG(S), LESION | (S) | 19 | 1 |
| LAMENESS | | 18 | 1 |
| STIFFNESS, NECK | | 18 | 1 |
| CHE LO, BRAIN | | 17 | 1 |
| DEFECATION | | 17 | 1 |
| ILL | | 17 | 1 |
| URINATION | | 17 | 1 |
| WEAKNESS | | 17 | 1 |
| MELENA | | 11 | |
| WEIGHT LOSS | | 11 | |
| CHE LO, RBC | | 8 | |
| CHE LO, SERUM | | 8 | |
| LOSS OF CONDITION | | 8 | |

FAMPHUR TOPICAL, CATTLE

| Reviews 80 | Treated 12268 | Reacted 3277 | Died 217 | |
|------------------------|------------------|-----------------|-------------|--|
| Sign | 11100 | Sum Reacted | Percent | |
| | | 8 | Percenc | |
| TOX, OP | | | | |
| BEHAVIOR DISORDER | | 7 | | |
| CONGESTION, LUNG(S) | | 7 | | |
| EFFUSION, PLEURAL | | 7 | | |
| DISTRESS, RESP | | 5 | | |
| SHAKING | | 4 | | |
| ANAPHYLAXIS/TOID | | 2 | | |
| IRRITATION, SKIN | | 2 | | |
| PARALYSIS | | 2 | | |
| EDEMA | | 1 | | |
| POLYURIA | | 1 | | |
| PR-LIVER, LESION(S) | | 1 | | |
| PR-MUSCLE(S), LESION(S | | 1 | | |
| SWELLING, NECK | | 1 | | |
| TWITCH | | 1 | | |
| VOCALIZATION | | 1 | | |

FAMPHUR TOPICAL, EAGLE

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 50 | 17 | 15 |
| Sign | | Sum Reacted | Percent |

FAMPHUR TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 37 | 37 | 36 | 0 |
| Sign | | Sum Reacted | Percent |
| IRRITATION, EYE(S)/LID | | 12 | 33 |
| NAUSEA | | 8 | 22 |
| VOMITING | | 6 | 17 |
| FEVER, BODY | | 4 | 11 |
| HEADACHE | | 4 | 11 |
| CONGESTION, SKIN | | 3 | 8 |
| INFLAM, SKIN | | 3 | 8 |
| RASH | | 3 | 8 |

FAMPHUR TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 37 | 37 | 36 | 0 |
| Sign | | Sum Reacted | Percent |
| SWEATING | | 3 | 8 |
| HUMAN EXPOSURE, HEAD/F | | 2 | 6 |
| ABRASION, CORNEA(S) | | 1 | 3 |
| ACCIDENTAL EXPOSURE | | 1 | 3 |
| CONFUSION | | 1 | 3 |
| CONGESTION, EYE(S)/LID | | 1 | 3 |
| CONJUNCTIVITIS | | 1 | 3 |
| DEPRESSION/LETHARGY | | 1 | 3 |
| DIARRHEA | | 1 | 3 |
| DIZZINESS | | 1 | 3 |
| EDEMA, HEAD/FACE | | 1 | 3 |
| EDEMA, LIMB(S) | | 1 | 3 |
| HUMAN EXPOSURE, EYE(S) | | 1 | 3 |
| HYPOESTHESIA | | 1 | 3 |
| INSOMNIA | | 1 | 3 |
| IRRITATION, SKIN | | 1 | 3 |
| NEUROLOGICAL DISORDER | | 1 | 3 |
| PAIN | | 1 | 3 |
| PAIN, EYE(S)/LID(S) | | 1 | 3 |
| PAIN, HEAD/FACE | | 1 | 3 |
| PAIN, HIND LIMB(S) | | 1 | 3 |
| PAIN, JOINT(S) | | 1 | 3 |
| PAIN, MUSCLE(S) | | 1 | 3 |
| PRESSURE HI, BLD | | 1 | 3 |
| SKIN DISORDER | | 1 | 3 |
| SWELLING, EYE(S)/LID(S | | 1 | 3 |
| VESICLE(S)/BULLAE, SKI | | 1 | 3 |
| WEAKNESS | | 1 | 3 |

FAMPHUR TOPICAL, OTHER

| Reviews 1 | Treated 4 | Reacted 4 | Died 3 |
|---------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| ATAXIA | | 4 | 100 |
| FROTH, MOUTH/LIP(S) | | 4 | 100 |
| HYPERSALIVATION | | 4 | 100 |

FAMPHUR TOPICAL, VARIOUS

| Reviews 1 | Treated 7 | Reacted 7 | Died 7 | |
|---------------------------------------|--------------|-------------------------|-----------|--|
| | ./ | •/ | '/ | |
| | | | , | |
| Sign | | Sum Reacted | Percent | |
| | | | | |
| | | AMPHUR VN, CATTLE | | |
| | OIVICIVOV | W, CAITE | | |
| Reviews | Treated | Reacted | Died | |
| 2 | 1040 | 1036 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, GRUBS | | 1036 | 100 | |
| · · · · · · · · · · · · · · · · · · · | | | | |
| | г 7 | AMPHUR | | |
| | | WN, HUMAN | | |
| | | | | |
| Reviews | Treated | Reacted | Died | |
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| COUGHING | | 1 | 50 | |
| SWELLING, HEAD/FACE | | 1 | 50 | |
| VOMITING | | 1 | 50 | |
| | | | | |
| | | AMPHUR | | |
| | VARIO | US, HUMAN | | |
| Reviews | Treated | Reacted | Died | |
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PAIN, EYE(S)/LID(S) | | 2 | 67 | |
| CONGESTION, EYE(S)/LID | | 1 | 33 | |
| HUMAN EXPOSURE, HEAD/F | | 1 | 33 | |
| IRRITATION, EYE(S)/LID | | 1 | 33 | |
| | | | | |
| | | | | |
| | | BANTEL OT APPLICABLE | | |

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |

FEBANTEL DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|----------------------|---------|-------------|---------|--|
| 1 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-CONTAINER(S), ABN | | 0 | | |
| | | | | |

FEBANTEL ORAL, DOG

| Reviews 5 | Treated 14 | Reacted 9 | Died 3 | |
|---------------------|---------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 4 | 44 | |
| ENTERITIS | | 3 | 33 | |
| FEVER, BODY | | 3 | 33 | |
| ATAXIA | | 2 | 22 | |
| ANOREXIA | | 1 | 11 | |
| DIARRHEA | | 1 | 11 | |
| VOMITING | | 1 | 11 | |

FEBANTEL ORAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-----------------------------------|---------|-------------|---------|--|
| 2 | 5 | 2 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 1 | 50 | |
| DEPRESSION/LETHARGY | | 1 | 50 | |
| SCALE(S), SKIN | | 1 | 50 | |
| SWELLING, MOUTH/LIP(S) | | 1 | 50 | |
| SWELLING, TONGUE | | 1 | 50 | |
| <pre>ULCER(S), MOUTH/LIP(S)</pre> | | 1 | 50 | |
| | | | | |

FEBANTEL, PRAZIQUANTEL DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 1 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-SEAL, ABN | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |

FEBANTEL, PRAZIQUANTEL ORAL, CAT

| Reviews 2 | Treated 3 | Reacted 3 | Died 0 |
|--------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| DIARRHEA | | 2 | 67 |
| HYPERSALIVATION | | 2 | 67 |
| VOMITING | | 2 | 67 |
| INEFFECT, ASCARIDS | | 1 | 33 |

FEBANTEL, PRAZIQUANTEL ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 11 | 12 | 11 | 8 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 4 | 36 | |
| VOMITING | | 4 | 36 | |
| ANOREXIA | | 1 | 9 | |
| EDEMA, LUNG(S)/TRACHEA | | 1 | 9 | |
| HYPERACTIVITY | | 1 | 9 | |
| HYPERSALIVATION | | 1 | 9 | |
| ILL | | 1 | 9 | |
| LIVER ENZYMES HI, BLD | | 1 | 9 | |
| PR-LIVER, LESION(S) | | 1 | 9 | |
| PR-TRACHEA, LESION(S) | | 1 | 9 | |
| UNCONSCIOUS | | 1 | 9 | |
| VOCALIZATION | | 1 | 9 | |
| VOLVULUS, STOMACH | | 1 | 9 | |

FEBANTEL, PRAZIQUANTEL PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|-----------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| INJ SITE INFLAM | | 1 | 100 |

FEBANTEL, PRAZIQUANTEL, PYRANTEL DEFECT, NOT APPLICABLE

Reviews Treated Reacted Died

FEBANTEL, PRAZIQUANTEL, PYRANTEL DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 3 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-LABEL(S), ABN | | 0 | | |
| PD-MISSING, LABEL(S) | | 0 | | |
| PD-UNDERFILL, VIAL(S) | | 0 | | |

FEBANTEL, PRAZIQUANTEL, PYRANTEL MISSING, DOG

| Reviews | Treated | Reacted | Died |
|----------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 1 | 100 |

FEBANTEL, PRAZIQUANTEL, PYRANTEL ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 4 | 5 | 5 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 3 | 60 | |
| ATAXIA | | 2 | 40 | |
| HYPERSALIVATION | | 2 | 40 | |
| PAWING | | 2 | 40 | |
| ULCER(S), MOUTH/LIP(S) | | 2 | 40 | |
| VOMITING | | 2 | 40 | |
| ANEMIA | | 1 | 20 | |
| BILIRUBIN(TOT) HI, BLD |) | 1 | 20 | |
| BLD, URINE | | 1 | 20 | |
| COUGHING | | 1 | 20 | |
| DEHYDRATION | | 1 | 20 | |
| DEPRESSION/LETHARGY | | 1 | 20 | |
| DIARRHEA | | 1 | 20 | |
| DIARRHEA, MILD | | 1 | 20 | |
| FEVER, BODY | | 1 | 20 | |
| ICTERUS, BODY | | 1 | 20 | |
| LIVER ENZYMES HI, BLD | | 1 | 20 | |
| UNCONSCIOUS | | 1 | 20 | |

FEBANTEL, PRAZIQUANTEL, PYRANTEL ORAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 56 | 91 | 70 | 7 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 29 | 41 |
| DIARRHEA | | 11 | 16 |
| DEPRESSION/LETHARGY | | 10 | 14 |
| INEFFECT, ASCARIDS | | 10 | 14 |
| INEFFECT, HOOKS | | 10 | 14 |
| INEFFECT, WHIPS | | 9 | 13 |
| ANOREXIA | | 8 | 11 |
| INEFFECT, WORMS | | 7 | 10 |
| HYPERACTIVITY | | 6 | 9 |
| ATAXIA | | 5 | 7 |
| INEFFECT, TAPES | | 4 | 6 |
| VOCALIZATION | | 4 | 6 |
| WEAKNESS | | 4 | 6 |
| LIVER ENZYMES HI, BLD | | 3 | 4 |
| NAUSEA | | 3 | 4 |
| ALK PHOS HI, BLD | | 2 | 3 |
| DYSPNEA | | 2 | 3 |
| HYPERPNEA | | 2 | 3 |
| INEFFECT | | 2 | 3 |
| POLYDIPSIA | | 2 | 3 |
| SHAKING | | 2 | 3 |
| TACHYCARDIA | | 2 | 3 |
| TREMBLING | | 2 | 3 |
| ANEMIA | | 1 | 1 |
| ARRHYTHMIA | | 1 | 1 |
| BILE ACIDS HI, BLD | | 1 | 1 |
| BLD, PASSING | | 1 | 1 |
| BLD, SCLERA | | 1 | 1 |
| CNS STIMULATION | | 1 | 1 |
| CONGESTION, EYE(S)/LID | | 1 | 1 |
| CONGESTION, SKIN | | 1 | 1 |
| CONVULSION(S) | | 1 | 1 |
| DEFECATION ABN | | 1 | 1 |
| DEHYDRATION | | 1 | 1 |
| DIARRHEA, BLOODY | | 1 | 1 |
| DISTRESS | | 1 | 1 |
| FLY BITING | | 1 | 1 |
| GGT HI, BLD | | 1 | 1 |
| GLUCOSE LO, BLD | | 1 | 1 |
| ILL | | 1 | 1 |

FEBANTEL, PRAZIQUANTEL, PYRANTEL ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 56 | 91 | 70 | 7 | |
| Sign | | Sum Reacted | Percent | |
| KIDNEY VALUES HI, BLD | | 1 | 1 | |
| LAMENESS | | 1 | 1 | |
| LESION(S), SKIN | | 1 | 1 | |
| NOSE ABN | | 1 | 1 | |
| PACING | | 1 | 1 | |
| PANCREAS ENZYMES HI, B | | 1 | 1 | |
| POLYPNEA | | 1 | 1 | |
| POLYURIA | | 1 | 1 | |
| PR-LIVER, LESION(S) | | 1 | 1 | |
| PR-LUNG(S), EDEMA | | 1 | 1 | |
| PRURITIS | | 1 | 1 | |
| RECUMBENCY | | 1 | 1 | |
| RELUCTANT TO MOVE | | 1 | 1 | |
| SGOT/AST HI, BLD | | 1 | 1 | |
| SGPT/ALT HI, BLD | | 1 | 1 | |
| SKIN, SCAB(S) | | 1 | 1 | |
| SLOUGH, SKIN | | 1 | 1 | |
| SOUND ABN, RESPIRATORY | | 1 | 1 | |
| STUMBLING | | 1 | 1 | |
| SWELLING, HEAD/FACE | | 1 | 1 | |
| URTICARIA | | 1 | 1 | |
| VOMITING, BLOODY | | 1 | 1 | |
| VOMITING, UNPRODUCTIVE | | 1 | 1 | |
| WBC HI, BLD | | 1 | 1 | |
| WEIGHT LOSS | | 1 | 1 | |

FEBANTEL, TRICHLORFON ORAL, DOG

| reated Re | acted : | Died O |
|-----------|-----------|--------------------|
| Sum | Reacted P | ercent |
| | 2 | 100 |
| | 2 | 100 |
| | 2 | 100 |
| | 2 | 100 |
| | 2 | 2 2 Sum Reacted Po |

FEBANTEL, TRICHLORFON

FEBANTEL, TRICHLORFON ORAL, HORSE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 25 | 107 | 65 | 10 |
| Sign | | Sum Reacted | Percent |
| PAIN, ABDOMEN | | 47 | 72 |
| DIARRHEA | | 34 | 52 |
| ATAXIA | | 16 | 25 |
| DISTRESS | | 10 | 15 |
| HYPERPNEA | | 10 | 15 |
| TACHYCARDIA | | 10 | 15 |
| HYPERSALIVATION | | 9 | 14 |
| SWELLING, TONGUE | | 8 | 12 |
| ANOREXIA | | 7 | 11 |
| DIARRHEA, SEVERE | | 7 | 11 |
| DYSPNEA | | 5 | 8 |
| SWEATING | | 5 | 8 |
| SWELLING, MOUTH/LIP(S) | | 5 | 8 |
| IRRITATION, MOUTH/LIP(| | 4 | 6 |
| PAIN, MOUTH/LIP(S) | | 4 | 6 |
| DISTRESS, RESP | | 3 | 5 |
| FROTH, MOUTH/LIP(S) | | 2 | 3 |
| GINGIVITIS | | 2 | 3 |
| RECUMBENCY | | 2 | 3 |
| SHOCK | | 2 | 3 |
| ULCER(S), GI | | 2 | 3 |
| ULCER(S), MOUTH/LIP(S) | | 2 | 3 |
| VESICLE(S)/BULLAE, MOU | ī | 2 | 3 |
| BLD, GI | | 1 | 2 |
| BLOAT | | 1 | 2 |
| COLITIS, ULCERATIVE | | 1 | 2 |
| COLLAPSE | | 1 | 2 |
| DEFECATION | | 1 | 2 |
| DEHYDRATION | | 1 | 2 |
| DEPRESSION/LETHARGY | | 1 | 2 |
| DISCOMFORT | | 1 | 2 |
| LIVER ENZYMES HI, BLD | | 1 | 2 |
| POLYPHAGIA | | 1 | 2 |
| SWELLING, EYE(S)/LID(S | } | 1 | 2 |
| VESICLE(S)/BULLAE, SKI | • • | 1 | 2 |
| | | | |

FENBENDAZOLE MISSING, CATTLE

FENBENDAZOLE MISSING, CATTLE

| Reviews | Treated | Reacted | Died | |
|----------|---------|-------------|---------|--|
| 1 | 4 | 4 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 4 | 100 | |

FENBENDAZOLE NOT APPLICABLE, HUMAN

| Reviews | Treated | Reacted | Died | |
|--------------------------------|---------|-------------|----------------|--|
| 1 | 1 | 1 | 0 | |
| Sign IRRITATION, EYE(S)/LID | | Sum Reacted | Percent 100 | |

FENBENDAZOLE ORAL, BIRD

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 4 | 4 | 4 | 4 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 2 | 50 | |
| DEPRESSION/LETHARGY | | 2 | 50 | |
| LIVER DISORDER | | 2 | 50 | |
| CACHEXIA | | 1 | 25 | |
| STOOL ABN | | 1 | 25 | |
| WEIGHT LOSS | | 1 | 25 | |

FENBENDAZOLE ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 6 | 7 | 7 | 2 | |
| Sign | | Sum Reacted | Percent | |
| TREMBLING | | 2 | 29 | |
| VOMITING | | 2 | 29 | |
| ANOREXIA | | 1 | 14 | |
| ATAXIA | | 1 | 14 | |
| DIARRHEA | | 1 | 14 | |
| PARESIS, HIND LIMB(| S) | 1 | 14 | |
| PROLAPSE, THIRD EYE | LID | 1 | 14 | |
| VOCALIZATION | | 1 | 14 | |

FENBENDAZOLE ORAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|-------------------------|---------|-------------|---------|--|
| 22 | 2863 | 1356 | 87 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 673 | 50 | |
| INEFFECT, LUNGWORMS | | 650 | 48 | |
| COUGHING | | 500 | 37 | |
| PR-LUNG(S), LESION(S) | | 500 | 37 | |
| DIARRHEA | | 144 | 11 | |
| UDDER, HYPOGALACTIA | | 42 | 3 | |
| RECUMBENCY | | 13 | 1 | |
| INEFFECT, WORMS | | 5 | 1 | |
| ABORTION | | 3 | | |
| PARALYSIS | | 3 | | |
| ATAXIA | | 2 | | |
| CONVULSION(S) | | 2 | | |
| HYPERSALIVATION | | 2 | | |
| HYPOTHERMIA | | 2 | | |
| KICKING | | 2 | | |
| MIOSIS | | 2 | | |
| MYDRIASIS | | 2 | | |
| PR-LIVER, LESION(S) | | 2 | | |
| PR-MUSCLE(S), LESION(S) | | 2 | | |
| STOOL ABN | | 2 | | |
| STOOL, MUCOID | | 2 | | |
| TREMBLING | | 2 | | |
| TWITCH | | 2 | | |
| BLINDNESS | | 1 | | |
| BLOAT | | 1 | | |
| DUOAI | | | | |

FENBENDAZOLE ORAL, CHICKEN

| Reviews | Treated | Reacted | Died | |
|---------|---------|-------------|---------|--|
| 1 | 4 | 4 | 4 | |
| Sign | | Sum Reacted | Percent | |

FENBENDAZOLE ORAL, COUGAR

| Reviews | Treated | Reacted | Died |
|---------|---------|---------|------|
| 1 | 1 | 1 | 1 |

FENBENDAZOLE ORAL, COUGAR

| Reviews | Treated | Reacted | Died |
|---------|---------|-------------|---------|
| 1 | 1 | 1 | 1 |
| Sign | | Sum Reacted | Percent |

FENBENDAZOLE ORAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 92 | 251 | 180 | 31 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 72 | 40 |
| DEPRESSION/LETHARGY | | 66 | 37 |
| ANOREXIA | | 34 | 19 |
| DIARRHEA | | 30 | 17 |
| DEHYDRATION | | 24 | 13 |
| PAIN, ABDOMEN | | 19 | 11 |
| INEFFECT, ASCARIDS | | 15 | 8 |
| HYPERACTIVITY | | 12 | 7 |
| WEIGHT LOSS | | 11 | 6 |
| FEVER, BODY | | 10 | 6 |
| BIRTH DEFECT(S) | | 9 | 5 |
| CONVULSION(S) | | 9 | 5 |
| DIARRHEA, MILD | | 8 | 4 |
| TREMBLING | | 8 | 4 |
| BILIRUBIN(TOT) HI, BLI |) | 7 | 4 |
| ALK PHOS HI, BLD | | 6 | 3 |
| POLYDIPSIA | | 6 | 3 |
| SGPT/ALT HI, BLD | | 6 | 3 |
| ATAXIA | | 5 | 3 |
| BUN HI, BLD | | 5 | 3 |
| ICTERUS | | 5 | 3 |
| INEFFECT, HOOKS | | 5 | 3 |
| PR-LIVER, LESION(S) | | 5 | 3 |
| WEAKNESS | | 5 | 3 |
| ANEMIA | | 4 | 2 |
| P HI, BLD | | 4 | 2 |
| RECUMBENCY | | 4 | 2 |
| BORBORYGMI | | 3 | 2 |
| CREATININE HI, BLD | | 3 | 2 |
| DIARRHEA, SEVERE | | 3 | 2 |
| DIC | | 3 | 2 |
| GASTRITIS | | 3 | 2 |

FENBENDAZOLE ORAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 92 | 251 | 180 | 31 |
| Sign | | Sum Reacted | Percent |
| HEAD PRESSING | | 3 | 2 |
| HEMATOCHEZIA | | 3 | 2 |
| ICTERUS, BODY | | 3 | 2 |
| LIVER ENZYMES HI, BLD | | 3 | 2 |
| PANCYTOPENIA | | 3 | 2 |
| POLYURIA | | 3 | 2 |
| WBC HI, BLD | | 3 | 2 |
| ALBUMIN LO, BLD | | 2 | 1 |
| AMYLASE HI, BLD | | 2 | 1 |
| BLD, URINE | | 2 | 1 |
| BLOAT | | 2 | 1 |
| CA HI, BLD | | 2 | 1 |
| CONFUSION | | 2 | 1 |
| CRYSTALS, URINE | | 2 | 1 |
| DYSPNEA | | 2 | 1 |
| EDEMA, HEAD/FACE | | 2 | 1 |
| GI, ABNORMAL | | 2 | 1 |
| HAIR, ABN | | 2 | 1 |
| HYPERPNEA | | 2 | 1 |
| LIPASE HI, BLD | | 2 | 1 |
| MELENA | | 2 | 1 |
| MUCOUS MEMBR, MUDDY | | 2 | 1 |
| PR-LUNG(S), LESION(S) | | 2 | 1 |
| RADIOGRAPH(S) ABN | | 2 | 1 |
| SHAKING, HEAD/FACE | | 2 | 1 |
| SKIN DISORDER | | 2 | 1 |
| SPLENOMEGALY | | 2 | 1 |
| TACHYCARDIA | | 2 | 1 |
| TAIL CHASING | | 2 | 1 |
| TWITCH | | 2 | 1 |
| VOCALIZATION | | 2 | 1 |
| VOMITING, SEVERE | | 2 | 1 |
| WBC LO, BLD | | 2 | 1 |
| ADIPSIA | | 1 | 1 |
| ANAPHYLAXIS/TOID | | 1 | 1 |
| ANURIA | | 1 | 1 |
| BILE ACIDS HI, BLD | | 1 | 1 |
| BILIRUBIN(DIR) HI, BLD | | 1 | 1 |
| BILIRUBIN(IND) HI, BLD | | 1 | 1 |
| BRADYCARDIA | | 1 | 1 |

FENBENDAZOLE ORAL, DOG

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 92 | 251 | 180 | 31 |
| Sign | | Sum Reacted | Percent |
| CAPILLARY REFILL PROLO | | 1 | 1 |
| CHLORIDE HI, BLD | | 1 | 1 |
| CHLORIDE LO, BLD | | 1 | 1 |
| CHOLESTEROL HI, BLD | | 1 | 1 |
| COAGULATION DISORDER | | 1 | 1 |
| COUGHING | | 1 | 1 |
| CPK HI, BLD | | 1 | 1 |
| CULTURE/TITER DATA ABN | | 1 | 1 |
| DYSURIA | | 1 | 1 |
| EDEMA, LIMB(S) | | 1 | 1 |
| FIBRINOGEN LO, BLD | | 1 | 1 |
| FLATULENCE | | 1 | 1 |
| GLUCOSE HI, BLD | | 1 | 1 |
| HYPERSALIVATION | | 1 | 1 |
| ILL | | 1 | 1 |
| INEFFECT, WHIPS | | 1 | 1 |
| K LO, BLD | | 1 | 1 |
| LAMENESS | | 1 | 1 |
| LIVER DISORDER | | 1 | 1 |
| LIVER FAILURE | | 1 | 1 |
| LOSS OF CONDITION | | 1 | 1 |
| MONOS HI, BLD | | 1 | 1 |
| MORIBUND | | 1 | 1 |
| NA HI, BLD | | 1 | 1 |
| NA LO, BLD | | 1 | 1 |
| NERVOUSNESS | | 1 | 1 |
| NEUROLOGICAL DISORDER | | 1 | 1 |
| ODOR, MOUTH | | 1 | 1 |
| PACING | | 1 | 1 |
| PLATELETS LO, BLD | | 1 | 1 |
| POLYPNEA | | 1 | 1 |
| PR-BONE MARROW, LESION | | 1 | 1 |
| PR-HEART, LESION(S) | | 1 | 1 |
| PR-KIDNEY(S), LESION(S | | 1 | 1 |
| PR-MULT SITES, CONGEST | | 1 | 1 |
| PT PROLONGED, BLD | | 1 | 1 |
| RBC ABN | | 1 | 1 |
| STRANGURIA | | 1 | 1 |
| VOMITING, UNPRODUCTIVE | | 1 | 1 |

FENBENDAZOLE ORAL, GOAT

| Reviews | Treated | Reacted | Died | |
|-----------------|---------|-------------|---------|--|
| 5 | 298 | 212 | 26 | |
| Sign | | Sum Reacted | Percent | |
| ABORTION | | 204 | 96 | |
| EDEMA | | 204 | 96 | |
| HEAD BOBBING | | 204 | 96 | |
| INEFFECT | | 204 | 96 | |
| NYSTAGMUS | | 204 | 96 | |
| TWITCH | | 204 | 96 | |
| ILL | | 1 | | |
| INEFFECT, WORMS | | 1 | | |

FENBENDAZOLE ORAL, HORSE

| Reviews | Treated | Reacted | Died | |
|----------------------|---------|-------------|---------|--|
| 12 | 55 | 30 | 3 | |
| Sign | | Sum Reacted | Percent | |
| DIARRHEA | | 20 | 67 | |
| PAIN, ABDOMEN | | 15 | 50 | |
| ANOREXIA | | 6 | 20 | |
| INEFFECT, ASCARIDS | | 3 | 10 | |
| INEFFECT, STRONGYLES | | 3 | 10 | |
| LYMPHS LO, BLD | | 2 | 7 | |
| APNEA | | 1 | 3 | |
| COLLAPSE | | 1 | 3 | |
| DEPRESSION/LETHARGY | | 1 | 3 | |
| DIARRHEA, SEVERE | | 1 | 3 | |
| GGT HI, BLD | | 1 | 3 | |
| PARALYSIS | | 1 | 3 | |
| URTICARIA | | 1 | 3 | |

FENBENDAZOLE ORAL, HUMAN

| Reviews | Treated | Reacted | Died |
|----------|---------|-------------|---------|
| 2 | 6 | 6 | 0 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA | | 6 | 100 |
| VOMITING | | 1 | 17 |

FENBENDAZOLE ORAL, LION

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 1 | 100 | |
| CONFUSION | | 1 | 100 | |
| CONVULSION(S) | | 1 | 100 | |
| DEPRESSION/LETHARGY | | 1 | 100 | |
| NERVOUSNESS | | 1 | 100 | |

FENBENDAZOLE ORAL, OTHER

| Reviews 1 | Treated 3 | Reacted 3 | Died 1 | |
|--------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 3 | 100 | |
| DIARRHEA | | 3 | 100 | |
| SEGS LO, BLD | | 3 | 100 | |
| VOMITING | | 3 | 100 | |

FENBENDAZOLE ORAL, PIG

| Reviews 8 | Treated 2061 | Reacted 460 | Died 101 | |
|--------------------|-----------------|----------------|-------------|--|
| 0 | 2001 | 400 | 101 | |
| Sign | | Sum Reacted | Percent | |
| DIARRHEA | | 270 | 59 | |
| INEFFECT, WORMS | | 270 | 59 | |
| FERTILITY, LACK OF | | 100 | 22 | |
| FERTILITY, REDUCED | | 100 | 22 | |
| SPERM ABN | | 100 | 22 | |
| INEFFECT, ASCARIDS | | 70 | 15 | |
| PR-GI, LESION(S) | | 31 | 7 | |
| DIARRHEA, SEVERE | | 20 | 4 | |
| WEAKNESS | | 20 | 4 | |
| INEFFECT, WHIPS | | 15 | 3 | |
| ATAXIA | | 5 | 1 | |
| TREMBLING | | 5 | 1 | |
| DIARRHEA, BLOODY | | 2 | | |

FENBENDAZOLE ORAL, SHEEP

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 2 | 83 | 6 | 5 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 3 | 50 | |
| DEPRESSION/LETHARGY | | 3 | 50 | |
| PARESIS, HIND LIMB(S) | | 3 | 50 | |
| PNEUMONIA | | 3 | 50 | |
| POLYDIPSIA | | 3 | 50 | |
| PR-LIVER, LESION(S) | | 3 | 50 | |
| PR-LUNG(S), LESION(S) | | 3 | 50 | |
| PR-TRACHEA, LESION(S) | | 3 | 50 | |
| SHAKING | | 3 | 50 | |

FENBENDAZOLE PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 3 | 3 | 3 | 0 |
| Sign | | Sum Reacted | Percent |
| CELLULITIS | | 2 | 67 |
| FEVER, BODY | | 2 | 67 |
| INFLAM, SKIN | | 2 | 67 |
| INJ SITE INFLAM | | 2 | 67 |
| INJ SITE SWELLING | | 2 | 67 |
| ANOREXIA | | 1 | 33 |
| DEPRESSION/LETHARGY | | 1 | 33 |

FENBENDAZOLE PARENTERAL, GOAT

| Treated | Reacted | Died |
|----------|-------------|-------------------|
| 1 | 1 | 1 |
| | Sum Reacted | Percent |
| | 1 | 100 |
| <u>.</u> | 1 | 100 |
| | 1 | 1 1 Sum Reacted 1 |

FENBENDAZOLE PARENTERAL, HORSE

Reviews Treated Reacted Died

FENBENDAZOLE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANOREXIA | | 1 | 100 | |
| PAIN | | 1 | 100 | |
| PAIN, NECK | | 1 | 100 | |
| RECUMBENCY | | 1 | 100 | |
| RELUCTANT TO MOVE | | 1 | 100 | |
| STIFFNESS, NECK | | 1 | 100 | |

FENBENDAZOLE TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|---------------|---------|-------------|---------|--|
| 3 | 201 | 7 | 0 | |
| Sign | | Sum Reacted | Percent | |
| SKIN DISORDER | | 6 | 86 | |
| RASH | | 1 | 14 | |

FENBENDAZOLE UNKNOWN, DOG

| Reviews 3 | Treated 20 | Reacted 9 | Died O |
|------------------|---------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| ANOREXIA | | 5 | 56 |
| VOMITING | | 5 | 56 |
| DIARRHEA | | 4 | 44 |
| INEFFECT, WHIPS | | 4 | 44 |
| DIARRHEA, BLOODY | | 1 | 11 |

FENBENDAZOLE UNKNOWN, HUMAN

| Reviews | Treated | Reacted | Died |
|-----------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| DIZZINESS | | 1 | 100 |
| NAUSEA | | 1 | 100 |
| VOMITING | | 1 | 100 |

FENBENDAZOLE UNKNOWN, SNAKE

| Reviews | Treated | Reacted | Died | |
|---------------|---------|-------------|---------|--|
| 1 | 2 | 2 | 2 | |
| Sign | | Sum Reacted | Percent | |
| CONVULSION(S) | | 2 | 100 | |
| TWITCH | | 2 | 100 | |

FENPROSTALENE PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 40 | 1321 | 435 | 78 |
| Sign | | Sum Reacted | Percent |
| LAMENESS | | 256 | 59 |
| INJ SITE ABSCESS | | 214 | 49 |
| INJ SITE SWELLING | | 197 | 45 |
| STIFFNESS | | 48 | 11 |
| INJ SITE INFECT | | 17 | 4 |
| INJ SITE ABN | | 10 | 2 |
| SWELLING, NECK | | 8 | 2 |
| INEFFECT | | 7 | 2 |
| ANAPHYLAXIS/TOID | | 4 | 1 |
| INJ SITE EDEMA | | 4 | 1 |
| INJ SITE EMPHYSEMA | | 3 | 1 |
| CELLULITIS | | 2 | |
| INJ SITE NECROSIS | | 2 | |
| SLOUGH, SKIN | | 2 | |
| SWELLING, LIMB(S) | | 2 | |
| INJ SITE SLOUGH | | 1 | |

FENTANYL TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------|---------|-------------|---------|--|
| 2 | 2 | 2 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANISOCORIA | | 1 | 50 | |
| FEVER, BODY | | 1 | 50 | |
| HYPERACTIVITY | | 1 | 50 | |
| NERVOUSNESS | | 1 | 50 | |

FENTANYL TOPICAL, DOG

| Reviews | Treated | Reacted | Died | |
|----------------------|--------------|------------------|-----------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INFLAM, SKIN | | 1 | 100 | |
| SKIN, NECROSIS | | 1 | 100 | |
| | | | | |
| | FEI | NTHION | | |
| | DEFECT, NC | OT APPLICABLE | | |
| Reviews | Treated | Reacted | Died | |
| 18 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-CONTAINER(S), ABN | | 0 | rerectie | |
| PD-DISPENSER, ABN | | 0 | | |
| PD-VIAL(S), LEAKING | | 0 | | |
| | | | | |
| | FE1 | NTHION | | |
| | INHALAT | ION, HUMAN | | |
| | | - · · · · · | - 1 | |
| Reviews 1 | Treated 2 | Reacted 2 | Died 0 | |
| 1 | 2 | 2 | U | |
| Sign | | Sum Reacted | Percent | |
| DIZZINESS | | 2 | 100 | |
| GASTROENTERITIS | | 2 | 100 | |
| | | | | |
| | | NTHION L, CAT | | |
| | 9141 | , 2 | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| | | | | |
| | FE1 | NTHION | | |
| | ORAL, | CATTLE | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1500 | 1500 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, LICE | | 1500 | 100 | |
| 11.11.1101, 111011 | | 100 | 100 | |

FENTHION ORAL, EAGLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 1 | 4 | 4 | 4 |
| Sign | | Sum Reacted | Percent |
| ACCIDENTAL EXPOSURE | | 4 | 100 |

FENTHION TOPICAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 8 | 11 | 11 | 3 | |
| Sign | | Sum Reacted | Percent | |
| DIARRHEA | | 4 | 36 | |
| TREMBLING | | 4 | 36 | |
| VOMITING | | 4 | 36 | |
| ANOREXIA | | 3 | 27 | |
| ATAXIA | | 3 | 27 | |
| HYPERSALIVATION | | 2 | 18 | |
| UNCONSCIOUS | | 2 | 18 | |
| AGGRESSION | | 1 | 9 | |
| DEPRESSION/LETHARGY | | 1 | 9 | |
| GASTROENTERITIS | | 1 | 9 | |
| GLUCOSE HI, BLD | | 1 | 9 | |
| MYDRIASIS | | 1 | 9 | |
| SGOT/AST HI, BLD | | 1 | 9 | |
| SGPT/ALT HI, BLD | | 1 | 9 | |

FENTHION TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died |
|-----------------|---------|-------------|---------|
| 39 | 31975 | 5237 | 77 |
| Sign | | Sum Reacted | Percent |
| INEFFECT, LICE | | 4017 | 77 |
| INEFFECT, GRUBS | 5 | 1489 | 28 |
| HYPERSALIVATION | ı | 106 | 2 |
| DIARRHEA | | 57 | 1 |
| ALOPECIA | | 54 | 1 |
| ATAXIA | | 44 | 1 |
| COLLAPSE | | 38 | 1 |
| DEPRESSION/LETH | IARGY | 38 | 1 |
| ANOREXIA | | 34 | 1 |

FENTHION TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 39 | 31975 | 5237 | 77 |
| Sign | | Sum Reacted | Percent |
| RECUMBENCY | | 33 | 1 |
| BREATHING ABN | | 26 | |
| WEAKNESS | | 24 | |
| BLOAT | | 22 | |
| IMMUNOSUPPRESSION | | 20 | |
| FROTH, MOUTH/LIP(S) | | 16 | |
| STIFFNESS | | 15 | |
| EPIPHORA | | 14 | |
| ABORTION | | 12 | |
| BIRTH, PREMATURE | | 12 | |
| WEAKNESS, NEWBORN | | 12 | |
| PARALYSIS, HIND LIMB(S | | 4 | |
| DIARRHEA, BLOODY | | 3 | |
| PR-LUNG(S), LESION(S) | | 3 | |
| STAGGERING | | 3 | |
| HYPERACTIVITY | | 2 | |
| HYPERPNEA | | 2 | |
| STIFFNESS, HIND LIMB(S | | 2 | |
| PARESIS, HIND LIMB(S) | | 1 | |
| | | | |

FENTHION TOPICAL, DOG

| Treated 87 | Reacted 77 | Died 15 |
|---------------|---------------|--|
| | Sum Reacted | Percent |
| | 18 | 23 |
| | 15 | 19 |
| | 15 | 19 |
| | 15 | 19 |
| | 8 | 10 |
| | 8 | 10 |
| | 6 | 8 |
| | 6 | 8 |
| | 5 | 6 |
| | 5 | 6 |
| | 5 | 6 |
| | 4 | 5 |
| | 3 | 4 |
| | | 87 77 Sum Reacted 18 15 15 15 8 8 6 6 5 5 5 4 |

FENTHION TOPICAL, DOG

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 69 | 87 | 77 | 15 |
| Sign | | Sum Reacted | Percent |
| HYPERACTIVITY | | 3 | 4 |
| LIVER ENZYMES HI, BLD | 1 | 3 | 4 |
| BRADYCARDIA | | 2 | 3 |
| DYSPNEA | | 2 | 3 |
| FEVER, BODY | | 2 | 3 |
| ILL | | 2 | 3 |
| MIOSIS | | 2 | 3 |
| PRURITIS | | 2 | 3 |
| ULCER(S), SKIN | | 2 | 3 |
| ANAPHYLAXIS/TOID | | 1 | 1 |
| ANEMIA | | 1 | 1 |
| ANURIA | | 1 | 1 |
| ASCITES | | 1 | 1 |
| BEHAVIOR DISORDER | | 1 | 1 |
| CHE LO, SERUM | | 1 | 1 |
| COLLAPSE | | 1 | 1 |
| CONGESTION, SKIN | | _ 1 | 1 |
| COUGHING | | _ 1 | 1 |
| DIARRHEA, MILD | | 1 | 1 |
| DIARRHEA, SEVERE | | 1 | 1 |
| DISCHARGE, EYE(S)/LID |) (| 1 | 1 |
| GAGGING | | 1 | 1 |
| ICTERUS, BODY | | 1 | 1 |
| INEFFECT, FLEAS | | 1 | 1 |
| IRRITATION, SKIN | | 1 | 1 |
| KIDNEY FAILURE | | 1 | 1 |
| LIVER DISORDER | | 1 | 1 |
| NERVOUSNESS | | 1 | 1 |
| PAIN, BACK | | 1 | 1 |
| PAIN, HEAD/FACE | | 1 | 1 |
| PAPULE(S) | | 1 | 1 |
| POLYPNEA | | 1 | 1 |
| POLYURIA | | 1 | 1 |
| PR-SKIN, LESION(S) | | 1 | 1 |
| RASH | | 1 | 1 |
| RESPIRATORY DISORDER | | 1 | 1 |
| SPASM | | 1 | 1 |
| SWELLING, EYE(S)/LID(| S | 1 | 1 |
| TOX, OP | | 1 | 1 |
| TWITCH | | 1 | 1 |
| | | | |

FENTHION TOPICAL, DOG

| Reviews | Treated | Reacted | Died | |
|-------------|---------|-------------|---------|--|
| 69 | 87 | 77 | 15 | |
| Sign | | Sum Reacted | Percent | |
| WEIGHT LOSS | | 1 | 1 | |

FENTHION TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died |
|----------------|---------|-------------|---------|
| 3 | 3 | 3 | 0 |
| Sign | | Sum Reacted | Percent |
| DIZZINESS | | 1 | 33 |
| HUMAN EXPOSURE | | 1 | 33 |
| HYPOESTHESIA | | 1 | 33 |
| RASH | | 1 | 33 |

FENTHION TOPICAL, VARIOUS

| Reviews | Treated | Reacted | Died | |
|---|---------|-----------------------|---------------------------------|--|
| 1 | 3 | 3 | 2 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 3 | 100 | |
| BRADYCARDIA | | 3 | 100 | |
| DEPRESSION/LETHARGY | | 3 | 100 | |
| DYSPNEA | | 3 | 100 | |
| VOMITING | | 3 | 100 | |
| WEAKNESS | | 3 | 100 | |
| ATAXIA BRADYCARDIA DEPRESSION/LETHARGY DYSPNEA VOMITING | | 3 3 3 3 3 | 100 100 100 100 100 | |

FENTHION UNKNOWN, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HYPOESTHESIA, FEET/DIG | | 1 | 100 | |

FENTHION VARIOUS, HUMAN

FENTHION VARIOUS, HUMAN

| Reviews 1 | Treated 1 | Reacted 1 | Died O | |
|-----------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| CONFUSION | | 1 | 100 | |
| GAGGING | | 1 | 100 | |
| HYPERSALIVATION | | 1 | 100 | |
| HYPOPNEA | | 1 | 100 | |
| SWEATING | | 1 | 100 | |
| WEAKNESS | | 1 | 100 | |

FIROCOXIB ORAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 138 | 144 | 142 | 18 |
| Sign | | Sum Reacted | Percent |
| VOMITING | | 47 | 33 |
| ANOREXIA | | 33 | 23 |
| DEPRESSION/LETHARGY | Z . | 26 | 18 |
| BUN HI, BLD | | 23 | 16 |
| DIARRHEA | | 20 | 14 |
| ALK PHOS HI, BLD | | 19 | 13 |
| SGPT/ALT HI, BLD | | 19 | 13 |
| CREATININE HI, BLD | | 15 | 11 |
| PLATELETS LO, BLD | | 11 | 8 |
| ANEMIA | | 9 | 6 |
| WBC HI, BLD | | 8 | 6 |
| ATAXIA | | 7 | 5 |
| BILIRUBIN(TOT) HI, | BLD | 7 | 5 |
| DIARRHEA, BLOODY | | 6 | 4 |
| INTERACTION, DRUG(S | 3) | 6 | 4 |
| SEGS HI, BLD | | 5 | 4 |
| CONVULSION(S) | | 4 | 3 |
| MELENA | | 4 | 3 |
| POLYPNEA | | 4 | 3 |
| PR-KIDNEY(S), LESIC | ON(S | 4 | 3 |
| PR-LIVER, LESION(S) | | 4 | 3 |
| VOMITING, BLOODY | | 4 | 3 |
| ALBUMIN LO, BLD | | 3 | 2 |
| BLD, URINE | | 3 | 2 |
| COLLAPSE | | 3 | 2 |
| DIARRHEA, MILD | | 3 | 2 |
| | | | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|------------------|--------------|
| 138 | 144 | 142 | 18 |
| Cian | | Cum Doogtod | Dowgont |
| Sign HEAD TILT | | Sum Reacted 3 | percent 2 |
| K HI, BLD | | 3 | 2 |
| LYMPHS LO, BLD | | 3 | 2 |
| NERVOUSNESS | | 3 | 2 |
| P HI, BLD | | 3 | 2 |
| PACING | | 3 | 2 |
| PAIN, ABDOMEN | | 3 | 2 |
| POLYDIPSIA | | 3 | 2 |
| PR-SPLEEN, LESION(S) | | 3 | 2 |
| SPEC GRAVITY LO, URINE | 1 | 3 | 2 |
| ULCER(S), GI | • | 3 | 2 |
| ULCER(S), SKIN | | 3 | 2 |
| WBC LO, BLD | | 3 | 2 |
| WEIGHT LOSS | | 3 | 2 |
| ALBUMIN HI, BLD | | 2 | 1 |
| ALKALINE URINE | | 2 | 1 |
| AMYLASE HI, BLD | | 2 | 1 |
| BANDS HI, BLD | | 2 | 1 |
| BEHAVIOR DISORDER | | 2 | 1 |
| BILIRUBIN, URINE | | 2 | 1 |
| CONFUSION | | 2 | 1 |
| DERMATITIS, MOIST | | 2 | 1 |
| DYSPNEA | | 2 | 1 |
| GLOBULIN HI, BLD | | 2 | 1 |
| GLOBULIN LO, BLD | | 2 | 1 |
| HYPERACTIVITY | | 2 | 1 |
| ICTERUS | | 2 | 1 |
| ICTERUS, BODY | | 2 | 1 |
| INCONTINENCE, URINARY | | 2 | 1 |
| INEFFECT, ANALGESIA | | 2 | 1 |
| INEFFECT, ANTIINFLAM | | 2 | 1 |
| KIDNEY FAILURE | | 2 | 1 |
| LIPASE HI, BLD | | 2 | 1 |
| LYMPHS HI, BLD | | 2 | 1 |
| MICROORANISMS, URINE | | 2 | 1 |
| MURMUR, HEART | | 2 | 1 |
| NA HI, BLD | | 2 | 1 |
| NYSTAGMUS | | 2 | 1 |
| PARESIS, HIND LIMB(S) | | 2 | 1 |
| PERFORATION, GI | | 2 | 1 |
| | | | |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|------------------|--------------|
| 138 | 144 | 142 | 18 |
| Cian | | Cum Doog+od | Dowgont |
| Sign POLYURIA | | Sum Reacted 2 | Percent 1 |
| PROTEIN, URINE | | 2 | 1 |
| PRURITIS | | 2 | 1 |
| RADIOGRAPH(S) ABN | | 2 | 1 |
| ULCER(S), TONGUE | | 2 | 1 |
| UNPALATABLE | | 2 | 1 |
| VESTIBULAR DISORDER | | 2 | 1 |
| VOCALIZATION | | 2 | 1 |
| WEAKNESS | | 2 | 1 |
| ABSCESS, SKIN | | 1 | 1 |
| ADIPSIA | | 1 | 1 |
| ALOPECIA | | 1 | 1 |
| ANEMIA, AUTOIMMUNE HEM | | 1 | 1 |
| AZOTEMIA | | 1 | 1 |
| BILE ACIDS HI, BLD | | 1 | 1 |
| BILIRUBIN(IND) HI, BLD | | 1 | 1 |
| BLD(PETECHIAE) | | 1 | 1 |
| BUN LO, BLD | | 1 | 1 |
| CA HI, BLD | | 1 | 1 |
| CASTS, URINE | | 1 | 1 |
| CHOLESTEROL HI, BLD | | 1 | 1 |
| CIRCLING | | 1 | 1 |
| CRYSTALS, URINE | | 1 | 1 |
| CYSTITIS | | 1 | 1 |
| DIARRHEA, SEVERE | | 1 | 1 |
| DIC | | 1 | 1 |
| ENTERITIS | | 1 | 1 |
| EOSINOS LO, BLD | | 1 | 1 |
| EPISTAXIS | | 1 | 1 |
| ERUCTATION | | 1 | 1 |
| ERUPTION(S) | | 1 | 1 |
| GAGGING | | 1 | 1 |
| GLAUCOMA | | 1 | 1 |
| HAIR, ABN COLOR | | 1 | 1 |
| HAIR, SHEDDING | | 1 | 1 |
| HYPERSALIVATION | | 1 | 1 |
| HYPOADRENOCORTICISM | | 1 | 1 |
| INEFFECT, LOSS OF EFFE | | 1 | 1 |
| INFECTION, FEET/DIGIT(| | 1 | 1 |
| INFLAM, SKIN | | 1 | 1 |
| THE MAIN PROME | | <u> </u> | _ |

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 138 | 144 | 142 | 18 |
| Sign | | Sum Reacted | Percent |
| IRRITATION, SKIN | | 1 | 1 |
| LESION(S), MOUTH/LIP(S | | 1 | 1 |
| LEUKODERMA | | 1 | 1 |
| LICKING | | 1 | 1 |
| LIVER ENZYMES HI, BLD | | 1 | 1 |
| LOCOMOTION DISORDER | | 1 | 1 |
| MG HI, BLD | | 1 | 1 |
| MYDRIASIS | | 1 | 1 |
| NA LO, BLD | | 1 | 1 |
| OTITIS | | 1 | 1 |
| P LO, BLD | | 1 | 1 |
| PALLOR | | 1 | 1 |
| PANCREATITIS | | 1 | 1 |
| PARESIS, FORELIMB(S) | | 1 | 1 |
| PERFORATION, STOMACH | | 1 | 1 |
| PERITONITIS | | 1 | 1 |
| PLATELETS HI, BLD | | 1 | 1 |
| POLYCYTHEMIA | | 1 | 1 |
| PR-BONE MARROW, LESION | | 1 | 1 |
| PR-GI, LESION(S) | | 1 | 1 |
| PR-LUNG(S), LESION(S) | | 1 | 1 |
| PR-LYMPH NODE(S), LESI | | 1 | 1 |
| PR-SM INTEST, LESION(S | | 1 | 1 |
| PR-STOMACH, LESION(S) | | 1 | 1 |
| PRESSURE HI, BLD | | 1 | 1 |
| PROPRIOCEPTIVE DISORDE | | 1 | 1 |
| PROTEIN(TOT) LO, BLD | | 1 | 1 |
| PT PROLONGED, BLD | | 1 | 1 |
| PTT PROLONGED, BLD | | 1 | 1 |
| RBC, NUCLEATED | | 1 | 1 |
| RELUCTANT TO MOVE | | 1 | 1 |
| RETICULOCYTES HI, BLD | | 1 | 1 |
| SCALE(S), SKIN | | 1 | 1 |
| SGOT/AST HI, BLD | | 1 | 1 |
| SHAKING | | 1 | 1 |
| SKIN, CRUST(S) | | 1 | 1 |
| SKIN, DRY | | 1 | 1 |
| SKIN, SCAB(S) | | 1 | 1 |
| SLOUGH, SKIN | | 1 | 1 |
| SOMNOLENCE | | 1 | 1 |

| Reviews 138 | Treated 144 | Reacted 142 | Died 18 | |
|------------------------|----------------|----------------|------------|--|
| Sign | | Sum Reacted | Percent | |
| STAGGERING | | 1 | 1 | |
| STOMATITIS | | 1 | 1 | |
| STUMBLING | | 1 | 1 | |
| SWELLING, EYE(S)/LID(S | | 1 | 1 | |
| SWELLING, HEAD/FACE | | 1 | 1 | |
| SWELLING, TONGUE | | 1 | 1 | |
| THROMBUS | | 1 | 1 | |
| TORTICOLLIS | | 1 | 1 | |
| TREMBLING | | 1 | 1 | |
| UNPALATABLE, WON'T EAT | | 1 | 1 | |
| VESICLE(S)/BULLAE, MOU | | 1 | 1 | |
| WEIGHT INCREASE | | 1 | 1 | |

FLORFENICOL DEFECT, NOT APPLICABLE

| Reviews 8 | Treated 0 | Reacted 0 | Died O |
|---------------------|--------------|--------------|-----------|
| 0 | O | 0 | O |
| Sign | | Sum Reacted | Percent |
| PD-CAP(S), ABN | | 0 | |
| PD-COLOR, ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-SOLUTION, ABN | | 0 | |
| PD-VIAL(S), ABN | | 0 | |
| PD-VIAL(S), DAMAGED | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |

FLORFENICOL ORAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 1 | 1 | 1 | 0 |
| Sign | | Sum Reacted | Percent |
| DEPRESSION/LETHARGY | | 1 | 100 |
| POLYPNEA | | 1 | 100 |

FLORFENICOL ORAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|----------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HOT FLUSH | | 1 | 100 | |
| PAIN, JOINT(S) | | 1 | 100 | |
| | | | | |

FLORFENICOL PARENTERAL, CAT

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 1 | 100 | |

FLORFENICOL PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died |
|----------------------|---------|-------------|---------|
| 43 | 429 | 215 | 67 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA | | 103 | 48 |
| ANOREXIA | | 101 | 47 |
| INJ SITE SWELLING | | 32 | 15 |
| RECUMBENCY | | 32 | 15 |
| ATAXIA | | 16 | 7 |
| ANAPHYLAXIS/TOID | | 14 | 7 |
| STAGGERING | | 12 | 6 |
| DEPRESSION/LETHARGY | | 11 | 5 |
| RELUCTANT TO MOVE | | 9 | 4 |
| COLLAPSE | | 7 | 3 |
| FEVER, BODY | | 6 | 3 |
| HYPERSALIVATION | | 4 | 2 |
| LAMENESS | | 4 | 2 |
| HYPERPNEA | | 3 | 1 |
| INJ SITE PAIN | | 3 | 1 |
| SHAKING | | 3 | 1 |
| STIFFNESS, FRONT LIN | MB (| 3 | 1 |
| DISTRESS | | 2 | 1 |
| THRASHING/PADDLING | | 2 | 1 |
| CIRCLING | | 1 | |
| CONVULSION(S) | | 1 | |
| | | | |

FLORFENICOL PARENTERAL, CATTLE

| Reviews 43 | Treated 429 | Reacted 215 | Died 67 | |
|-------------------------|----------------|----------------|------------|--|
| Sign | | Sum Reacted | Percent | |
| DISCHARGE, EYE(S)/LID(S | 3) | 1 | | |
| DISCOMFORT | | 1 | | |
| DYSPNEA | | 1 | | |
| EDEMA, CORNEA(S) | | 1 | | |
| INJ SITE SLOUGH | | 1 | | |
| NERVOUSNESS | | 1 | | |
| PARESIS | | 1 | | |
| PARESIS, FORELIMB(S) | | 1 | | |
| STIFFNESS | | 1 | | |
| SWEATING | | 1 | | |
| TACHYCARDIA | | 1 | | |
| UNCONSCIOUS | | 1 | | |
| | | | | |

FLORFENICOL PARENTERAL, DEER

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 100 | |

FLORFENICOL PARENTERAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------|---------|-------------|---------|
| 2 | 21 | 21 | 20 |
| Sign | | Sum Reacted | Percent |
| INJ SITE PAIN | | 1 | 5 |

FLORFENICOL PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died |
|----------|---------|-------------|---------|
| 3 | 3 | 3 | 3 |
| Sign | | Sum Reacted | Percent |
| DIARRHEA | | 3 | 100 |
| ANOREXIA | | 2 | 67 |

FLORFENICOL PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 3 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 2 | 67 | |
| FEVER, BODY | | 2 | 67 | |
| TOX | | 2 | 67 | |
| COLITIS | | 1 | 33 | |
| INJ SITE SWELLING | | 1 | 33 | |
| PAIN, ABDOMEN | | 1 | 33 | |
| PLATELETS LO, BLD | | 1 | 33 | |
| PR-COLON, LESION(S) | | 1 | 33 | |
| PR-KIDNEY(S), LESION(S | | 1 | 33 | |
| PR-LIVER, LESION(S) | | 1 | 33 | |

FLORFENICOL PARENTERAL, HUMAN

| Reviews | Treated | Reacted | Died |
|--------------------|---------|-------------|---------|
| 21 | 21 | 20 | 0 |
| Sign | | Sum Reacted | Percent |
| INJ SITE PAIN | | 10 | 50 |
| INJ SITE EDEMA | | 4 | 20 |
| INJ SITE SWELLING | | 4 | 20 |
| INJ SITE INFLAM | | 3 | 15 |
| BLD | | 2 | 10 |
| INJ SITE STIFFNESS | | 2 | 10 |
| SWELLING | | 2 | 10 |
| HYPOESTHESIA | | 1 | 5 |
| INJ SITE BLD | | 1 | 5 |
| INJ SITE MASS | | 1 | 5 |
| PAIN, JOINT(S) | | 1 | 5 |
| PAIN, LIMB(S) | | 1 | 5 |
| PAIN, MUSCLE(S) | | 1 | 5 |
| PARESTHESIA | | 1 | 5 |
| STIFFNESS, HAND(S) | | 1 | 5 |
| SWELLING, JOINT(S) | | 1 | 5 |

FLORFENICOL PARENTERAL, VARIOUS

Reviews Treated Reacted Died

FLORFENICOL PARENTERAL, VARIOUS

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 1 | 2 | 2 | 2 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 2 | 100 | |
| | | | | |

FLORFENICOL TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|------------------|----------------|--|
| 1 | 1 | 1 | 0 | |
| Sign INJ SITE PAIN | | Sum Reacted 1 | Percent 100 | |

FLORFENICOL UNKNOWN, CATTLE

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 7 | 128 | 32 | 12 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 3 | 9 | |
| DIARRHEA, MILD | | 2 | 6 | |
| DIARRHEA | | 1 | 3 | |
| DYSPNEA | | 1 | 3 | |
| KICKING | | 1 | 3 | |

FLORFENICOL UNKNOWN, GOAT

| Reviews 1 | Treated 1 | Reacted 1 | Died 1 |
|---------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| DEPRESSION/LETHARGY | | 1 | 100 |
| HYPOTHERMIA, BODY | | 1 | 100 |
| KIDNEY FAILURE | | 1 | 100 |
| NERVOUSNESS | | 1 | 100 |
| PARESIS | | 1 | 100 |
| | | | |

FLORFENICOL VARIOUS, HORSE

FLORFENICOL VARIOUS, HORSE

| Reviews | Treated | Reacted | Died | |
|-------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| DIARRHEA | | 1 | 100 | |
| INJ SITE PAIN | | 1 | 100 | |
| INJ SITE SWELLING | | 1 | 100 | |

FLORFENICOL VARIOUS, OTHER

| Reviews | Treated | Reacted | Died | |
|---------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |

FLUMETHASONE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|--------------------|---------|-------------|---------|--|
| 1 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-CONTAINER(S), D | AMAG | 0 | | |

FLUNIXIN DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 23 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-CAP(S), ABN | | 0 | |
| PD-COLOR, ABN | | 0 | |
| PD-CONTAINER(S), AE | N | 0 | |
| PD-CONTAINER(S), DA | MAG | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-GEL/PASTE, ABN | | 0 | |
| PD-LABEL(S), ABN | | 0 | |
| PD-PRODUCT DEFECT | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-SOLUTION, ABN | | 0 | |
| PD-SUSPENSION, ABN | | 0 | |
| PD-UNDERFILL, TUBE(| S) | 0 | |
| | | | |

FLUNIXIN DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 23 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-VIAL(S), DAMAGED | | 0 | | |
| PD-VIAL(S), LEAKING | | 0 | | |

FLUNIXIN MISSING, DOG

| Reviews | Treated | Reacted | Died | |
|---------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| APNEA | | 1 | 100 | |

FLUNIXIN OPHTHALMIC, HUMAN

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 5 | 5 | 5 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PAIN, EYE(S)/LID(S) | | 3 | 60 | |
| IRRITATION, EYE(S)/LID | | 2 | 40 | |
| VISION DISORDER | | 2 | 40 | |
| HEADACHE | | 1 | 20 | |
| IRRITATION, SKIN | | 1 | 20 | |
| NAUSEA | | 1 | 20 | |

FLUNIXIN ORAL, DOG

| Reviews | Treated | Reacted | Died |
|---------------------|---------|-------------|---------|
| 5 | 5 | 5 | 1 |
| Sign | | Sum Reacted | Percent |
| ANOREXIA | | 3 | 60 |
| DEPRESSION/LETHARGY | | 2 | 40 |
| VOMITING | | 2 | 40 |
| AMYLASE HI, BLD | | 1 | 20 |
| CREATININE HI, BLD | | 1 | 20 |
| DIARRHEA | | 1 | 20 |
| FEVER, BODY | | 1 | 20 |

FLUNIXIN ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|-----------------|---------|-------------|---------|--|
| 5 | 5 | 5 | 1 | |
| Sign | | Sum Reacted | Percent | |
| GGT HI, BLD | | 1 | 20 | |
| HYPERPNEA | | 1 | 20 | |
| HYPERSALIVATION | | 1 | 20 | |
| HYPERTONIA | | 1 | 20 | |
| KIDNEY FAILURE | | 1 | 20 | |
| MELENA | | 1 | 20 | |
| SPASM | | 1 | 20 | |
| TREMBLING | | 1 | 20 | |
| WBC HI, BLD | | 1 | 20 | |

FLUNIXIN ORAL, HORSE

| Reviews | Treated | Reacted | Died | |
|----------------------|---------|-------------|---------|--|
| 7 | 29 | 14 | 2 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 9 | 64 | |
| DIARRHEA | | 8 | 57 | |
| DIARRHEA, PROJECTILE | | 8 | 57 | |
| HYPOMOTILITY | | 8 | 57 | |
| TACHYCARDIA | | 8 | 57 | |
| ADIPSIA | | 1 | 7 | |
| ANAPHYLAXIS/TOID | | 1 | 7 | |
| ANEMIA | | 1 | 7 | |
| CA LO, BLD | | 1 | 7 | |
| HYPERSALIVATION | | 1 | 7 | |
| RASH | | 1 | 7 | |
| SGOT/AST HI, BLD | | 1 | 7 | |
| SWELLING, HEAD/FACE | | 1 | 7 | |
| TASTE ABNORMALITY | | 1 | 7 | |
| UNPALATABLE | | 1 | 7 | |
| URTICARIA | | 1 | 7 | |

FLUNIXIN PARENTERAL, CAT

| Reviews | Treated | Reacted | Died |
|---------|---------|---------|------|
| 1 | 1 | 1 | 1 |

FLUNIXIN PARENTERAL, CAT

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| ANESTH RECOV PROLONGED |) | 1 | 100 | |
| INJ SITE BLD | | 1 | 100 | |
| | | | | |

FLUNIXIN PARENTERAL, CATTLE

| Reviews | Treated | Reacted | Died | |
|-------------------------|---------|-------------|---------|--|
| 7 | 32 | 24 | 12 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE EMPHYSEMA | | 9 | 38 | |
| INJ SITE INFECT | | 9 | 38 | |
| INJ SITE NECROSIS | | 9 | 38 | |
| PR-INJ SITE, LESION(S) | | 9 | 38 | |
| PR-MUSCLE(S), LESION(S) | | 9 | 38 | |
| ANAPHYLAXIS/TOID | | 6 | 25 | |
| INJ SITE ABN | | 5 | 21 | |
| COLLAPSE | | 4 | 17 | |
| ATAXIA | | 3 | 13 | |
| CONVULSION(S) | | 3 | 13 | |
| HYPERPNEA | | 1 | 4 | |
| HYPERSALIVATION | | 1 | 4 | |
| THRASHING/PADDLING | | 1 | 4 | |
| VOCALIZATION | | 1 | 4 | |

FLUNIXIN PARENTERAL, DOG

| Reviews 9 | Treated 9 | Reacted 9 | Died 4 |
|----------------------|--------------|--------------|-----------|
| | | | |
| Sign | | Sum Reacted | Percent |
| HEMATOCHEZIA | | 3 | 33 |
| DEPRESSION/LETHARGY | | 2 | 22 |
| VOMITING | | 2 | 22 |
| ALK PHOS HI, BLD | | 1 | 11 |
| AMYLASE HI, BLD | | 1 | 11 |
| ANEMIA | | 1 | 11 |
| ANEMIA, AUTOIMMUNE H | EM | 1 | 11 |
| ANURIA | | 1 | 11 |

FLUNIXIN PARENTERAL, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------------------|---------|-------------|---------|--|
| 9 | 9 | 9 | 4 | |
| Sign | | Sum Reacted | Percent | |
| BLD, URINE | | 1 | 11 | |
| BUN HI, BLD | | 1 | 11 | |
| COLLAPSE | | 1 | 11 | |
| CREATININE HI, BLD | | 1 | 11 | |
| DEHYDRATION | | 1 | 11 | |
| DIARRHEA | | 1 | 11 | |
| DIC | | 1 | 11 | |
| DYSPNEA | | 1 | 11 | |
| <pre>INTERACTION, DRUG(S)</pre> | | 1 | 11 | |
| LIPASE HI, BLD | | 1 | 11 | |
| MELENA | | 1 | 11 | |
| P HI, BLD | | 1 | 11 | |
| PAIN, HIND LIMB(S) | | 1 | 11 | |
| PALLOR | | 1 | 11 | |
| PARALYSIS, HIND LIMB(S | | 1 | 11 | |
| PR-GI, LESION(S) | | 1 | 11 | |
| VOMITING, BLOODY | | 1 | 11 | |

FLUNIXIN PARENTERAL, DONKEY

| Reviews 1 | Treated 1 | Reacted 1 | Died 1 | |
|---------------|--------------|--------------|-----------|--|
| Sign | | Sum Reacted | Percent | |
| CONVULSION(S) | | 1 | 100 | |
| RECUMBENCY | | 1 | 100 | |

FLUNIXIN PARENTERAL, HORSE

| Reviews 119 | Treated 162 | Reacted 151 | Died 28 |
|-------------------|----------------|----------------|------------|
| Sign | | Sum Reacted | Percent |
| INJ SITE SWELLING | | 47 | 31 |
| COLLAPSE | | 27 | 18 |
| CONVULSION(S) | | 20 | 13 |
| INJ SITE ABSCESS | | 17 | 11 |
| INJ SITE PAIN | | 14 | 9 |

FLUNIXIN PARENTERAL, HORSE

| Reviews 119 | Treated 162 | Reacted 151 | Died 28 |
|------------------------|----------------|----------------|------------|
| 119 | 102 | 151 | 20 |
| Sign | | Sum Reacted | |
| FEVER, BODY | | 13 | 9 |
| ANAPHYLAXIS/TOID | | 11 | 7 |
| SWELLING, NECK | | 11 | 7 |
| URTICARIA | | 11 | 7 |
| ATAXIA | | 10 | 7 |
| INJ SITE EDEMA | | 10 | 7 |
| HYPERPNEA | | 7 | 5 |
| INJ SITE SLOUGH | | 7 | 5 |
| RECUMBENCY | | 7 | 5 |
| TREMBLING | | 7 | 5 |
| CONFUSION | | 6 | 4 |
| DEPRESSION/LETHARGY | | 6 | 4 |
| PAIN, ABDOMEN | | 6 | 4 |
| THRASHING/PADDLING | | 6 | 4 |
| PRURITIS | | 5 | 3 |
| STIFFNESS, NECK | | 5 | 3 |
| CYANOSIS | | 4 | 3 |
| INJ SITE INFECT | | 4 | 3 |
| PAIN, NECK | | 4 | 3 |
| REACTION, UNSPECIFIED | | 4 | 3 |
| STIFFNESS, HIND LIMB(S | 5 | 4 | 3 |
| SWEATING | | 4 | 3 |
| ANOREXIA | | 3 | 2 |
| INJ SITE NECROSIS | | 3 | 2 |
| PR-MUSCLE(S), LESION(S | 5 | 3 | 2 |
| SHAKING | | 3 | 2 |
| SHAKING, HEAD/FACE | | 3 | 2 |
| SPASM | | 3 | 2 |
| SWELLING, BRISKET/CHES | 5 | 3 | 2 |
| APNEA | | 2 | 1 |
| DYSPNEA | | 2 | 1 |
| EDEMA | | 2 | 1 |
| EDEMA, NECK | | 2 | 1 |
| HYPERACTIVITY | | 2 | 1 |
| HYPERTONIA | | 2 | 1 |
| INJ SITE EFFUSION | | 2 | 1 |
| INJ SITE EMPHYSEMA | | 2 | 1 |
| INJ SITE MASS | | 2 | 1 |
| INJ SITE STERILE ABSCE | 7. | 2 | 1 |
| KICKING | _ | 2 | 1 |
| 111 0111110 | | ۷ | _ |

FLUNIXIN PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 119 | 162 | 151 | 28 |
| Sign | | Sum Reacted | Percent |
| LAMENESS | | 2 | 1 |
| STAGGERING | | 2 | 1 |
| SWELLING, LIMB(S) | | 2 | 1 |
| BEHAVIOR DISORDER | | 1 | 1 |
| EDEMA, BRISKET/CHEST | | 1 | 1 |
| EDEMA, HEAD/FACE | | 1 | 1 |
| EMPHYSEMA, SQ | | 1 | 1 |
| ENLARGEMENT(S), NECK | | 1 | 1 |
| EPISTAXIS | | 1 | 1 |
| HEAD BOBBING | | 1 | 1 |
| HEAD PRESSING | | 1 | 1 |
| INFECTION | | 1 | 1 |
| INJ SITE ALOPECIA | | 1 | 1 |
| INJ SITE FIBROSIS | | 1 | 1 |
| INJ SITE SEROMA | | 1 | 1 |
| INJ SITE STIFFNESS | | 1 | 1 |
| IRRITATION | | 1 | 1 |
| JERKING | | 1 | 1 |
| NEUROLOGICAL DISORDER | | 1 | 1 |
| NYSTAGMUS | | 1 | 1 |
| PAIN, LIMB(S) | | 1 | 1 |
| PALLOR | | 1 | 1 |
| POLYPNEA | | 1 | 1 |
| PR-INJ SITE, LESION(S) | | 1 | 1 |
| PR-INTEST, LESION(S) | | 1 | 1 |
| PR-LARYNX, LESION(S) | | 1 | 1 |
| PR-LUNG(S), EDEMA | | 1 | 1 |
| PR-PLEURAL EFFUSION | | 1 | 1 |
| PR-SKIN, LESION(S) | | 1 | 1 |
| REARING | | 1 | 1 |
| SHOCK | | 1 | 1 |
| SLOUGH, SKIN | | 1 | 1 |
| STIFFNESS | | 1 | 1 |
| SWELLING, HEAD/FACE | | 1 | 1 |
| SWELLING, MOUTH/LIP(S) | | 1 | 1 |
| TACHYCARDIA | | 1 | 1 |
| UNCONSCIOUS | | 1 | 1 |
| WBC HI, BLD | | 1 | 1 |
| WEAKNESS | | 1 | 1 |

FLUNIXIN PARENTERAL, HUMAN

| | PARENTE | ERAL, HUMAN | | |
|-------------------|---------|-----------------------|---------|--|
| Reviews | Treated | Reacted | Died | |
| 3 | 3 | 3 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DIZZINESS | | 1 | 33 | |
| INJ SITE SWELLING | | 1 | 33 | |
| SWEATING | | 1 | 33 | |
| WEAKNESS | | 1 | 33 | |
| | | | | |
| | | JUNIXIN | | |
| | PARENT | ERAL, MULE | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| | | | | |
| | | UNIXIN RAL, RABBIT | | |
| | | 14.12.7 | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| | FI | JUNIXIN | | |
| | | AL, HUMAN | | |
| Reviews | Treated | Reacted | Died | |
| Reviews 1 | 1 | Reacted 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| IRRITATION, SKIN | | 1 | 100 | |
| | | | | |
| | FL | JUNIXIN | | |
| | UNKN | OWN, CAT | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| DIARRHEA | | 1 | 100 | |
| HYPOTHERMIA | | 1 | 100 | |
| | | | | |

FLUNIXIN UNKNOWN, CATTLE

| | | | - ' 1 | |
|--|---|------------------|----------------|--|
| Reviews 1 | Treated 3 | Reacted 3 | Died 3 | |
| 1 | 3 | 3 | 3 | |
| Sign | | Sum Reacted | Percent | |
| | | | | |
| | FLU | NIXIN | | |
| | UNKNOW. | N, HORSE | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Gå | | Q D | Danasa | |
| Sign SWEATING | | Sum Reacted 1 | Percent 100 | |
| SWEATING | | | 100 | |
| | | | | |
| | | NIXIN | | |
| | UNKNOW. | N, HUMAN | | |
| Reviews | Treated | Reacted | Died | |
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| LIVER ENZYMES HI, BLD | | 1 | 100 | |
| —————————————————————————————————————— | | | 100 | |
| | FI.II | NIXIN | | |
| | | S, HORSE | | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 2, | | |
| Reviews | Treated | Reacted | Died | |
| 3 | 6 | 6 | 1 | |
| Sign | | Sum Reacted | Percent | |
| FEVER, BODY | | 4 | 67 | |
| INJ SITE ABSCESS | | 4 | 67 | |
| INJ SITE INFECT | | 4 | 67 | |
| INJ SITE SWELLING | | 4 | 67 | |
| PD-CONTAMINATION | | 4 | 67 | |
| CONVULSION(S) | | 1 | 17 | |
| DEPRESSION/LETHARGY | | 1 | 17 | |
| RELUCTANT TO MOVE | | 1 | 17 | |
| SOMNOLENCE | | 1 | 17 | |

FLUPROSTENOL PARENTERAL, HORSE

FLUPROSTENOL PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|------------------|----------------|--|
| 1 | 4 | 4 | 0 | |
| Sign INJ SITE PAIN | | Sum Reacted 4 | Percent 100 | |

$\begin{array}{c} {\tt FOLLICLE} \ \, {\tt STIMULATING} \ \, {\tt HORMONE} \ \, ({\tt FSH}) \\ \\ {\tt PARENTERAL}, \ \, {\tt CATTLE} \end{array}$

| Reviews | Treated | Reacted | Died | |
|------------------------|---------|-------------|---------|--|
| 41 | 1091 | 671 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, SUPEROVULATE | | 670 | 100 | |
| ANAPHYLAXIS/TOID | | 1 | | |
| SWELLING, EYE(S)/LID(S | | 1 | | |
| SWELLING, HEAD/FACE | | 1 | | |
| SWELLING, LIMB(S) | | 1 | | |
| SWELLING, NECK | | 1 | | |
| URTICARIA | | 1 | | |

FOLLICLE STIMULATING HORMONE (FSH) PARENTERAL, SHEEP

| Reviews | Treated | Reacted | Died | |
|--------------------|---------|-------------|---------|--|
| 1 | 47 | 47 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INEFFECT, SUPEROVU | LATE | 47 | 100 | |

FOMEPIZOLE MISSING, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ATAXIA | | 1 | 100 | |
| DEPRESSION/LETHARGY | | 1 | 100 | |
| ODOR, MOUTH | | 1 | 100 | |

FOMEPIZOLE PARENTERAL, DOG

FOMEPIZOLE PARENTERAL, DOG

| Reviews 2 | Treated 2 | Reacted 2 | Died 1 |
|-------------------|--------------|--------------|-----------|
| Sign | | Sum Reacted | Percent |
| CONVULSION(S) | | 1 | 50 |
| EDEMA, LIMB(S) | | 1 | 50 |
| INJ SITE EDEMA | | 1 | 50 |
| INJ SITE NECROSIS | | 1 | 50 |
| LAMENESS | | 1 | 50 |

FORMALDEHYDE TOPICAL, CATTLE

| Reviews | Treated | Reacted | Died |
|------------------------|---------|-------------|---------|
| 1 | 80 | 80 | 5 |
| Sign | | Sum Reacted | Percent |
| UDDER, MASTITIS | | 80 | 100 |
| UDDER, TEAT(S) DISORDE | | 80 | 100 |

FURAZOLIDONE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 18 | 0 | 0 | 0 |
| Sign | | Sum Reacted | Percent |
| PD-CONTAINER(S), ABN | | 0 | |
| PD-DISPENSER, ABN | | 0 | |
| PD-SEAL, ABN | | 0 | |
| PD-UNDERFILL, PACKAGE | | 0 | |
| PD-VIAL(S), LEAKING | | 0 | |

FURAZOLIDONE ORAL, PIG

| Reviews | Treated | Reacted | Died |
|-----------------------|---------|-------------|---------|
| 3 | 633 | 633 | 9 |
| Sign | | Sum Reacted | Percent |
| ANOREXIA | | 430 | 68 |
| CONSTIPATION | | 430 | 68 |
| PR-LUNG(S), LESION(S) | | 200 | 32 |
| TREMBLING | | 3 | |

FURAZOLIDONE TOPICAL, HUMAN

| Reviews | Treated | Reacted | Died | |
|----------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| HUMAN EXPOSURE | | 1 | 100 | |
| INFLAM | | 1 | 100 | |

FUROSEMIDE DEFECT, NOT APPLICABLE

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 1 | 0 | 0 | 0 | |
| Sign | | Sum Reacted | Percent | |
| PD-UNDERFILL, PACKAGE | | 0 | | |

FUROSEMIDE MISSING, HORSE

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 100 | |
| ENLARGEMENT(S) | | 1 | 100 | |
| INJ SITE PAIN | | 1 | 100 | |
| KICKING | | 1 | 100 | |
| SWEATING | | 1 | 100 | |
| URTICARIA | | 1 | 100 | |

FUROSEMIDE ORAL, BIRD

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| REGURGITATION | | 1 | 100 | |
| REGURGITATION, FOOD | | 1 | 100 | |
| WEAKNESS | | 1 | 100 | |
| | | | | |

FUROSEMIDE ORAL, CAT

FUROSEMIDE ORAL, CAT

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|------------------|----------------|--|
| 1 | 1 | 1 | 0 | |
| Sign ARREST, HEART | | Sum Reacted 1 | Percent 100 | |

FUROSEMIDE ORAL, DOG

| Reviews | Treated | Reacted | Died | |
|--------------------|---------|-------------|---------|--|
| 18 | 20 | 19 | 1 | |
| Sign | | Sum Reacted | Percent | |
| POLYURIA | | 6 | 32 | |
| DEPRESSION/LETHAR | GY | 3 | 16 | |
| HYPERACTIVITY | | 2 | 11 | |
| TACHYCARDIA | | 2 | 11 | |
| VOMITING | | 2 | 11 | |
| ANOREXIA | | 1 | 5 | |
| INCONTINENCE | | 1 | 5 | |
| INEFFECT | | 1 | 5 | |
| PD-POTENCY, LO | | 1 | 5 | |
| POLYDIPSIA | | 1 | 5 | |
| PRESSURE LO, BLD | | 1 | 5 | |
| SPEC GRAVITY LO, U | URINE | 1 | 5 | |
| UNCONSCIOUS | | 1 | 5 | |
| WEAKNESS | | 1 | 5 | |

FUROSEMIDE PARENTERAL, CAT

| Reviews | Treated | Reacted | Died | |
|-----------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 2 | |
| Sign | | Sum Reacted | Percent | |
| APNEA | | 1 | 33 | |
| CONVULSION(S) | | 1 | 33 | |
| FIBRILLATION, VENTRIC | CU | 1 | 33 | |
| K LO, BLD | | 1 | 33 | |
| UNCONSCIOUS | | 1 | 33 | |

FUROSEMIDE PARENTERAL, HORSE

FUROSEMIDE PARENTERAL, HORSE

| Reviews | Treated | Reacted | Died | |
|--------------------|---------|-------------|---------|--|
| 3 | 3 | 3 | 2 | |
| Sign | | Sum Reacted | Percent | |
| ANAPHYLAXIS/TOID | | 1 | 33 | |
| COLLAPSE | | 1 | 33 | |
| FIBRILLATION | | 1 | 33 | |
| REARING | | 1 | 33 | |
| THRASHING/PADDLING | | 1 | 33 | |

FUROSEMIDE UNKNOWN, DOG

| Reviews | Treated | Reacted | Died | |
|---------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 1 | |
| Sign | | Sum Reacted | Percent | |
| DEPRESSION/LETHARGY | | 1 | 100 | |
| DIARRHEA | | 1 | 100 | |
| HYPERSALIVATION | | 1 | 100 | |

FUROSEMIDE VARIOUS, DOG

| Reviews | Treated | Reacted | Died | |
|------------------|---------|-------------|---------|--|
| 1 | 1 | 1 | 0 | |
| Sign | | Sum Reacted | Percent | |
| INJ SITE ABSCESS | | 1 | 100 | |
| | | | | |